



Spare parts for:

**Warewashing equipment**



# Solenoid valves

- Diaphragms
- Flowrate adjusters
- Coils



This catalogue is automatically generated.  
Therefore, the sequence of the items might  
not be always shown at best.  
Updates will be issued in case of additions  
and/or amendments.





Suitable for:

**3120485 BEIGE OUTLET REDUCER**  
flowrate L/min. : 1.30 - tolerance : 25 %



# Solenoid valves



Suitable for:

**3120499 BLUE OUTLET PRESSURE REDUCER**  
flowrate L/min. : 1.20 - tolerance : 25 %



**3120473 BROWN INLET REDUCER**  
flowrate L/min. : 5 - tolerance : 15 %



**3120487 BROWN OUTLET ADAPTOR**  
flowrate L/min. : 2.50 - tolerance : 20 %



**3120280 COIL CONNECTOR**  
cable length 1 m  
max temperature 70°C




**3021001 COIL CROUZET 220V 50Hz**  
ø external 44 mm - h 14 mm



**3120374 COIL ODE BDA08024DS 24V 8W 50/60Hz**  
width 30 mm - height 39 mm  
depth 42 mm



**1120820 COIL ODE BDA08223DS 220/230V 50Hz 8W**  
width 30 mm - height 39 mm  
depth 42 mm



**3120347 COIL SIRAI ZB10A 230V 4W 50/60Hz**  
width 22 mm - height 30 mm  
depth 28 mm



**3120348 COIL SIRAI ZB10A 24V 4W 50/60Hz**  
width 22 mm - height 30 mm  
depth 28 mm



**3120213 COIL SIRAI Z134A 230V 50Hz**  
for solenoid valves L153 DA ø 3/4"



**3120115 COIL SIRAI Z534A 230V 50Hz**  
for solenoid valve fitting 3/4" - 1"





Suitable for:

**3120113 COIL SIRAI Z614A 230V 50Hz**  
for solenoid valve fitting 1/2"




Suitable for:


**3120215 COIL SIRAI Z914A 230V 50Hz**  
for solenoid valves L153 D5 1"



**3120431 COIL T&P 12Vac**  
for T&P valves



**3120432 COIL T&P 24Vac**  
for T&P valves




**3120468 COIL 220V**



**3120471 COIL 230V**  
for steam solenoid valve



**3120467 COIL 24V**




**3120469 COIL 24V**



**3120474 DARK BLUE INLET REDUCER**  
flowrate L/min. : 6 - tolerance : 15 %



**3120117 DIAPHRAGM FOR VALVE  $\varnothing$  1/2"**



**3120123 DIAPHRAGM FOR VALVES**  
NEW TYPE



**3120069 DIAPHRAGM PM7321 CN/DN  $\varnothing$  3/4"-1"**  
formerly PM133





Suitable for:

# Solenoid valves



**3120478 GREEN INLET REDUCER**  
flowrate L/min. : 11 - tolerance : 15 %



**3120568 GREEN OUTLET ADAPTOR T&P 3 L/min**




**3120486 GREEN OUTLET PRESSURE REDUCER**  
flowrate L/min. : 2.00 - tolerance : 25 %



**3120484 GREEN OUTLET REDUCER**  
flowrate L/min. : 0.80 - tolerance : 25 %



**3120479 GREY INLET REDUCER**  
flowrate L/min. : 12 - tolerance : 15 %



**3120281 HORIZONTAL COIL CONNECTOR**  
cable length 1 m  
max temperature 70°C



**3120019 INLET PRESSURE REDUCER 5.5 L/min BLACK**



**3120476 LIGHT BLUE INLET REDUCER**  
flowrate L/min. : 9 - tolerance : 15 %



**3120325 MULLER COIL 24V AC**  
temperature 90°C



**3120264 MULLER SOLENOID VALVE 230V ø 12 mm**  
solenoid valve 180° - 220/230V 50/60Hz - max 90°C  
3/4" inlet - ø 12 mm n. 3 outlets  
with cable length 2000 mm



**3120519 ODE ADJUST.SOLENOID VALVE ø 1/4"FF 220V**  
fittings 1/2"- 1/4" for pipe 8 mm  
coil 8W 230V 50/60Hz



**3120475 ORANGE INLET REDUCER**  
flowrate L/min. : 8 - tolerance : 15 %







Suitable for:

Suitable for:

**3120037 OUTLET REDUCER ELBI 0.25 L/min GREEN**  
for ELBI solenoid valve  
face value +/- 25%



**3120202 OUTLET REDUCER ELBI 0.35 L/min YELLOW**  
for ELBI solenoid valve  
face value +/- 25%



**3120203 OUTLET REDUCER ELBI 2 L/min WHITE**  
for ELBI solenoid valve  
face value +/- 25%



**3120201 OUTLET REDUCER ELBI 4.7 L/min GREY**  
for ELBI solenoid valve  
face value +/- 25%



**3120424 OUTLET REDUCER T&P 0.25L/min RED**  
for solenoid valve T&P



**3120423 OUTLET REDUCER T&P 0.5L/min ORANGE**  
for solenoid valve T&P



**3120386 OUTLET REDUCER T&P 0,8 Lt/min WHITE**



**3120391 OUTLET REDUCER T&P 1 l/min BLUE**



**3120387 OUTLET REDUCER T&P 1,5 Lt/min BEIGE**



**3120422 OUTLET REDUCER T&P 2.5L/min YELLOW**  
for solenoid valve T&P



**3120421 OUTLET REDUCER T&P 5L/min BLACK**  
for solenoid valve T&P



**3120488 PINK OUTLET REDUCER**  
flowrate L/min. : 3.30 - tolerance : 20 %





Suitable for:

# Solenoid valves



Suitable for:

**3120291 SOLENOID VALVE  $\varnothing$  1/4" FF 110V 50Hz**  
water inlet



**3120365 SOLENOID VALVE  $\varnothing$  3/8" FF 230V**  
for steam - normally closed  
max temperature 140°C  
max. pressure differential 20 bar  
coil ODE 8W 230V 50Hz - flowrate 60 L/min



**1120820 COIL ODE BDA08223DS 220/230V 50Hz 8W**  
width 30 mm - height 39 mm  
depth 42 mm



**3120034 CONNECTOR FEMALE LARGE**  
for coils



COMENDA 150033  
UNIC

NUOVA SIMONELLI

RANCILIO

**3120367 SOLENOID VALVE ODE  $\varnothing$  1/2" FF 24V**  
for steam - normally closed  
max temperature 140°C  
max. pressure differential 20 bar  
coil ODE 8W 24Vdc 50/60Hz - flowrate 70 L/min



**3120374 COIL ODE BDA08024DS 24V 8W 50/60Hz**  
width 30 mm - height 39 mm  
depth 42 mm



**3120034 CONNECTOR FEMALE LARGE**  
for coils



COMENDA 150033  
UNIC

NUOVA SIMONELLI

RANCILIO



Suitable for:

**3120371 SOLENOID VALVE  $\varnothing$  3/4" FF 230V**  
 for water - normally closed  
 max temperature 90°C  
 max. pressure differential 20 bar  
 coil ODE 8W 230V 50Hz - flowrate 45 L/min



Suitable for:

**1120820 COIL ODE BDA08223DS 220/230V 50Hz 8W**  
 width 30 mm - height 39 mm  
 depth 42 mm



**3120034 CONNECTOR FEMALE LARGE**  
 for coils



COMENDA 150033  
 UNIC

NUOVA SIMONELLI

RANCILIO

**3120372 SOLENOID VALVE  $\varnothing$  3/4" FF 24V**  
 for water - normally closed  
 max temperature 90°C  
 max. pressure differential 20 bar  
 coil ODE 8W 24V 50Hz - flowrate 45 L/min



**3120374 COIL ODE BDA08024DS 24V 8W 50/60Hz**  
 width 30 mm - height 39 mm  
 depth 42 mm



**3120034 CONNECTOR FEMALE LARGE**  
 for coils



COMENDA 150033  
 UNIC

NUOVA SIMONELLI

RANCILIO

**3120110 SOLENOID VALVE L145R2  $\varnothing$  1/2" FF 220V**  
 for steam  
 normally closed (ex L142 M2)  
 max. temperature 175°C  
 max. pressure differential 12 bar  
 coil 220V 50Hz  
 for Dishwasher conveyor type (HOBART) CXLA



**3120113 COIL SIRAI Z614A 230V 50Hz**  
 for solenoid valve fitting 1/2"





Suitable for:

**3120044 CONNECTOR FEMALE SMALL**  
for coils



COMENDA 150034

**3120059 SOLENOID VALVE L182B17  $\varnothing$  1" FF 220V**  
previous L180  
for water  
normally closed  
max. temperature 100°C  
max. pressure differential 16 bar  
coil 220V 50Hz



**3120044 CONNECTOR FEMALE SMALL**  
for coils



COMENDA 150034

**3610024 SOLENOID VALVE L182B17  $\varnothing$  3/8" FF 220V**  
previous L180  
for water  
normally closed  
coil 220V 50/60Hz  
max temperature 100°C  
max differential pressure 16 bar



**3120105 DIAPHRAGM FOR VALVES**



ELECTROLUX 069017


ZANUSSI 069017

# Solenoid valves



Suitable for:

**3120117 DIAPHRAGM FOR VALVE  $\varnothing$  1/2"**



**3120042 COIL SIRAI Z610A 6W 230V 50/60Hz**  
width 25 mm - height 33 mm  
depth 33 mm



COMENDA 630981  
MARENO 25351099

ELECTROLUX 0KG317  
ZANUSSI 067609

ELECTROLUX 067609  
ZANUSSI 0KG317

**3120107 SOLENOID VALVES DIAPHRAGM GROUP**



**3120044 CONNECTOR FEMALE SMALL**  
for coils



COMENDA 150034





Suitable for:

**3120270 SOLENOID VALVE MULLER  $\varnothing$  1/8" F 230V**  
 coil 230V 50/60Hz  
 inlet 1/8" - outlet 1/8"



Suitable for:

**3120263 SOLENOID VALVE MULLER 230V  $\varnothing$  14 mm**  
 solenoid valve 180°-230V 50/60Hz - max 90°C  
 inlet  $\varnothing$  3/4" - 3 outlets  $\varnothing$  14 mm



**3120265 SOLENOID VALVE MULLER 230V 1/2"**  
 solenoid valve 180°-230V 50/60Hz - max 90°C  
 inlet 1/2" - outlet 1/2"



**3120266 SOLENOID VALVE MULLER 230V 3/4"**  
 solenoid valve 180°-230V 50/60Hz - max 90°C  
 inlet 3/4" - outlet 3/4"



**3120368 SOLENOID VALVE ODE  $\varnothing$  3/4" FF 230V**  
 for steam - normally closed  
 max temperature 140°C  
 max. pressure differential 25 bar  
 coil ODE 8W 230V 50Hz - flowrate 140 L/min



**1120820 COIL ODE BDA08223DS 220/230V 50Hz 8W**  
 width 30 mm - height 39 mm  
 depth 42 mm



**3120034 CONNECTOR FEMALE LARGE**  
 for coils



COMENDA 150033  
 UNIC

NUOVA SIMONELLI

RANCILIO

**3120470 SOLENOID VALVE ODE  $\varnothing$  3/4" FF 230V**  
 for water - normally closed  
 max temperature 90°C  
 max. pressure differential 16 bar  
 coil ODE 8W 230V 50Hz - flowrate 50 L/min



**1120820 COIL ODE BDA08223DS 220/230V 50Hz 8W**  
 width 30 mm - height 39 mm  
 depth 42 mm





Suitable for:

**3120034 CONNECTOR FEMALE LARGE**  
for coils



COMENDA 150033  
UNIC

NUOVA SIMONELLI

RANCILIO

# Solenoid valves



Suitable for:

**3120496 SOLENOID VALVE ODE  $\varnothing$  3/4" FF 24V**  
for water - normally closed  
max temperature 90°C  
max. pressure differential 16 bar  
coil ODE 8W 24V 50Hz - flowrate 50 L/min



**3120034 CONNECTOR FEMALE LARGE**  
for coils




COMENDA 150033  
UNIC

NUOVA SIMONELLI

RANCILIO

**3120374 COIL ODE BDA08024DS 24V 8W 50/60Hz**  
width 30 mm - height 39 mm  
depth 42 mm



**3120369 SOLENOID VALVE ODE  $\varnothing$  3/8" FF 230V**  
for water - normally closed  
max temperature 90°C  
max pressure differential 20 bar  
coil ODE 8W 230V 50/60Hz - flowrate 35 L/min



**3120034 CONNECTOR FEMALE LARGE**  
for coils




COMENDA 150033  
UNIC

NUOVA SIMONELLI

RANCILIO


**1120820 COIL ODE BDA08223DS 220/230V 50Hz 8W**  
width 30 mm - height 39 mm  
depth 42 mm





Suitable for:

**3120370 SOLENOID VALVE ODE  $\varnothing$  3/8" FF 24V**  
 for water - normally closed  
 max temperature 90°C  
 max pressure differential 20 bar  
 coil ODE 8W 24V 50/60Hz - flowrate 35 L/min



Suitable for:

**3120374 COIL ODE BDA08024DS 24V 8W 50/60Hz**  
 width 30 mm - height 39 mm  
 depth 42 mm



**3120034 CONNECTOR FEMALE LARGE**  
 for coils




COMENDA 150033  
 UNIC

NUOVA SIMONELLI

RANCILIO

**3120398 SOLENOID VALVE 230V  $\varnothing$  10 mm**  
 solenoid valve 180° - 220/240V 50/60Hz - max 90°C  
 inlet 3/4" - two outlets  $\varnothing$  10 mm  
 with cable length 2000 mm



**3120416 SOLENOID VALVE 230V  $\varnothing$  13.5 mm**  
 solenoid valve 180° - 230V 50/60Hz - max 90°C  
 inlet 3/4" - 3 outlets  $\varnothing$  13.5 mm




**3523088 SOLENOID VALVE 240V  $\varnothing$  11 mm**  
 solenoid valve 180°-240V - 50/60Hz - max 90°C  
 inlet 3/4" - outlet  $\varnothing$  11 mm



**3120401 SOLENOID VALVE 3/8"FF ALIMENTARY 24V**



**3120494 SOLENOID VALVE 536 24V  $\varnothing$  13 mm**  
 solenoid valve 180° - 24V 50/60Hz - max 90°C  
 inlet 3/4" - threaded outlet  $\varnothing$  13 mm





Suitable for:

**3120731 SOLENOID VALVE 7321BAN00 1/2" 24V**  
for Dishwasher conveyor type (COMENDA)



**3120034 CONNECTOR FEMALE LARGE**  
for coils




COMENDA 150033  
UNIC

NUOVA SIMONELLI

RANCILIO

**3120232 SOLENOID VALVE 7321BCN00 3/4" 220V**



**3120044 CONNECTOR FEMALE SMALL**  
for coils



COMENDA 150034

**3120230 SOLENOID VALVE 7321BIN00 3/8" 220V**



# Solenoid valves



Suitable for:

**1120333 COIL LUCIFER 483510P0 24V 9W 50/60Hz**  
width 32 mm - height 37 mm  
depth 43 mm



RANCILIO 34040024

**1120332 COIL LUCIFER/PARKER 220/240V 9W 50Hz**  
width 32 mm - height 38 mm  
depth 43 mm



NUOVA SIMONELLI

RANCILIO

UNIC

**1120332 COIL LUCIFER/PARKER 220/240V 9W 50Hz**  
width 32 mm - height 38 mm  
depth 43 mm



NUOVA SIMONELLI

RANCILIO

UNIC





Suitable for:

**3120032 COIL PARKER ZB09 9W 220/240V 50/60Hz**  
width 34 mm - height 33 mm  
depth 43 mm



ANGELO PO 3222750  
UNIC

NUOVA SIMONELLI

RANCILIO

## Solenoid valves



Suitable for:

**3120033 COIL PARKER ZB09 9W 24V 50/60Hz**  
width 34 mm - height 33 mm  
depth 43.5 mm



NUOVA SIMONELLI

UNIC

**3120034 CONNECTOR FEMALE LARGE**  
for coils



COMENDA 150033  
UNIC

NUOVA SIMONELLI

RANCILIO

**3120730 SOLENOID VALVE 7321BIN00 3/8" 24V**



**1120333 COIL LUCIFER 483510P0 24V 9W 50/60Hz**  
width 32 mm - height 37 mm  
depth 43 mm



RANCILIO 34040024

**3120106 SOLENOID VALVES DIAPHRAGM GROUP**



**3120107 SOLENOID VALVES DIAPHRAGM GROUP**



**3120349 SOLENOID-VALVE MULLER 230V ø 3/8"**  
solenoid valve 180° - 230V 50Hz - max 90°C  
inlet 3/4" - outlet 3/8"



**3120125 SOLENOID-VALVE RPE 230V ø 3/4"MM**  
solenoid valve 180° - 230V 50/60Hz - max 90°C  
inlet 3/4"M - outlet 3/4"M





Suitable for:

# Solenoid valves



Suitable for:

**3120472 VIOLET INLET REDUCER**  
flowrate L/min. : 4 -tolerance : 5 %



**3120429 WATER SOLENOID VALVE ASCO**  
FF 1/2" 220V  
max temperature 85°C  
max pressure 16 bar



**3120468 COIL 220V**



**3120044 CONNECTOR FEMALE SMALL**  
for coils



COMENDA 150034

**3120430 WATER SOLENOID VALVE ASCO**  
mod. SCE 238 A 101  
FF 3/8" 220V  
max temperature 85°C  
max pressure 16 bar



**3120468 COIL 220V**



**3120044 CONNECTOR FEMALE SMALL**  
for coils



COMENDA 150034



Suitable for:

**3120438 WATER SOLENOID VALVE ASCO**  
FF 1/2" 24V  
max temperature 85°C  
max pressure 16 bar

Suitable for:

**3120469 COIL 24V**




**3120044 CONNECTOR FEMALE SMALL**  
for coils



COMENDA 150034

**3120439 WATER SOLENOID VALVE ASCO**  
FF 3/8" 24 V  
max temperature 85°C  
max pressure 16 bar

**3120469 COIL 24V**



**3120044 CONNECTOR FEMALE SMALL**  
for coils



COMENDA 150034

**3120450 WATER SOLENOID VALVE ASCO**  
FF 3/4" 220 V  
max temperature 85°C  
max pressure 16 bar

**3120468 COIL 220V**





Suitable for:

**3120044 CONNECTOR FEMALE SMALL**  
for coils



# Solenoid valves



Suitable for:

COMENDA 150034

**3120451 WATER SOLENOID VALVE ASCO**  
FF 3/4" 24 V  
max temperature 85°C  
max pressure 16 bar



**3120469 COIL 24V**



**3120044 CONNECTOR FEMALE SMALL**  
for coils




COMENDA 150034

**3120435 WATER SOLENOID VALVE ERA**  
FF 1/2" 24VAC  
max temperature 60°C  
max pressure 10 bar  
normally closed



**3120467 COIL 24V**



**3120034 CONNECTOR FEMALE LARGE**  
for coils



COMENDA 150033

NUOVA SIMONELLI

RANCILIO

UNIC






Suitable for:

Suitable for:

**3120440 WATER SOLENOID VALVE ERA**  
 FF 3/8" 24VAC  
 max temperature 60°C  
 max pressure 10 bar  
 normally closed

**3120467 COIL 24V**



**3120034 CONNECTOR FEMALE LARGE**  
 for coils




COMENDA 150033  
 UNIC

NUOVA SIMONELLI

RANCILIO

**3120452 WATER SOLENOID VALVE ERA**  
 FF 3/8" 230VAC  
 max temperature 60°C  
 max pressure 10 bar  
 normally open

**3120466 COIL 230V**



BONNET 1250E

**3120034 CONNECTOR FEMALE LARGE**  
 for coils




COMENDA 150033  
 UNIC

NUOVA SIMONELLI

RANCILIO

**3120453 WATER SOLENOID VALVE ERA**  
 FF 3/8" 24VAC  
 max temperature 60°C  
 max pressure 10 bar  
 normally open

**3120467 COIL 24V**





Suitable for:

**3120034 CONNECTOR FEMALE LARGE**  
for coils



COMENDA 150033  
UNIC

NUOVA SIMONELLI

RANCILIO

# Solenoid valves



Suitable for:

**3120454 WATER SOLENOID VALVE ERA**  
FF 1/2" 230VAC  
max temperature 60°C  
max pressure 10 bar  
normally open



**3120034 CONNECTOR FEMALE LARGE**  
for coils




COMENDA 150033  
UNIC

NUOVA SIMONELLI

RANCILIO

**3120466 COIL 230V**



BONNET 1250E

**3120455 WATER SOLENOID VALVE ERA**  
FF 1/2" 24VAC  
max temperature 60°C  
max pressure 10 bar  
normally open



**3120034 CONNECTOR FEMALE LARGE**  
for coils




COMENDA 150033  
UNIC

NUOVA SIMONELLI

RANCILIO

**3120467 COIL 24V**






Suitable for:

Suitable for:

**3120456 WATER SOLENOID VALVE ERA**  
 FF 3/4" 230VAC  
 max temperature 80°C  
 max pressure 12 bar

**3120466 COIL 230V**



BONNET 1250E

**3120034 CONNECTOR FEMALE LARGE**  
 for coils




COMENDA 150033  
 UNIC

NUOVA SIMONELLI

RANCILIO

**3120457 WATER SOLENOID VALVE ERA**  
 FF 3/4" 24VAC  
 max temperature 80°C  
 max pressure 12 bars  
 normally open

**3120467 COIL 24V**



**3120034 CONNECTOR FEMALE LARGE**  
 for coils



COMENDA 150033  
 UNIC

NUOVA SIMONELLI

RANCILIO

**3120459 WATER SOLENOID VALVE ERA**  
 FF 3/8" 48VAC  
 max temperature 60°C  
 max pressure 10 bar  
 normally closed

**3120034 CONNECTOR FEMALE LARGE**  
 for coils



COMENDA 150033  
 UNIC

NUOVA SIMONELLI

RANCILIO



Suitable for:

# Solenoid valves



**3120460 WATER SOLENOID VALVE ERA**  
FF 1/2" 48VAC  
max temperature 60°C  
max pressure 10 bar  
normally closed



Suitable for:

**3120034 CONNECTOR FEMALE LARGE**  
for coils



COMENDA 150033  
UNIC

NUOVA SIMONELLI

RANCILIO

**3120442 WATER SOLENOID VALVE PARKER**  
230 V - FF 3/8"  
max temperature 140°C  
max pressure 20 bar  
normally closed



**1120332 COIL LUCIFER/PARKER 220/240V 9W 50Hz**  
width 32 mm - height 38 mm  
depth 43 mm



NUOVA SIMONELLI

RANCILIO

UNIC

**3120034 CONNECTOR FEMALE LARGE**  
for coils



COMENDA 150033  
UNIC

NUOVA SIMONELLI

RANCILIO

**3120443 WATER SOLENOID VALVE PARKER**  
230 V - FF 1/2"  
max temperature 140°C  
max pressure 20 bar  
normally closed



**1120332 COIL LUCIFER/PARKER 220/240V 9W 50Hz**  
width 32 mm - height 38 mm  
depth 43 mm



NUOVA SIMONELLI

RANCILIO

UNIC





Suitable for:

**3120034 CONNECTOR FEMALE LARGE**  
for coils



COMENDA 150033  
UNIC

NUOVA SIMONELLI

RANCILIO

# Solenoid valves



Suitable for:

**3120444 WATER SOLENOID VALVE PARKER**  
230 V - 3/4"  
max temperature 140°C  
max pressure 20 bar  
normally closed



**3120034 CONNECTOR FEMALE LARGE**  
for coils




COMENDA 150033  
UNIC

NUOVA SIMONELLI

RANCILIO

**1120332 COIL LUCIFER/PARKER 220/240V 9W 50Hz**  
width 32 mm - height 38 mm  
depth 43 mm



NUOVA SIMONELLI

RANCILIO

UNIC

**3120445 WATER SOLENOID VALVE PARKER**  
230 V - FF 1"  
max temperature 140°C  
max pressure 20 bar  
normally closed



**3120034 CONNECTOR FEMALE LARGE**  
for coils



COMENDA 150033  
UNIC

NUOVA SIMONELLI

RANCILIO

**1120332 COIL LUCIFER/PARKER 220/240V 9W 50Hz**  
width 32 mm - height 38 mm  
depth 43 mm



NUOVA SIMONELLI

RANCILIO

UNIC



Suitable for:

# Solenoid valves



**3120446 WATER SOLENOID VALVE PARKER**  
24 V - FF 3/8"  
max temperature 140°C  
max pressure 20 bar  
normally closed



Suitable for:

**3120033 COIL PARKER ZB09 9W 24V 50/60Hz**  
width 34 mm - height 33 mm  
depth 43.5 mm



NUOVA SIMONELLI

UNIC

**3120034 CONNECTOR FEMALE LARGE**  
for coils



COMENDA 150033  
UNIC

NUOVA SIMONELLI

RANCILIO

**3120447 WATER SOLENOID VALVE PARKER**  
24 V - FF 1/2"  
max temperature 140°C  
max pressure 20 bar  
normally closed



**3120033 COIL PARKER ZB09 9W 24V 50/60Hz**  
width 34 mm - height 33 mm  
depth 43.5 mm



NUOVA SIMONELLI

UNIC

**3120034 CONNECTOR FEMALE LARGE**  
for coils



COMENDA 150033  
UNIC

NUOVA SIMONELLI

RANCILIO

**3120448 WATER SOLENOID VALVE PARKER**  
24 V - FF 3/4"  
max temperature 140°C  
max pressure 20 bar  
normally closed



**3120033 COIL PARKER ZB09 9W 24V 50/60Hz**  
width 34 mm - height 33 mm  
depth 43.5 mm



NUOVA SIMONELLI

UNIC



Suitable for:

**3120034 CONNECTOR FEMALE LARGE**  
for coils



COMENDA 150033  
UNIC

NUOVA SIMONELLI

RANCILIO

# Solenoid valves



Suitable for:

**3120449 WATER SOLENOID VALVE PARKER**  
24 V - FF 1"  
max temperature 140°C  
max pressure 20 bar  
normally closed



**3120033 COIL PARKER ZB09 9W 24V 50/60Hz**  
width 34 mm - height 33 mm  
depth 43.5 mm



NUOVA SIMONELLI

UNIC

**3120034 CONNECTOR FEMALE LARGE**  
for coils



COMENDA 150033  
UNIC

NUOVA SIMONELLI

RANCILIO

**3120419 WATER SOLENOID VALVE 12 V**  
male / male - 1/2"  
normally closed  
pressure from 0.2 to 10 bar  
max temperature 90°C



**3120420 WATER SOLENOID VALVE 12 V**  
male / male - 3/4"  
normally closed  
pressure from 0.2 to 10 bar  
max temperature 90°C



**3120395 WATER SOLENOID VALVE 220 V**  
male / male - 1/2"  
normally closed  
pressure from 0.2 to 10 bar  
max temperature 90°C



**3120396 WATER SOLENOID VALVE 24 V**  
male / male - 1/2"  
normally closed  
pressure from 0.2 to 10 bar  
max temperature 90°C





Suitable for:

# Solenoid valves



## 3120397 WATER SOLENOID VALVE 24 V

male / male - 3/4"  
normally closed  
pressure from 0.2 to 10 bar  
max temperature 90°C



Suitable for:

## 3120482 WHITE FLOW ADJUSTER

flowrate L/min.:0.25-tolerance: +/- 0.10%



## 3120477 WHITE INLET REDUCER

flowrate L/min. : 10 - tolerance : 15 %



## 3120481 YELLOW INLET REDUCER

flowrate L/min. : 14.5 - tolerance : 15 % -




## 3120483 YELLOW OUTLET REDUCER

flowrate L/min. :0.50-tolerance: +/- 0.15%



## 3120402 2-WAY WATER SOLENOID VALVE 180°-12 V

max temperature 90°C - flowrate 1.2 m3/h  
operating pressure from 0.2 to 10 bar



## 3120403 2-WAYS WATER SOLENOID VALVE 90° 12V

inlet 3/4" - outlets ø 10.5 mm  
max temperature 90°C - flow rate 1.2 m3/h  
operating pressure from 0.2 to 10 bar




## 3120418 3-WAY WATER SOLEN.VALVE 90°-12 V

max temperature 90°C  
operating pressure from 0.2 to 10 bar




## 3120393 3-WAY WATER SOLEN.VALVE 180° - 24 V

max temperature 90°C - flowrate 1.2 m3/h  
operating pressure from 0.2 to 10 bar



## 3120392 3-WAY WATER SOLENOID VALVE 180 -24 V

max temperature 90°C - flowrate 1.2 m3/h  
operating pressure from 0.2 to 10 bar  
inlet 3/4" - hose end outlet ø 13,5 mm







Suitable for:

Suitable for:

**3120412 3-WAY WATER SOLENOID VALVE 180°-12 V**  
 max temperature 90°C - flowrate 1.2 m<sup>3</sup>/h  
 operating pressure from 0.2 to 10 bar



**3120417 3-WAY WATER SOLENOID VALVE 90°-24 V**  
 max temperature 90°C  
 operating pressure from 0.2 to 10 bar



**3120426 4-WAY WATER SOLENOID VALVE 230 V**  
 max temperature 90°C  
 operating pressure from 0.2 to 10 bar



**3120427 4-WAY WATER SOLENOID VALVE 24 V**  
 max temperature 90°C  
 operating pressure from 0.2 to 10 bar  
 inlet 3/4" - hose end outlet ø 11 mm



**3120428 4-WAYS WATER SOLENOID VALVE 12 V**  
 max temperature 90°C



**3120015 OUTLET REDUCER ELBI 0.5 L/min RED**  
 for ELBI solenoid valve  
 face value +/- 25%



ADLER 10558  
 LASA 4167


ELETTROBAR 133009

LASA 3306500

**3120006 SOLENOID VALVE 339 220/240V ø 10 mm**  
 solenoid valve 90° - 220/240V 50/60Hz - max 90°C  
 inlet 3/4" - dual outlet ø 10 mm



**3120000 FILTER FOR INLET SOLENOID VALVE ELBI**



ADLER 20016  
 COMENDA 120197  
 ELECTROLUX 056872  
 ZANUSSI 056872

ANGELO PO 33D0290  
 COMENDA 120142  
 WHIRLPOOL 771985003415  
 ZANUSSI 055444

ATA 1066  
 ELECTROLUX 055444  
 WHIRLPOOL 771985003163

MEIKO 9506228

**3120021 INLET PRESSURE REDUCER 12 L/min BLACK**



**3120022 INLET PRESSURE REDUCER 16 L/min BLACK**



ELFRAMO 23120004  
 MODULAR 471.002.00

KOMEL 23120004

MARELS 471.002.00

MEIKO 9506227



Suitable for:

**3120019 INLET PRESSURE REDUCER 5.5 L/min BLACK**



**3120202 OUTLET REDUCER ELBI 0.35 L/min YELLOW**  
for ELBI solenoid valve  
face value +/- 25%



**3120016 OUTLET REDUCER ELBI 1.2 L/min NEUTRAL**  
for ELBI solenoid valve  
face value +/- 25%



ELECTROLUX 0L0166  
ZANUSSI 0L0166

MBM 172833

MBM RTFOC00145

**3120017 OUTLET REDUCER ELBI 2.5 L/min ORANGE**  
for ELBI solenoid valve  
face value +/- 25%



MBM RTFOC00120

MBM 172834

**3120204 OUTLET REDUCER ELBI 5.5 L/min BROWN**  
for ELBI solenoid valve  
face value +/- 25%



ELECTROLUX 0W2908

ZANUSSI 0W2908

## Solenoid valves



Suitable for:

**3120037 OUTLET REDUCER ELBI 0.25 L/min GREEN**  
for ELBI solenoid valve  
face value +/- 25%



**3120015 OUTLET REDUCER ELBI 0.5 L/min RED**  
for ELBI solenoid valve  
face value +/- 25%



ADLER 10558  
LASA 4167

ELETTROBAR 133009

LASA 3306500

**3120203 OUTLET REDUCER ELBI 2 L/min WHITE**  
for ELBI solenoid valve  
face value +/- 25%



**3120201 OUTLET REDUCER ELBI 4.7 L/min GREY**  
for ELBI solenoid valve  
face value +/- 25%







Suitable for:

Suitable for:

**3120408 SOLENOID VALVE 230V  $\varnothing$  13.5 mm**  
 solenoid valve 90° - 230V 50/60Hz - max 90°C  
 inlet 3/4" - 1 outlet  $\varnothing$  13.5 mm




- |                        |                        |                        |
|------------------------|------------------------|------------------------|
| ALPENINOX              | ANGELO PO 33D3280      | ARISTARCO              |
| ATA                    | BONNET 23458           | COLGED                 |
| COMENDA                | ELETTROBAR             | MARENO                 |
| THIRODE 23458          | WHIRLPOOL 148898       | WHIRLPOOL 169179       |
| WHIRLPOOL 771985001657 | WHIRLPOOL 771985001804 | WHIRLPOOL 771985002042 |
| WHIRLPOOL 771985004253 | WHIRLPOOL 147529       | WHIRLPOOL 147532       |
| WHIRLPOOL 148178       |                        |                        |

**3120004 SOLENOID VALVE 319 220/240V  $\varnothing$  10 mm**  
 solenoid valve 90° - 220/240V 50/60Hz - max 90°C  
 inlet 3/4" - outlet  $\varnothing$  10 mm



- |                        |                   |                   |
|------------------------|-------------------|-------------------|
| ALPENINOX 300373       | ANGELO PO 33D1371 | ANGELO PO 33D1370 |
| ARISTARCO 394          | ATA 2504          | COLGED DEV3S      |
| COMENDA 120145         | ELECTROLUX 0A2064 | ELECTROLUX 0KM766 |
| ELECTROLUX 002613      | ELECTROLUX 047531 | ELECTROLUX 055350 |
| ELETTROBAR 240006      | EMMEPI 8C0206     | HOONVED H120145   |
| HOONVED 120145         | LASA 3306510      | MARENO 1037308800 |
| WHIRLPOOL 481928128225 | ZANUSSI 0KM766    | ZANUSSI 002613    |
| ZANUSSI 047531         | ZANUSSI 055350    | ZANUSSI 0A2064    |

**3120000 FILTER FOR INLET SOLENOID VALVE ELBI**



MEIKO 9506228

**3120021 INLET PRESSURE REDUCER 12 L/min BLACK**



- |                    |                |                   |
|--------------------|----------------|-------------------|
| ELFRAMO 23120004   | KOMEL 23120004 | MARELS 471.002.00 |
| MODULAR 471.002.00 |                |                   |

**3120022 INLET PRESSURE REDUCER 16 L/min BLACK**



MEIKO 9506227

**3120019 INLET PRESSURE REDUCER 5.5 L/min BLACK**



**3120037 OUTLET REDUCER ELBI 0.25 L/min GREEN**  
 for ELBI solenoid valve  
 face value +/- 25%





Suitable for:

**3120202 OUTLET REDUCER ELBI 0.35 L/min YELLOW**  
for ELBI solenoid valve  
face value +/- 25%



**3120016 OUTLET REDUCER ELBI 1.2 L/min NEUTRAL**  
for ELBI solenoid valve  
face value +/- 25%



ELECTROLUX 0L0166  
ZANUSSI 0L0166

MBM 172833

MBM RTFOC00145

**3120017 OUTLET REDUCER ELBI 2.5 L/min ORANGE**  
for ELBI solenoid valve  
face value +/- 25%



MBM RTFOC00120

MBM 172834

**3120204 OUTLET REDUCER ELBI 5.5 L/min BROWN**  
for ELBI solenoid valve  
face value +/- 25%



ELECTROLUX 0W2908

ZANUSSI 0W2908

**3120504 SOLENOID VALVE 319 24V ø 10 mm**  
solenoid valve 90° - 24V 50Hz - max 90°C  
inlet 3/4" - outlet ø 10 mm



ALPENINOX  
ATA 13103

ELETTROBAR

WHIRLPOOL 148180

ANGELO PO  
COLGED

MARENO

WHIRLPOOL 771985001805

ARISTARCO  
COMENDA

WHIRLPOOL 771985010440

WHIRLPOOL 771985006285

## Solenoid valves



Suitable for:

**3120015 OUTLET REDUCER ELBI 0.5 L/min RED**  
for ELBI solenoid valve  
face value +/- 25%



ADLER 10558

LASA 4167

ELETTROBAR 133009

LASA 3306500

**3120203 OUTLET REDUCER ELBI 2 L/min WHITE**  
for ELBI solenoid valve  
face value +/- 25%



**3120201 OUTLET REDUCER ELBI 4.7 L/min GREY**  
for ELBI solenoid valve  
face value +/- 25%



**3120000 FILTER FOR INLET SOLENOID VALVE ELBI**



MEIKO 9506228



Suitable for:

**3120021 INLET PRESSURE REDUCER 12 L/min BLACK**



ELFRAMO 23120004  
MODULAR 471.002.00

KOMEL 23120004

MARELS 471.002.00

**3120019 INLET PRESSURE REDUCER 5.5 L/min BLACK**



**3120202 OUTLET REDUCER ELBI 0.35 L/min YELLOW**  
for ELBI solenoid valve  
face value +/- 25%



**3120016 OUTLET REDUCER ELBI 1.2 L/min NEUTRAL**  
for ELBI solenoid valve  
face value +/- 25%



ELECTROLUX 0L0166  
ZANUSSI 0L0166

MBM 172833

MBM RTFOC00145

**3120017 OUTLET REDUCER ELBI 2.5 L/min ORANGE**  
for ELBI solenoid valve  
face value +/- 25%



MBM RTFOC00120

MBM 172834

# Solenoid valves



Suitable for:

**3120022 INLET PRESSURE REDUCER 16 L/min BLACK**



MEIKO 9506227

**3120037 OUTLET REDUCER ELBI 0.25 L/min GREEN**  
for ELBI solenoid valve  
face value +/- 25%



**3120015 OUTLET REDUCER ELBI 0.5 L/min RED**  
for ELBI solenoid valve  
face value +/- 25%



ADLER 10558  
LASA 4167

ELETTROBAR 133009

LASA 3306500

**3120203 OUTLET REDUCER ELBI 2 L/min WHITE**  
for ELBI solenoid valve  
face value +/- 25%



**3120201 OUTLET REDUCER ELBI 4.7 L/min GREY**  
for ELBI solenoid valve  
face value +/- 25%





Suitable for:

**3120204 OUTLET REDUCER ELBI 5.5 L/min BROWN**  
for ELBI solenoid valve  
face value +/- 25%



ELECTROLUX 0W2908

ZANUSSI 0W2908

# Solenoid valves



Suitable for:

**3120511 SOLENOID VALVE 350 24V ø 14 mm**  
solenoid valve 90° - 24V 50Hz - max 90°C  
3/4" inlet - ø 14 mm outlet



ALPENINOX  
ATA  
ELECTROLUX 0H2513  
MARENO  
ZANUSSI 0H2513

ANGELO PO  
COLGED  
ELECTROLUX 0L0175  
MEIKO 9623762

ARISTARCO  
COMENDA  
ELETTROBAR  
ZANUSSI 0L0175

**3120400 1-WAY SOLENOID VALVE 90° 12V**  
inlet 3/4" - outlet ø 13.5 mm  
max. temperature 90°C - flow rate 1.2 m3/h  
operating pressure from 0.2 to 10 bars



ALPENINOX  
ATA  
ELECTROLUX  
ZANUSSI

ANGELO PO  
COLGED  
ELETTROBAR

ARISTARCO  
COMENDA  
MARENO

**3120032 COIL PARKER ZB09 9W 220/240V 50/60Hz**  
width 34 mm - height 33 mm  
depth 43 mm



ANGELO PO 3222750  
UNIC

NUOVA SIMONELLI

RANCILIO

**3120541 SOLENOID VALVE L140B5 ø 1/2"FF 24V**  
for water  
normally closed  
max. temperature 100°C  
max. differential pressure 10 bar  
coil 24V 50/60Hz



ANGELO PO 33D1060  
COMENDA 120168  
GIGA SDTR0091  
SILANOS TR0091

COMENDA 120125  
COMENDA 120191  
HOONVED 120141  
WHIRLPOOL 483286001597

COMENDA 120141  
EMMEPI TR0091  
HOONVED H120141

**3120043 COIL SIRAI Z610A 24V 50/60Hz**



COMENDA 630948  
ELFRAMO 2316002  
EMMEPI TR0020  
KOMEL 5676  
MARELS

ELFRAMO 02316002  
ELFRAMO 5676  
KOMEL 23160002  
KOMEL 00056760  
MODULAR

ELFRAMO 23160002  
ELFRAMO 00056760  
KOMEL 2316002  
KOMEL 02316002  
SILANOS TR0020



Suitable for:

**3120044 CONNECTOR FEMALE SMALL**  
for coils



COMENDA 150034

**3120112 SOLENOID VALVE L145R2 ø 1"FF 220V**  
for steam  
normally closed (ex L142 M2)  
max. temperature 175°C  
max. pressure differential 12 bar  
coil 220V 50Hz



ANGELO PO 33D1420

**3120034 CONNECTOR FEMALE LARGE**  
for coils



COMENDA 150033  
UNIC

NUOVA SIMONELLI

RANCILIO

**3120610 SOLENOID VALVE L145R2 1/2"FF 24V**  
for steam  
normally closed (ex L142 M2)  
max. temperature 175°C  
max. differential pressure 12 bar  
coil 24V 50Hz



ANGELO PO 33D0570  
ELFRAMO 23160001  
KOMEL 23160001  
KOMEL 23150001

COMENDA 120161  
ELFRAMO 5660  
KOMEL 5660

ELFRAMO 23150001  
ELFRAMO 00056600  
KOMEL 00056600

# Solenoid valves



Suitable for:

**3120200 DIAPHRAGM FOR L140 B5**




CIMSA-FABAR 09135

**3120115 COIL SIRAI Z534A 230V 50Hz**  
for solenoid valve fitting 3/4" - 1"



**3120114 COIL SIRAI Z614A 24V 50Hz**  
for solenoid valve fitting 1/2"



COMENDA 630973  
KOMEL 5661

ELFRAMO 5661  
KOMEL 23160001

ELFRAMO 23160001



Suitable for:

**3120044 CONNECTOR FEMALE SMALL**  
for coils



COMENDA 150034

**3120038 SOLENOID VALVE L153 D5 ø 1" FF 220V**  
for steam  
normally closed (ex 149D4)  
max. temperature 140°C  
coil 220V. 50Hz



ANGELO PO 33D0560

MARENO 21504199

**3120034 CONNECTOR FEMALE LARGE**  
for coils



COMENDA 150033

NUOVA SIMONELLI

RANCILIO

UNIC

**3120558 SOLENOID VALVE L182B17 3/4" FF 24V**  
previous L180  
for water  
normally closed  
max. temperature 100°C  
max. differential pressure 16 bar  
coil 24V 50Hz  
for Dishwasher conveyor type (SILANOS) T2000



ANGELO PO 33D1050

ATA 14130

BONNET

COMENDA 120122

ELFRAMO 23150002

ELFRAMO 5680

ELFRAMO 00056800

EMMEPI TR0090

GIGA SDTR0090

HOONVED 120122

HOONVED H120122

KOMEL 5680

KOMEL 00056800

KOMEL 23150002

LAMBER 0300070

MARELS

MODULAR

SILANOS TR0090


WHIRLPOOL 483286001624

# Solenoid valves



Suitable for:

**3120117 DIAPHRAGM FOR VALVE ø 1/2"**



**3120215 COIL SIRAI Z914A 230V 50Hz**  
for solenoid valves L153 D5 1"



**3120348 COIL SIRAI ZB10A 24V 4W 50/60Hz**  
width 22 mm - height 30 mm  
depth 28 mm







Suitable for:

**3120043 COIL SIRAI Z610A 24V 50/60Hz**



COMENDA 630948  
ELFRAMO 2316002  
EMMEPI TR0020  
KOMEL 5676  
MARELS

ELFRAMO 02316002  
ELFRAMO 5676  
KOMEL 23160002  
KOMEL 00056760  
MODULAR

ELFRAMO 23160002  
ELFRAMO 00056760  
KOMEL 2316002  
KOMEL 02316002  
SILANOS TR0020

**3120106 SOLENOID VALVES DIAPHRAGM GROUP**



# Solenoid valves



Suitable for:


**3120044 CONNECTOR FEMALE SMALL for coils**



COMENDA 150034

**3120057 SOLENOID VALVE L182B31 ø 1/2" FF 220V**

previous L180  
for water  
normally closed  
max. temperature 100°C  
max. pressure differential 16 bar  
coil 220V 50Hz



ANGELO PO 33D0070  
ELECTROLUX 0H2412  
EMMEPI 8C0421  
KOMEL 23140006  
ZANUSSI 067356

ANGELO PO 33D1460  
ELECTROLUX 067356  
HOONVED 120174  
WHIRLPOOL 167356  
ZANUSSI 0H2412

COMENDA 120174  
ELFRAMO 23140006  
HOONVED H120174  
WHIRLPOOL 252412

**3120347 COIL SIRAI ZB10A 230V 4W 50/60Hz**

width 22 mm - height 30 mm  
depth 28 mm



**3120042 COIL SIRAI Z610A 6W 230V 50/60Hz**

width 25 mm - height 33 mm  
depth 33 mm



COMENDA 630981  
MARENO 25351099

ELECTROLUX 0KG317  
ZANUSSI 067609

ELECTROLUX 067609  
ZANUSSI 0KG317

**3120044 CONNECTOR FEMALE SMALL**

for coils



COMENDA 150034



Suitable for:

**3120105 DIAPHRAGM FOR VALVES**



ELECTROLUX 069017

ZANUSSI 069017

# Solenoid valves



Suitable for:

**3120123 DIAPHRAGM FOR VALVES  
NEW TYPE**



**3120557 SOLENOID VALVE L182B31 1/2"FF 24V**  
EX L180  
for water  
normally closed  
max temperature 100°C  
max differential pressure 16 bar  
coil 24V 50Hz  
for Dishwasher conveyor type (DIHR) - Series AX  
Series BX  
for Dishwasher conveyor type (KROMO) - Series KP



ANGELO PO  
COMENDA 120154  
HOONVED 120131  
ZANUSSI 068464

ARISTARCO 3446  
DIHR 3002030  
HOONVED H120131

COMENDA 120131  
ELECTROLUX 068464  
KROMO 3002030

**3120348 COIL SIRAI ZB10A 24V 4W 50/60Hz**  
width 22 mm - height 30 mm  
depth 28 mm



**3120043 COIL SIRAI Z610A 24V 50/60Hz**



COMENDA 630948  
ELFRAMO 2316002  
EMMEPI TR0020  
KOMEL 5676  
MARELS

ELFRAMO 02316002  
ELFRAMO 5676  
KOMEL 2316002  
KOMEL 00056760  
MODULAR

ELFRAMO 2316002  
ELFRAMO 00056760  
KOMEL 2316002  
KOMEL 02316002  
SILANOS TR0020

**3120044 CONNECTOR FEMALE SMALL**  
for coils



COMENDA 150034

**3120105 DIAPHRAGM FOR VALVES**



ELECTROLUX 069017

ZANUSSI 069017



Suitable for:

Suitable for:

**3120005 SOLENOID VALVE 329 220/240V  $\varnothing$  10 mm**  
 solenoid valve 180° - 220/240V 50/60Hz - max 90°C  
 inlet 3/4" - outlet  $\varnothing$  10 mm




ANGELO PO 33D2310  
 BONNET 2001650H  
 EMMEPI 809335  
 GIGA D240011  
 JEMI 2017007  
 KROMO 10703  
 MARENO MA2709000  
 PROJECT SYSTEMS 30600  
 THIRODE 2001650H

ANGELO PO 33D3260  
 DIHR 10703  
 EMMEPI 902390  
 HEMERSON 041035  
 KOMEL 23120021  
 KRUPPS 103370  
 MODULAR 462.000.00  
 RHIMA 51100004

BOBECK E10703  
 EMMEPI 809327  
 GIGA SD902390  
 HOONVED 26629  
 KREFFT 62-240011  
 MARENO 2709000  
 MODULAR 462.010.00  
 SO.WE.BO. CEEV1

**3120000 FILTER FOR INLET SOLENOID VALVE ELBI**



MEIKO 9506228

**3120021 INLET PRESSURE REDUCER 12 L/min BLACK**



ELFRAMO 23120004  
 MODULAR 471.002.00

KOMEL 23120004

MARELS 471.002.00

**3120022 INLET PRESSURE REDUCER 16 L/min BLACK**



MEIKO 9506227

**3120019 INLET PRESSURE REDUCER 5.5 L/min BLACK**



**3120037 OUTLET REDUCER ELBI 0.25 L/min GREEN**  
 for ELBI solenoid valve  
 face value +/- 25%



**3120202 OUTLET REDUCER ELBI 0.35 L/min YELLOW**  
 for ELBI solenoid valve  
 face value +/- 25%



**3120015 OUTLET REDUCER ELBI 0.5 L/min RED**  
 for ELBI solenoid valve  
 face value +/- 25%



ADLER 10558  
 LASA 4167

ELETTROBAR 133009

LASA 3306500



Suitable for:

**3120016 OUTLET REDUCER ELBI 1.2 L/min NEUTRAL**  
for ELBI solenoid valve  
face value +/- 25%



ELECTROLUX 0L0166  
ZANUSSI 0L0166

MBM 172833

MBM RTFOC00145

**3120017 OUTLET REDUCER ELBI 2.5 L/min ORANGE**  
for ELBI solenoid valve  
face value +/- 25%



MBM RTFOC00120

MBM 172834

**3120204 OUTLET REDUCER ELBI 5.5 L/min BROWN**  
for ELBI solenoid valve  
face value +/- 25%



ELECTROLUX 0W2908

ZANUSSI 0W2908

**3120007 SOLENOID VALVE 349 220/240V ø 10 mm**  
solenoid valve 180° - 220/240V 50/60Hz - max 90°C  
inlet 3/4" - dual outlet ø 10 mm



ANGELO PO 33D1641  
DIHR 15098  
ELFRAMO 00003120  
FAGOR EU929172  
HEMERSON 041010  
JEMI 2017022  
KROMO 15098  
MODULAR 462.002.00  
SO.WE.BO. CEEV2

ANGELO PO 33D3250  
ELETTROBAR 240003  
EMMEPI 808922  
FAGOR P255001000  
HOONVED 26631  
KOMEL 00003120  
LASA 3300500  
RHIMA 51100005

BOBECK E15098  
ELFRAMO 23120001  
EMMEPI 8C0145  
GIGA D240003  
IME OMNIWASH CEEV2  
KOMEL 23120001  
MBM RTFOC00203  
SAMMIG 8100265

MEIKO 9506228

# Solenoid valves



Suitable for:


**3120203 OUTLET REDUCER ELBI 2 L/min WHITE**  
for ELBI solenoid valve  
face value +/- 25%



**3120201 OUTLET REDUCER ELBI 4.7 L/min GREY**  
for ELBI solenoid valve  
face value +/- 25%



**3120000 FILTER FOR INLET SOLENOID VALVE ELBI**





Suitable for:

**3120021 INLET PRESSURE REDUCER 12 L/min BLACK**



ELFRAMO 23120004  
MODULAR 471.002.00

KOMEL 23120004

MARELS 471.002.00

**3120019 INLET PRESSURE REDUCER 5.5 L/min BLACK**



**3120202 OUTLET REDUCER ELBI 0.35 L/min YELLOW**  
for ELBI solenoid valve  
face value +/- 25%



**3120016 OUTLET REDUCER ELBI 1.2 L/min NEUTRAL**  
for ELBI solenoid valve  
face value +/- 25%



ELECTROLUX 0L0166  
ZANUSSI 0L0166

MBM 172833

MBM RTFOC00145

**3120017 OUTLET REDUCER ELBI 2.5 L/min ORANGE**  
for ELBI solenoid valve  
face value +/- 25%



MBM RTFOC00120

MBM 172834

# Solenoid valves



Suitable for:

**3120022 INLET PRESSURE REDUCER 16 L/min BLACK**



MEIKO 9506227

**3120037 OUTLET REDUCER ELBI 0.25 L/min GREEN**  
for ELBI solenoid valve  
face value +/- 25%



**3120015 OUTLET REDUCER ELBI 0.5 L/min RED**  
for ELBI solenoid valve  
face value +/- 25%



ADLER 10558  
LASA 4167

ELETTROBAR 133009

LASA 3306500

**3120203 OUTLET REDUCER ELBI 2 L/min WHITE**  
for ELBI solenoid valve  
face value +/- 25%



**3120201 OUTLET REDUCER ELBI 4.7 L/min GREY**  
for ELBI solenoid valve  
face value +/- 25%





Suitable for:

**3120204 OUTLET REDUCER ELBI 5.5 L/min BROWN**  
for ELBI solenoid valve  
face value +/- 25%



ELECTROLUX 0W2908


ZANUSSI 0W2908

# Solenoid valves



Suitable for:

**3120407 SOLENOID VALVE 230V ø 10.5 mm**  
solenoid valve 180° - 230V 50/60Hz - max 90°C  
inlet 3/4" - 2 outlets ø 10.5 mm



ARISTARCO 3269

BONNET 3697E

HILTA ELVA2V

LUXIA L2020

UNIVERBAR 4076

WHIRLPOOL 147536

WHIRLPOOL 483286000125

WHIRLPOOL 145631

BONNET 1700434

THIRODE 634086

WHIRLPOOL 169463


WHIRLPOOL 146427

**3120410 SOLENOID VALVE 230V ø 13.5 mm**  
solenoid valve 90° - 230V 50/60Hz - max 90°C  
inlet 3/4" - 2 outlets ø 13.5 mm



ARISTARCO 148

**3120549 DRAIN VALVE 220V 50/60Hz**  
MDB-C-2  
inlet and outlet ø 50 mm  
for Pan washing machine (ATA) ALP44



ATA 14727

**3120186 OUTLET SOLENOID VALVE 24V NC**  
normally CLOSED  
inlet ø 50 mm.  
outlet ø 50 mm.  
coil 24V 50Hz  
with outlet lever



ATA 13102

**3120013 SOLENOID VALVE 263 220/240V ø 10 mm**  
solenoid valve 90° - 220/240V 50/60Hz - max 90°C  
inlet 3/4" - triple outlet ø 10 mm



ATA 7209

ELECTROLUX 047539

ELECTROLUX 069296

ZANUSSI 049077

COMENDA 120179

ELECTROLUX 047540

KROMO 15099

ZANUSSI 069296


DIHR 15099

ELECTROLUX 049077

ZANUSSI 047540

ZANUSSI 047539

**3120000 FILTER FOR INLET SOLENOID VALVE ELBI**



MEIKO 9506228





Suitable for:

**3120021 INLET PRESSURE REDUCER 12 L/min BLACK**



ELFRAMO 23120004  
MODULAR 471.002.00

KOMEL 23120004

MARELS 471.002.00

**3120019 INLET PRESSURE REDUCER 5.5 L/min BLACK**



**3120202 OUTLET REDUCER ELBI 0.35 L/min YELLOW**  
for ELBI solenoid valve  
face value +/- 25%



**3120016 OUTLET REDUCER ELBI 1.2 L/min NEUTRAL**  
for ELBI solenoid valve  
face value +/- 25%



ELECTROLUX 0L0166  
ZANUSSI 0L0166

MBM 172833

MBM RTFOC00145

**3120017 OUTLET REDUCER ELBI 2.5 L/min ORANGE**  
for ELBI solenoid valve  
face value +/- 25%



MBM RTFOC00120

MBM 172834

# Solenoid valves



Suitable for:

**3120022 INLET PRESSURE REDUCER 16 L/min BLACK**



MEIKO 9506227

**3120037 OUTLET REDUCER ELBI 0.25 L/min GREEN**  
for ELBI solenoid valve  
face value +/- 25%



**3120015 OUTLET REDUCER ELBI 0.5 L/min RED**  
for ELBI solenoid valve  
face value +/- 25%



ADLER 10558  
LASA 4167

ELETTROBAR 133009

LASA 3306500

**3120203 OUTLET REDUCER ELBI 2 L/min WHITE**  
for ELBI solenoid valve  
face value +/- 25%



**3120201 OUTLET REDUCER ELBI 4.7 L/min GREY**  
for ELBI solenoid valve  
face value +/- 25%





Suitable for:

**3120204 OUTLET REDUCER ELBI 5.5 L/min BROWN**  
for ELBI solenoid valve  
face value +/- 25%



ELECTROLUX 0W2908

ZANUSSI 0W2908

# Solenoid valves



Suitable for:

**3120506 SOLENOID VALVE 339 24V ø 10 mm**  
solenoid valve 90° - 24V 50Hz - max 90°C  
inlet 3/4" - dual outlet ø 10 mm



ATA 14131

**3120021 INLET PRESSURE REDUCER 12 L/min BLACK**



ELFRAMO 23120004  
MODULAR 471.002.00

KOMEL 23120004

MARELS 471.002.00


**3120019 INLET PRESSURE REDUCER 5.5 L/min BLACK**



**3120202 OUTLET REDUCER ELBI 0.35 L/min YELLOW**  
for ELBI solenoid valve  
face value +/- 25%



**3120000 FILTER FOR INLET SOLENOID VALVE ELBI**



MEIKO 9506228

**3120022 INLET PRESSURE REDUCER 16 L/min BLACK**



MEIKO 9506227

**3120037 OUTLET REDUCER ELBI 0.25 L/min GREEN**  
for ELBI solenoid valve  
face value +/- 25%



**3120015 OUTLET REDUCER ELBI 0.5 L/min RED**  
for ELBI solenoid valve  
face value +/- 25%



ADLER 10558  
LASA 4167

ELETTROBAR 133009

LASA 3306500



Suitable for:

**3120016 OUTLET REDUCER ELBI 1.2 L/min NEUTRAL**  
for ELBI solenoid valve  
face value +/- 25%



ELECTROLUX 0L0166  
ZANUSSI 0L0166

MBM 172833

MBM RTFOC00145

**3120017 OUTLET REDUCER ELBI 2.5 L/min ORANGE**  
for ELBI solenoid valve  
face value +/- 25%



MBM RTFOC00120

MBM 172834

**3120204 OUTLET REDUCER ELBI 5.5 L/min BROWN**  
for ELBI solenoid valve  
face value +/- 25%



ELECTROLUX 0W2908

ZANUSSI 0W2908

**3120008 SOLENOID VALVE 350 220/240V ø 14 mm**  
solenoid valve 90° - 220/240V 50/60Hz - max 90°C  
inlet 3/4" - outlet ø 14 mm



ATA 7604  
ELECTROLUX 048178  
SAMMIC 2304941  
ZANUSSI 047532  
ZANUSSI 069179

ELECTROLUX 047529  
ELECTROLUX 048898  
WHIRLPOOL 483286008339  
ZANUSSI 048178

ELECTROLUX 047532  
ELECTROLUX 069179  
ZANUSSI 047529  
ZANUSSI 048898

**3120021 INLET PRESSURE REDUCER 12 L/min BLACK**



ELFRAMO 23120004  
MODULAR 471.002.00

KOMEL 23120004

MARELS 471.002.00

## Solenoid valves



Suitable for:

**3120203 OUTLET REDUCER ELBI 2 L/min WHITE**  
for ELBI solenoid valve  
face value +/- 25%



**3120201 OUTLET REDUCER ELBI 4.7 L/min GREY**  
for ELBI solenoid valve  
face value +/- 25%



**3120000 FILTER FOR INLET SOLENOID VALVE ELBI**



MEIKO 9506228

**3120022 INLET PRESSURE REDUCER 16 L/min BLACK**



MEIKO 9506227



Suitable for:

**3120019 INLET PRESSURE REDUCER 5.5 L/min BLACK**



**3120202 OUTLET REDUCER ELBI 0.35 L/min YELLOW**  
for ELBI solenoid valve  
face value +/- 25%



**3120016 OUTLET REDUCER ELBI 1.2 L/min NEUTRAL**  
for ELBI solenoid valve  
face value +/- 25%



ELECTROLUX 0L0166  
ZANUSSI 0L0166

MBM 172833

MBM RTFOC00145

**3120017 OUTLET REDUCER ELBI 2.5 L/min ORANGE**  
for ELBI solenoid valve  
face value +/- 25%



MBM RTFOC00120

MBM 172834

**3120204 OUTLET REDUCER ELBI 5.5 L/min BROWN**  
for ELBI solenoid valve  
face value +/- 25%



ELECTROLUX 0W2908

ZANUSSI 0W2908

## Solenoid valves



Suitable for:

**3120037 OUTLET REDUCER ELBI 0.25 L/min GREEN**  
for ELBI solenoid valve  
face value +/- 25%



**3120015 OUTLET REDUCER ELBI 0.5 L/min RED**  
for ELBI solenoid valve  
face value +/- 25%



ADLER 10558  
LASA 4167

ELETTROBAR 133009

LASA 3306500

**3120203 OUTLET REDUCER ELBI 2 L/min WHITE**  
for ELBI solenoid valve  
face value +/- 25%



**3120201 OUTLET REDUCER ELBI 4.7 L/min GREY**  
for ELBI solenoid valve  
face value +/- 25%






Suitable for:

Suitable for:

**3120009 SOLENOID VALVE 351 220/240V  $\varnothing$  14 mm**  
 solenoid valve 180° - 220/240V 50/60Hz - max 90°C  
 inlet 3/4" - outlet  $\varnothing$  14 mm




BOBECK E30001000  
 EMMEPI 809566  
 MEIKO 9505869  
 ZANUSSI 072282

DIHR 30001000  
 FAGOR RT30020331  
 WINTERHALTER 3106180

ELECTROLUX 072282  
 KROMO 30001000  
 WINTERHALTER 3106174

**3120000 FILTER FOR INLET SOLENOID VALVE ELBI**



MEIKO 9506228

**3120021 INLET PRESSURE REDUCER 12 L/min BLACK**



ELFRAMO 23120004  
 MODULAR 471.002.00

KOMEL 23120004

MARELS 471.002.00

**3120022 INLET PRESSURE REDUCER 16 L/min BLACK**



MEIKO 9506227

**3120019 INLET PRESSURE REDUCER 5.5 L/min BLACK**



**3120037 OUTLET REDUCER ELBI 0.25 L/min GREEN**  
 for ELBI solenoid valve  
 face value +/- 25%



**3120202 OUTLET REDUCER ELBI 0.35 L/min YELLOW**  
 for ELBI solenoid valve  
 face value +/- 25%



**3120015 OUTLET REDUCER ELBI 0.5 L/min RED**  
 for ELBI solenoid valve  
 face value +/- 25%



**3120016 OUTLET REDUCER ELBI 1.2 L/min NEUTRAL**  
 for ELBI solenoid valve  
 face value +/- 25%



ELECTROLUX 0L0166  
 ZANUSSI 0L0166

MBM 172833

MBM RTFOC00145

**3120203 OUTLET REDUCER ELBI 2 L/min WHITE**  
 for ELBI solenoid valve  
 face value +/- 25%



ADLER 10558  
 LASA 4167

ELETTROBAR 133009

LASA 3306500



Suitable for:

**3120017 OUTLET REDUCER ELBI 2.5 L/min ORANGE**  
for ELBI solenoid valve  
face value +/- 25%



MBM RTFOC00120

MBM 172834

**3120204 OUTLET REDUCER ELBI 5.5 L/min BROWN**  
for ELBI solenoid valve  
face value +/- 25%



ELECTROLUX 0W2908

ZANUSSI 0W2908

# Solenoid valves



Suitable for:

**3120201 OUTLET REDUCER ELBI 4.7 L/min GREY**  
for ELBI solenoid valve  
face value +/- 25%



**3120566 DANFOSS COIL 24V 18W**  
without connector 018F7358  
for Pan washing machine (BODSON) C63 - C87 - PA53  
PA63 - PA87




BODSON 301542

**3120565 DANFOSS VALVE EV220B 1/2FF**  
without coil size 80 mm  
for Pan washing machine (BODSON) C63 - C87 - PA53  
PA63 - PA87



BODSON 301537

**3120466 COIL 230V**



BONNET 1250E

**3120414 SOLENOID VALVE 230V ø 10.5 mm**  
solenoid valve 180° - 230V 50/60Hz - max 90°C  
inlet 3/4" - 3 outlets ø 10.5 mm



BONNET 3664E

WHIRLPOOL 156793

WHIRLPOOL 481981729332

COLGED DEV37

WHIRLPOOL 169464


WHIRLPOOL 147538

COLGED VEV3T

WHIRLPOOL 190330

WHIRLPOOL 153038

**3120409 SOLENOID VALVE 230V ø 13.5 mm**  
solenoid valve 180° - 230V 50/60Hz - max 90°C  
inlet 3/4" - 1 outlet ø 13.5 mm



BONNET 904693

THIRODE 904693





Suitable for:

Suitable for:

## 3120434 WATER SOLENOID VALVE ERA

FF 1/2" 230VAC  
max temperature 60°C  
max pressure 10 bar  
normally closed



BONNET

## 3120034 CONNECTOR FEMALE LARGE for coils




COMENDA 150033  
UNIC

NUOVA SIMONELLI

RANCILIO

## 3120466 COIL 230V



BONNET 1250E

## 3120436 WATER SOLENOID VALVE ERA

FF 3/8" 230VAC  
max temperature 60°C  
max pressure 10 bar  
normally closed  
for Dishwasher (BONNET) INO10L - INO10LA - INO11L  
INO11LA - INO14L - INO14LA - INO15L - INO15LA  
INO18LA - INO19T - INO4CT - INO5F - INO6L  
INO6LA - INO7F



BONNET 91319985

## 3120034 CONNECTOR FEMALE LARGE for coils




COMENDA 150033  
UNIC

NUOVA SIMONELLI

RANCILIO

## 3120466 COIL 230V



BONNET 1250E



# Solenoid valves




Suitable for:

Suitable for:

**3120437 WATER SOLENOID VALVE ERA**  
 FF 1/4" 230VAC  
 max temperature 90°C  
 max pressure 25 bar  
 normally closed

**3120466 COIL 230V**



BONNET 7455050

BONNET 1250E

**3120034 CONNECTOR FEMALE LARGE**  
 for coils




COMENDA 150033  
UNIC

NUOVA SIMONELLI

RANCILIO

**3120441 WATER SOLENOID VALVE ERA**  
 FF 1/4" 24VAC  
 max temperature 90°C  
 max pressure 25 bar  
 normally closed

**3120467 COIL 24V**



BONNET

**3120034 CONNECTOR FEMALE LARGE**  
 for coils



COMENDA 150033  
UNIC

NUOVA SIMONELLI

RANCILIO

**3120554 2-WAY PARKER SOLENOID VALVE 24V**  
 123AV - connections  $\varnothing$  1/2"FF  
 with coil ZB09 9W 24V 50/60Hz

**3120556 2-WAY SOLENOID VALVE 230V 50/60Hz 3/4"**  
 2 outlets  $\varnothing$  12 mm



BONNET 2001206H  
MBM 927142

COLGED DEV24  
THIRODE 2001206H

ELETTROBAR 927142

BONNET 2001648H  
MBM 240010

ELETTROBAR 240010  
RANCILIO 65240010

KREFFT 62-240010  
THIRODE 2001648H



Suitable for:

Suitable for:

**3120200 DIAPHRAGM FOR L140 B5**



CIMSA-FABAR 09135

**3120041 SOLENOID VALVE L140 B5  $\varnothing$  1/2" FF 220V**  
 for water  
 normally closed  
 max. temperature 100°C  
 max. pressure differential 10 bar  
 coil 220V 50/60Hz  
 for Pan washing machine (ELFRAMO) LP70



CIMSA-FABAR 09132  
 KOMEL 23140006

ELFRAMO 23140006

EMMEPI 8C0421

**3120042 COIL SIRAI Z610A 6W 230V 50/60Hz**  
 width 25 mm - height 33 mm  
 depth 33 mm



COMENDA 630981  
 MARENO 25351099

ELECTROLUX 0KG317  
 ZANUSSI 067609

ELECTROLUX 067609  
 ZANUSSI 0KG317

**3120044 CONNECTOR FEMALE SMALL**  
 for coils



COMENDA 150034

**3120200 DIAPHRAGM FOR L140 B5**



CIMSA-FABAR 09135

**3120261 MULLER SOLENOID VALVE 230V  $\varnothing$  12 mm**  
 solenoid valve 180° - 220/230V 50/60Hz - max 90°C  
 3/4" inlet -  $\varnothing$  12 mm outlet



COLGED DEV1

ELECTROLUX 0G2196

ZANUSSI 0G2196

**3120271 MULLER COIL 220/240V 50/60Hz**  
 temperature 90°C



MEIKO 0113223



Suitable for:

# Solenoid valves




**3120014 SOLENOID VALVE 264 220/240V  $\varnothing$  10 mm**  
solenoid valve 180° - 220/240V 50/60Hz - max 90°C  
inlet 3/4" - triple outlet  $\varnothing$  10 mm



- |                        |                          |                        |
|------------------------|--------------------------|------------------------|
| COLGED DEV3T           | COMENDA 120175           | EMMEPI 902410          |
| FAGOR Z611123000       | FAGOR P443018000         | FAGOR P443073000       |
| FAGOR Z611101000       | FALCON 738010600         | HEMERSON 140003        |
| IME OMNIWASH CEEV3     | LASA 3305000             | LASA 4165              |
| MACH 500001200         | MACH 80001195            | MBM RTFOC00520         |
| MODULAR 462.004.00     | NUOVA SIMONELLI 18010079 | SO.WE.BO. CEEV3        |
| WHIRLPOOL 771985004337 | WHIRLPOOL 771985008631   | WHIRLPOOL 483286001413 |
| WHIRLPOOL 483286008703 | ZANUSSI 0E0330           | ZANUSSI 047538         |
| ZANUSSI 069464         |                          |                        |

Suitable for:

**3120000 FILTER FOR INLET SOLENOID VALVE ELBI**



MEIKO 9506228

**3120021 INLET PRESSURE REDUCER 12 L/min BLACK**



- |                    |                |                   |
|--------------------|----------------|-------------------|
| ELFRAMO 23120004   | KOMEL 23120004 | MARELS 471.002.00 |
| MODULAR 471.002.00 |                |                   |

**3120022 INLET PRESSURE REDUCER 16 L/min BLACK**



MEIKO 9506227

**3120019 INLET PRESSURE REDUCER 5.5 L/min BLACK**



**3120037 OUTLET REDUCER ELBI 0.25 L/min GREEN**  
for ELBI solenoid valve  
face value +/- 25%



**3120202 OUTLET REDUCER ELBI 0.35 L/min YELLOW**  
for ELBI solenoid valve  
face value +/- 25%



**3120015 OUTLET REDUCER ELBI 0.5 L/min RED**  
for ELBI solenoid valve  
face value +/- 25%



- |             |                   |              |
|-------------|-------------------|--------------|
| ADLER 10558 | ELETTROBAR 133009 | LASA 3306500 |
| LASA 4167   |                   |              |



Suitable for:

**3120016 OUTLET REDUCER ELBI 1.2 L/min NEUTRAL**  
for ELBI solenoid valve  
face value +/- 25%



ELECTROLUX 0L0166  
ZANUSSI 0L0166

MBM 172833

MBM RTFOC00145

**3120017 OUTLET REDUCER ELBI 2.5 L/min ORANGE**  
for ELBI solenoid valve  
face value +/- 25%



MBM RTFOC00120

MBM 172834

**3120204 OUTLET REDUCER ELBI 5.5 L/min BROWN**  
for ELBI solenoid valve  
face value +/- 25%



ELECTROLUX 0W2908

ZANUSSI 0W2908

**3120505 SOLENOID VALVE 329 24V ø 10 mm**  
solenoid valve 180° - 24V 50Hz - max 90°C  
inlet 3/4" - outlet ø 10 mm



COLGED DEV34S  
ELECTROLUX 058996  
FALCON 738270080  
HOONVED LF-3120530  
MBM LF-3120530  
SO.WE.BO. CEEV124  
ZANUSSI 058996

COLGED DEV34S16  
ELETTROBAR LF-3120530  
GIGA LF-3120530  
IME OMNIWASH CEEV124  
MEIKO 9623108  
TEIKOS LF-3120530

COLGED 927242  
FAGOR LF-3120530  
HILTA ELVA1V24  
JEMI 2017010  
NUOVA SIMONELLI 18010751  
WHIRLPOOL 771985003668

**3120021 INLET PRESSURE REDUCER 12 L/min BLACK**



ELFRAMO 23120004  
MODULAR 471.002.00

KOMEL 23120004

MARELS 471.002.00

## Solenoid valves



Suitable for:

**3120203 OUTLET REDUCER ELBI 2 L/min WHITE**  
for ELBI solenoid valve  
face value +/- 25%



**3120201 OUTLET REDUCER ELBI 4.7 L/min GREY**  
for ELBI solenoid valve  
face value +/- 25%



**3120000 FILTER FOR INLET SOLENOID VALVE ELBI**



MEIKO 9506228

**3120022 INLET PRESSURE REDUCER 16 L/min BLACK**



MEIKO 9506227



Suitable for:

**3120019 INLET PRESSURE REDUCER 5.5 L/min BLACK**



**3120202 OUTLET REDUCER ELBI 0.35 L/min YELLOW**  
for ELBI solenoid valve  
face value +/- 25%



**3120016 OUTLET REDUCER ELBI 1.2 L/min NEUTRAL**  
for ELBI solenoid valve  
face value +/- 25%



ELECTROLUX 0L0166  
ZANUSSI 0L0166

MBM 172833

MBM RTFOC00145

**3120017 OUTLET REDUCER ELBI 2.5 L/min ORANGE**  
for ELBI solenoid valve  
face value +/- 25%



MBM RTFOC00120

MBM 172834

**3120204 OUTLET REDUCER ELBI 5.5 L/min BROWN**  
for ELBI solenoid valve  
face value +/- 25%



ELECTROLUX 0W2908

ZANUSSI 0W2908

# Solenoid valves



Suitable for:

**3120037 OUTLET REDUCER ELBI 0.25 L/min GREEN**  
for ELBI solenoid valve  
face value +/- 25%



**3120015 OUTLET REDUCER ELBI 0.5 L/min RED**  
for ELBI solenoid valve  
face value +/- 25%



ADLER 10558  
LASA 4167

ELETTROBAR 133009

LASA 3306500

**3120203 OUTLET REDUCER ELBI 2 L/min WHITE**  
for ELBI solenoid valve  
face value +/- 25%



**3120201 OUTLET REDUCER ELBI 4.7 L/min GREY**  
for ELBI solenoid valve  
face value +/- 25%





Suitable for:

Suitable for:

**3120507 SOLENOID VALVE 349 24V  $\varnothing$  10 mm**  
 solenoid valve 180° - 24V 50Hz - max 90°C  
 inlet 3/4" - dual outlet  $\varnothing$  10 mm




COLGED DEV32416  
 ELETTROBAR 927001  
 ZANUSSI 046796

ELECTROLUX 046796  
 JEMI 2017024  
 ZANUSSI 048180

ELECTROLUX 048180  
 WHIRLPOOL 771985001805

**3120000 FILTER FOR INLET SOLENOID VALVE ELBI**



MEIKO 9506228

**3120021 INLET PRESSURE REDUCER 12 L/min BLACK**



ELFRAMO 23120004  
 MODULAR 471.002.00

KOMEL 23120004

MARELS 471.002.00

**3120022 INLET PRESSURE REDUCER 16 L/min BLACK**



MEIKO 9506227

**3120019 INLET PRESSURE REDUCER 5.5 L/min BLACK**



**3120037 OUTLET REDUCER ELBI 0.25 L/min GREEN**  
 for ELBI solenoid valve  
 face value +/- 25%



**3120202 OUTLET REDUCER ELBI 0.35 L/min YELLOW**  
 for ELBI solenoid valve  
 face value +/- 25%



**3120015 OUTLET REDUCER ELBI 0.5 L/min RED**  
 for ELBI solenoid valve  
 face value +/- 25%



ADLER 10558  
 LASA 4167

ELETTROBAR 133009

LASA 3306500

**3120016 OUTLET REDUCER ELBI 1.2 L/min NEUTRAL**  
 for ELBI solenoid valve  
 face value +/- 25%



ELECTROLUX 0L0166  
 ZANUSSI 0L0166

MBM 172833

MBM RTFOC00145

**3120203 OUTLET REDUCER ELBI 2 L/min WHITE**  
 for ELBI solenoid valve  
 face value +/- 25%







Suitable for:

**3120017 OUTLET REDUCER ELBI 2.5 L/min ORANGE**  
for ELBI solenoid valve  
face value +/- 25%



MBM RTFOC00120

MBM 172834

**3120204 OUTLET REDUCER ELBI 5.5 L/min BROWN**  
for ELBI solenoid valve  
face value +/- 25%



ELECTROLUX 0W2908

ZANUSSI 0W2908

# Solenoid valves



Suitable for:

**3120201 OUTLET REDUCER ELBI 4.7 L/min GREY**  
for ELBI solenoid valve  
face value +/- 25%



**3120512 SOLENOID VALVE 351 24V ø 14 mm**  
solenoid valve 180° - 24V 50Hz - max 90°C  
3/4" inlet - ø 14 mm outlet



COLGED

FAGOR

MBM

ZANUSSI 0E5070

ELECTROLUX 0E5070

GIGA

MEIKO

ELETTROBAR

HOONVED

TEIKOS

**3120399 1-WAY WATER SOLENOID VALVE 180°-12V**  
inlet 3/4" - outlet ø 10.5 mm  
max temperature 90°C  
operating pressure from 0.2 to 10 bar



COLGED

FAGOR

MBM

ZANUSSI

ELECTROLUX

GIGA

MEIKO

ELETTROBAR

HOONVED

TEIKOS

**3120555 3-WAY SOLENOID VALVE 230V50/60HZ**  
solenoid valve 180° max 90°C  
inlet ø 3/4 3 outlets ø 10  
1 outlet with red reduction 0.5 liters



COLGED REB240002

MBM 240002

ELETTROBAR 240002

GIGA D240002

**3120026 COIL ELBI 24Vac**  
for solenoid valves 101-102-254-261 old type



COMENDA 630967

HOONVED 630967

HOONVED H630967



Suitable for:

**3120214 COIL SIRAI Z134A 24V 50Hz**  
for solenoid valves L153 DA  $\varnothing$  3/4"



COMENDA 630976

Suitable for:

**3120116 COIL SIRAI Z534A 24V 50Hz**  
for solenoid valve fitting 3/4" - 1"



COMENDA 630972  
ELFRAMO 00056660  
KOMEL 00056660

ELFRAMO 23160003  
KOMEL 23160003

ELFRAMO 5666  
KOMEL 5666

**3120043 COIL SIRAI Z610A 24V 50/60Hz**



COMENDA 630948  
ELFRAMO 2316002  
EMMEPI TR0020  
KOMEL 5676  
MARELS

ELFRAMO 02316002  
ELFRAMO 5676  
KOMEL 23160002  
KOMEL 00056760  
MODULAR

ELFRAMO 23160002  
ELFRAMO 00056760  
KOMEL 23160002  
KOMEL 02316002  
SILANOS TR0020

**3120042 COIL SIRAI Z610A 6W 230V 50/60Hz**  
width 25 mm - height 33 mm  
depth 33 mm



COMENDA 630981  
MARENO 25351099

ELECTROLUX 0KG317  
ZANUSSI 067609

ELECTROLUX 067609  
ZANUSSI 0KG317

**3120114 COIL SIRAI Z614A 24V 50Hz**  
for solenoid valve fitting 1/2"



COMENDA 630973  
KOMEL 5661

ELFRAMO 5661  
KOMEL 23160001


ELFRAMO 23160001

**3120433 COIL T&P 220Vac**  
for T&P valves



COMENDA 630987

**3120118 DIAPHRAGM FOR VALVE  $\varnothing$  3/4"**



COMENDA 630625



Suitable for:

# Solenoid valves



## 3120612 SOLENOID VALVE L145R2 1"FF 24V

for steam  
normally closed (ex L142 M2)  
max. temperature 175°C  
max. differential pressure 12 bar  
coil 24V 50Hz



COMENDA 120163

## 3120116 COIL SIRAI Z534A 24V 50Hz

for solenoid valve fitting 3/4" - 1"



COMENDA 630972  
ELFRAMO 00056660  
KOMEL 00056660

ELFRAMO 23160003  
KOMEL 23160003

ELFRAMO 5666  
KOMEL 5666

## 3120034 CONNECTOR FEMALE LARGE

for coils



COMENDA 150033  
UNIC

NUOVA SIMONELLI

RANCILIO

## 3120611 SOLENOID VALVE L145R4 3/4"FF 24V

for steam  
normally closed (ex L142 M2)  
max. temperature 175°C  
max. differential pressure 12 bar  
coil 24V 50Hz



COMENDA 120162

## 3120116 COIL SIRAI Z534A 24V 50Hz

for solenoid valve fitting 3/4" - 1"



COMENDA 630972  
ELFRAMO 00056660  
KOMEL 00056660

ELFRAMO 23160003  
KOMEL 23160003

ELFRAMO 5666  
KOMEL 5666

## 3120034 CONNECTOR FEMALE LARGE

for coils




COMENDA 150033  
UNIC

NUOVA SIMONELLI

RANCILIO

## 3120118 DIAPHRAGM FOR VALVE ø 3/4"



COMENDA 630625



Suitable for:

**3120538 SOLENOID VALVE L153D5 1"FF 24V**  
 for steam  
 normally closed (ex 149D4)  
 max. temperature 140°C  
 coil 24V 50Hz



COMENDA 120108  
 KOMEL 23150004

COMENDA 120166

ELFRAMO 23150004

Suitable for:

**3120034 CONNECTOR FEMALE LARGE**  
 for coils



COMENDA 150033  
 UNIC

NUOVA SIMONELLI

RANCILIO

**3120210 SOLENOID VALVE L153D7 ø 3/4"FF 220V**  
 for steam  
 normally closed  
 coil 220V. 50Hz  
 max. temperature 175°C  
 max. pressure differential 12 bar



COMENDA 120167

ELECTROLUX 0E5974

ZANUSSI 0E5974

**3120213 COIL SIRAI Z134A 230V 50Hz**  
 for solenoid valves L153 DA ø 3/4"



**3120034 CONNECTOR FEMALE LARGE**  
 for coils



COMENDA 150033  
 UNIC

NUOVA SIMONELLI

RANCILIO

**3120510 SOLENOID VALVE L153D7 3/4"FF 24V**  
 for steam  
 normally closed  
 max. temperature 175°C  
 max. pressure differential 12 bar  
 coil 24V 50Hz



COMENDA 120107  
 ZANUSSI 0E2200

COMENDA 120165

ELECTROLUX 0E2200

**3120214 COIL SIRAI Z134A 24V 50Hz**  
 for solenoid valves L153 DA ø 3/4"



COMENDA 630976



Suitable for:

**3120034 CONNECTOR FEMALE LARGE**  
for coils



COMENDA 150033  
UNIC

NUOVA SIMONELLI

RANCILIO

# Solenoid valves



Suitable for:

**3120058 SOLENOID VALVE L182B17  $\varnothing$  3/4" FF 220V**  
EX L180  
for water  
normally closed  
max temperature 100°C  
max pressure differential 16 bar  
coil 220V 50Hz



COMENDA 120158

**3120042 COIL SIRAI Z610A 6W 230V 50/60Hz**  
width 25 mm - height 33 mm  
depth 33 mm



COMENDA 630981  
MARENO 25351099

ELECTROLUX 0KG317  
ZANUSSI 067609

ELECTROLUX 067609  
ZANUSSI 0KG317

**3120347 COIL SIRAI ZB10A 230V 4W 50/60Hz**  
width 22 mm - height 30 mm  
depth 28 mm



**3120044 CONNECTOR FEMALE SMALL**  
for coils



COMENDA 150034

**3120106 SOLENOID VALVES DIAPHRAGM GROUP**





# Solenoid valves



Suitable for:

Suitable for:

## 3120559 SOLENOID VALVE L182B17 1"FF 24V

previous L180  
for water  
normally closed  
max. temperature 100°C  
max. differential pressure 16 bar  
coil 24V 50Hz



COMENDA 120123

MARENO 21505699

## 3120043 COIL SIRAI Z610A 24V 50/60Hz



COMENDA 630948

ELFRAMO 2316002

EMMEPI TR0020

KOMEL 5676

MARELS

ELFRAMO 02316002

ELFRAMO 5676

KOMEL 23160002

KOMEL 00056760

MODULAR

ELFRAMO 23160002

ELFRAMO 00056760

KOMEL 2316002

KOMEL 02316002

SILANOS TR0020

## 3120044 CONNECTOR FEMALE SMALL

for coils



COMENDA 150034

## 3120107 SOLENOID VALVES DIAPHRAGM GROUP



## 3120404 SOLENOID VALVE 230V $\varnothing$ 10.5 mm

solenoid valve 90° - 230V 50/60Hz - max 90°C  
3/4" inlet - 1 outlet  $\varnothing$  10.5 mm



COMENDA H30933

ELECTROLUX 0C4984

IME OMNIWASH

THIRODE 634085

WHIRLPOOL 155350

WHIRLPOOL 102613

ZANUSSI 0C4984

COMENDA 120188

ELECTROLUX 056350

MEIKO 9005869

UNIVERBAR 4078

WHIRLPOOL 156350

ZANUSSI 056350

ELECTROLUX 0C0688

HOONVED 30933

SO.WE.BO.

WHIRLPOOL 147531

WHIRLPOOL 202064

ZANUSSI 0C0688

## 3120405 SOLENOID VALVE 230V $\varnothing$ 10.5 mm

solenoid valve 180° - 230V 50/60Hz - max 90°C  
inlet 3/4" - outlet  $\varnothing$  10.5 mm



COMENDA 120173

ELVIOMEX-ALFA HLE.00.00031

LINEA BLANCA A020030

WHIRLPOOL 481981729329

WHIRLPOOL 771985008638

WHIRLPOOL 155132

EDESA Z701135000

FAGOR Z701135000

THIRODE 634084

WHIRLPOOL 483286008223

WHIRLPOOL 147533

WHIRLPOOL 186014

ELVIOMEX-ALFA 003.00.00031

KREFFT 62240011

UNIVERBAR 4075

WHIRLPOOL 483286009934

WHIRLPOOL 147756

## 3120010 SOLENOID VALVE 352 220/240V $\varnothing$ 14 mm

solenoid valve 90° - 220/240V 50/60Hz - max 90°C  
inlet 3/4" - dual outlet  $\varnothing$  14 mm



DIHR 30001001

WHIRLPOOL 483286008343

ELECTROLUX 049056

ZANUSSI 049056

KROMO 30001001

## 3120000 FILTER FOR INLET SOLENOID VALVE ELBI



MEIKO 9506228



Suitable for:

**3120021 INLET PRESSURE REDUCER 12 L/min BLACK**



ELFRAMO 23120004  
MODULAR 471.002.00

KOMEL 23120004

MARELS 471.002.00

**3120019 INLET PRESSURE REDUCER 5.5 L/min BLACK**



**3120202 OUTLET REDUCER ELBI 0.35 L/min YELLOW**  
for ELBI solenoid valve  
face value +/- 25%



**3120016 OUTLET REDUCER ELBI 1.2 L/min NEUTRAL**  
for ELBI solenoid valve  
face value +/- 25%



ELECTROLUX 0L0166  
ZANUSSI 0L0166

MBM 172833

MBM RTFOC00145

**3120017 OUTLET REDUCER ELBI 2.5 L/min ORANGE**  
for ELBI solenoid valve  
face value +/- 25%



MBM RTFOC00120

MBM 172834

# Solenoid valves



Suitable for:

**3120022 INLET PRESSURE REDUCER 16 L/min BLACK**



MEIKO 9506227

**3120037 OUTLET REDUCER ELBI 0.25 L/min GREEN**  
for ELBI solenoid valve  
face value +/- 25%



**3120015 OUTLET REDUCER ELBI 0.5 L/min RED**  
for ELBI solenoid valve  
face value +/- 25%



ADLER 10558  
LASA 4167

ELETTROBAR 133009

LASA 3306500

**3120203 OUTLET REDUCER ELBI 2 L/min WHITE**  
for ELBI solenoid valve  
face value +/- 25%



**3120201 OUTLET REDUCER ELBI 4.7 L/min GREY**  
for ELBI solenoid valve  
face value +/- 25%







Suitable for:

**3120204 OUTLET REDUCER ELBI 5.5 L/min BROWN**  
for ELBI solenoid valve  
face value +/- 25%



ELECTROLUX 0W2908

ZANUSSI 0W2908

# Solenoid valves



Suitable for:

**3120105 DIAPHRAGM FOR VALVES**



ELECTROLUX 069017

ZANUSSI 069017

**3120292 FLOWRATE ADJUSTER  $\varnothing$  1.45 mm**



ELECTROLUX 002091  
ZANUSSI 002091

WHIRLPOOL 771985000017

WHIRLPOOL 102091

**3120016 OUTLET REDUCER ELBI 1.2 L/min NEUTRAL**  
for ELBI solenoid valve  
face value +/- 25%



ELECTROLUX 0L0166  
ZANUSSI 0L0166

MBM 172833

MBM RTFOC00145

**3120204 OUTLET REDUCER ELBI 5.5 L/min BROWN**  
for ELBI solenoid valve  
face value +/- 25%



ELECTROLUX 0W2908

ZANUSSI 0W2908

**3120111 SOLENOID VALVE L145R4  $\varnothing$  3/4" FF 220V**  
for steam  
normally closed (ex L142 M2)  
max. temperature 175°C  
max. pressure differential 12 bar  
coil 220V 50Hz



ELECTROLUX 065297

WHIRLPOOL 165297

ZANUSSI 065297

**3120115 COIL SIRAI Z534A 230V 50Hz**  
for solenoid valve fitting 3/4" - 1"



**3120034 CONNECTOR FEMALE LARGE**  
for coils




COMENDA 150033  
UNIC

NUOVA SIMONELLI

RANCILIO

**3120118 DIAPHRAGM FOR VALVE  $\varnothing$  3/4"**



COMENDA 630625



Suitable for:

# Solenoid valves



**3120563 SOLENOID VALVE 1 OUTLET 180° 14 mm**  
220/240V 50/60Hz  
for Dishwasher (ZANUSSI) LS62 - LS63 - LS64 - LS7  
for Dishwasher hood type (ZANUSSI) LS8



ELECTROLUX 0L0568

ZANUSSI 0L0568

**3120562 SOLENOID VALVE 180° 230V 50/60Hz ø 10 mm**  
for Dishwasher (WINTERHALTER) GS402  
for Glasswasher/Cupwasher (WINTERHALTER) GS202




ELECTROLUX 0E1575

WINTERHALTER 3106215

ZANUSSI 0E1575

**3120255 SOLENOID VALVE 220/240V ø 10 mm**  
solenoid valve 180° - 220/240V 50/60Hz - max 90°C  
inlet 3/4" - two outlets ø 10 mm  
with red flowrate reducer at the outlet



ELECTROLUX 047579

WHIRLPOOL 771985001687

WHIRLPOOL 147579

ZANUSSI 047579

**3120406 SOLENOID VALVE 230V ø 10.5 mm**  
solenoid valve 90° - 230V 50/60Hz - max 90°C  
inlet 3/4"- 2 outlets ø 10.5 mm



ELECTROLUX 069295

WHIRLPOOL 156872

WHIRLPOOL 169295

WHIRLPOOL 155444

ZANUSSI 069295

**3120011 SOLENOID VALVE 353 220/240V ø 14 mm**  
solenoid valve 180° - 220/240V 50/60Hz - max 90°C  
inlet 3/4" - dual outlet ø 14 mm



ELECTROLUX 069262

ELECTROLUX 072364

EMMEPI 809565

FAGOR RT30020330

WINTERHALTER 3106043

WINTERHALTER 3106182

ZANUSSI 069262

ZANUSSI 072364

**3120000 FILTER FOR INLET SOLENOID VALVE ELBI**



MEIKO 9506228

**3120021 INLET PRESSURE REDUCER 12 L/min BLACK**



ELFRAMO 23120004

KOMEL 23120004

MARELS 471.002.00

MODULAR 471.002.00

**3120022 INLET PRESSURE REDUCER 16 L/min BLACK**



MEIKO 9506227

**3120019 INLET PRESSURE REDUCER 5.5 L/min BLACK**



**3120037 OUTLET REDUCER ELBI 0.25 L/min GREEN**  
for ELBI solenoid valve  
face value +/- 25%





Suitable for:

**3120202** **OUTLET REDUCER ELBI 0.35 L/min YELLOW**  
for ELBI solenoid valve  
face value +/- 25%



**3120016** **OUTLET REDUCER ELBI 1.2 L/min NEUTRAL**  
for ELBI solenoid valve  
face value +/- 25%



ELECTROLUX 0L0166  
ZANUSSI 0L0166

MBM 172833

MBM RTFOC00145

**3120017** **OUTLET REDUCER ELBI 2.5 L/min ORANGE**  
for ELBI solenoid valve  
face value +/- 25%



MBM RTFOC00120

MBM 172834


**3120204** **OUTLET REDUCER ELBI 5.5 L/min BROWN**  
for ELBI solenoid valve  
face value +/- 25%



ELECTROLUX 0W2908

ZANUSSI 0W2908

**3120514** **SOLENOID VALVE 353 24V ø 14 mm**  
solenoid valve 180° - 24V 50Hz - max 90°C  
inlet 3/4" - two outlets ø 14 mm



ELECTROLUX 0KZ810

ZANUSSI 0KZ810

## Solenoid valves



Suitable for:

**3120015** **OUTLET REDUCER ELBI 0.5 L/min RED**  
for ELBI solenoid valve  
face value +/- 25%



ADLER 10558

ELETTROBAR 133009

LASA 3306500

LASA 4167

**3120203** **OUTLET REDUCER ELBI 2 L/min WHITE**  
for ELBI solenoid valve  
face value +/- 25%



**3120201** **OUTLET REDUCER ELBI 4.7 L/min GREY**  
for ELBI solenoid valve  
face value +/- 25%





Suitable for:

# Solenoid valves



**3120231 SOLENOID VALVE 7321BAN00 1/2" 220V**



ELECTROLUX 047137

WHIRLPOOL 771985001512

ZANUSSI 047137

**1120332 COIL LUCIFER/PARKER 220/240V 9W 50Hz**  
width 32 mm - height 38 mm  
depth 43 mm



NUOVA SIMONELLI

RANCILIO

UNIC

**3120732 SOLENOID VALVE 7321BCN00 3/4" 24V**



ELECTROLUX 046900

ELECTROLUX 075736

ZANUSSI 075736

ZANUSSI 046900

**1120333 COIL LUCIFER 483510P0 24V 9W 50/60Hz**  
width 32 mm - height 37 mm  
depth 43 mm



RANCILIO 34040024

**3120034 CONNECTOR FEMALE LARGE**  
for coils



COMENDA 150033

NUOVA SIMONELLI

RANCILIO

UNIC

**3120069 DIAPHRAGM PM7321 CN/DN ø 3/4"-1"**  
formerly PM133



**3120104 SOLENOID-VALVE 319 220/240V ø 14 mm**  
solenoid valve 90° - 220/240V 50/60Hz - max 90°C  
inlet 3/4" - outlet ø 14mm



ELECTROLUX 048817

ELECTROLUX 049626

WHIRLPOOL 771985002009

WHIRLPOOL 148817


ZANUSSI 049626

ZANUSSI 088194

ELECTROLUX 088194

ZANUSSI 048817

**3120564 1-WAY SOLENOID VALVE 230V**  
flowrate 5.5 L  
inlet 3/4" - outlet ø 14 mm  
for Dishwasher (ZANUSSI) LS6  
for Dishwasher hood type (ZANUSSI) LS10 - LS12  
LS14



ELECTROLUX 049452

ZANUSSI 049452



Suitable for:

**3120021 INLET PRESSURE REDUCER 12 L/min BLACK**



ELFRAMO 23120004  
MODULAR 471.002.00

KOMEL 23120004

MARELS 471.002.00

Suitable for:

**3120517 SOLENOID-VALVE L140B5 1/2" FF 24V**

for water - normally closed  
max temperature 100°C  
coil z615A 24V 50Hz  
for Dishwasher conveyor type (ELFRAMO) - Series EN Series ET



ELFRAMO 23140004

EMMEPI 8C0441

KOMEL 23140004

**3120167 SOLENOID VALVE 264A 220/240V ø 14 mm**  
solenoid valve 180° - 220/240V 50/60Hz - max 90°C  
inlet 3/4" - three outlets ø 14 mm



EMMEPI E00010011

WHIRLPOOL 483286008635

**3120363 SOLENOID VALVE 230V ø 10 mm**  
solen.valve 180° - 230V 50Hz - max 90°C  
inlet 3/4" - two outlets ø 10 mm



FAGOR RT5000138

**3120553 DRAIN VALVE ASCO 230V 50Hz**  
inlet ø 17 mm - outlet ø 19 mm  
for Dishwasher (HOBART) FX - GX



HOBART 323785-11

**3120164 MULLER SOLENOID VALVE 220/240V ø 14 mm**  
solenoid valve 90° - 220/240V 50/60Hz - max 90°C  
inlet ø 3/4" - dual outlet ø 14 mm



HOBART 324208-1

MEIKO

**3120271 MULLER COIL 220/240V 50/60Hz**  
temperature 90°C



MEIKO 0113223

**3120163 SOLENOID VALVE MULLER 220/240V ø 14 mm**  
solenoid valve 90°-22/2400V 50/60Hz - max 90°C  
inlet 3/4" - outlet ø 14 mm



HOBART 324207-1

MEIKO 0113200

MEIKO 0113001

**3120271 MULLER COIL 220/240V 50/60Hz**  
temperature 90°C



MEIKO 0113223



# Solenoid valves



Suitable for:

**3120413 SOLENOID VALVE 230V  $\varnothing$  10.5 mm**  
solenoid valve 90° - 230V 50/60Hz - max 90°C  
inlet 3/4" - 3 outlets  $\varnothing$  10.5 mm




HOONVED 26632  
WHIRLPOOL 147540  
WHIRLPOOL 202415  
WHIRLPOOL 771985001664  
WHIRLPOOL 771985011981

WHIRLPOOL 102712  
WHIRLPOOL 149077  
WHIRLPOOL 771985000189  
WHIRLPOOL 771985004278

WHIRLPOOL 147539  
WHIRLPOOL 169296  
WHIRLPOOL 771985001663  
WHIRLPOOL 771985005783

Suitable for:

**3120548 SOLENOID VALVE 24V FF**  
for Dishwasher conveyor type (LAMBER)  
Series LINEAR - Series MATIC - M115 - M150



LAMBER 0300173

**3120053 COIL SIRAI Z530A 9W 230V 50Hz 14VA**  
width 31,5 mm - height 43 mm  
depth 42,5 mm



MARENO 25350899


**3120017 OUTLET REDUCER ELBI 2.5 L/min ORANGE**  
for ELBI solenoid valve  
face value +/- 25%



MBM RTFOC00120

MBM 172834

**3120000 FILTER FOR INLET SOLENOID VALVE ELBI**



MEIKO 9506228

**3120022 INLET PRESSURE REDUCER 16 L/min BLACK**



MEIKO 9506227

**3120271 MULLER COIL 220/240V 50/60Hz**  
temperature 90°C



MEIKO 0113223

**3120273 MULLER COIL 230V 60HZ FOR DISPENSER**  
temperature 90°C



MEIKO 0113256

**3120161 SOLENOID VALVE MULLER 220/240V  $\varnothing$  14 mm**  
solenoid valve 180°-220/240V 50/60Hz - max 90°C  
inlet  $\varnothing$  3/4" - outlet  $\varnothing$  14 mm



MEIKO 0113202

WINTERHALTER 3106044

**3120271 MULLER COIL 220/240V 50/60Hz**  
temperature 90°C



MEIKO 0113223





Suitable for:

**3120162 SOLENOID VALVE MULLER 220/240V  $\varnothing$  14 mm**  
solenoid valve 180°-220/240V 50/60Hz - max 90°C  
inlet  $\varnothing$  3/4" - dual outlet  $\varnothing$  14 mm



MEIKO

Suitable for:

**3120271 MULLER COIL 220/240V 50/60Hz**  
temperature 90°C




MEIKO 0113223

**3120560 SOLENOID VALVE 1/2"x1/2" 230V 50Hz**  
for Dishwasher conveyor type (MEIKO) K200



MEIKO 9500227

**3120561 SOLENOID VALVE 3/4"x3/4" 220V 50Hz**  
for Warewasher (MEIKO) FV120 - FV130 - FV240  
FV250




MEIKO 0113222

**3120271 MULLER COIL 220/240V 50/60Hz**  
temperature 90°C



MEIKO 0113223

**3120513 SOLENOID VALVE 352 24V  $\varnothing$  14 mm**  
solenoid valve 90° - 24V 50Hz - max 90°C  
3/4" inlet -  $\varnothing$  14 mm outlet



MEIKO 9623793

**1120332 COIL LUCIFER/PARKER 220/240V 9W 50Hz**  
width 32 mm - height 38 mm  
depth 43 mm



NUOVA SIMONELLI

RANCILIO

UNIC

**3120033 COIL PARKER ZB09 9W 24V 50/60Hz**  
width 34 mm - height 33 mm  
depth 43.5 mm



NUOVA SIMONELLI

UNIC

**1120333 COIL LUCIFER 483510P0 24V 9W 50/60Hz**  
width 32 mm - height 37 mm  
depth 43 mm



RANCILIO 34040024





# Solenoid valves




Suitable for:

**3120054 COIL SIRAI Z530A 9W 24V 50Hz 14VA**  
width 31.5 mm - height 43 mm  
depth 42.5 mm



RANCILIO

**3120411 SOLENOID VALVE 230V ø 13.5 mm**  
solenoid valve 180° - 230V 50/60Hz - max 90°C  
inlet 3/4" - 2 outlets ø 13.5 mm



WHIRLPOOL 169262

**3120254 SOLENOID VALVE 230V ø 14 mm**  
solenoid valve 180° - 230V 50Hz - max 90°C  
inlet 3/4" - outlet ø 14 mm  
for Dishwasher (WINTERHALTER) GS302 - GS315  
for Glasswasher/Cupwasher (WINTERHALTER) GS202  
GS215



WINTERHALTER 3106214

Suitable for:

**3120415 SOLENOID VALVE 230V ø 13.5 mm**  
solenoid valve 90° - 230V 50/60Hz - max 90°C  
inlet 3/4"- 3 outlets ø 13.5 mm



THIRODE 634089

**3120166 SOLENOID VALVE 263A 220/240V ø 14 mm**  
solenoid valve 90° - 220/240V 50/60Hz - max 90°C  
inlet 3/4" - triple outlet ø 14 mm



WHIRLPOOL 752132

WHIRLPOOL 771985009089

*The data herewith contained may change without notice and LF SpA cannot be held responsible for possible errors stated or resulting by the use of this document. All rights reserved. No part of this publication may be reproduced without written permission by LF SpA.*



**LF SpA**  
via Voltri, 80 - 47522 Cesena (FC) ITALIA  
Tel. +39 0547 34 11 11 - Fax +39 0547 34 11 10  
[www.lfricambi724.it](http://www.lfricambi724.it) - [www.lfricambi724.mobi](http://www.lfricambi724.mobi)  
[info@lfricambi.it](mailto:info@lfricambi.it)  
Export Dept.: Tel. +39 0547 34 11 50 - Fax: +39 0547 34 11 55  
[www.lfspareparts724.com](http://www.lfspareparts724.com) - [www.lfspareparts724.mobi](http://www.lfspareparts724.mobi)  
[export@lfspaceparts.com](mailto:export@lfspaceparts.com)

**FRANCE**



**EPGC Sas**  
13, Rue des Forts - 59960 Neuville en Ferrain  
Tél. +33 (0)3 20 25 06 21  
Fax +33 (0)3 20 25 34 12  
[www.epgc.com](http://www.epgc.com)  
[www.epgc724.mobi](http://www.epgc724.mobi)  
[epgc@epgc.com](mailto:epgc@epgc.com)

**DEUTSCHLAND**



**LF GmbH**  
Junkersstrasse, 1 - D-82178 Puchheim - München  
Tel. +49 89 89 45 78 66  
Fax +49 89 89 45 78 88  
[www.lfersatzteile724.de](http://www.lfersatzteile724.de)  
[www.lfersatzteile724.mobi](http://www.lfersatzteile724.mobi)  
[info@lfersatzteile.de](mailto:info@lfersatzteile.de)

**SCHWEIZ**



**LF GmbH Verkaufsbüro**  
Sennweidstrasse, 45 - CH-6312 Steinhausen  
Tel. +41 (0)41 760 15 80-1  
Fax +41 (0)41 760 15 85  
[www.lfersatzteile724.ch](http://www.lfersatzteile724.ch)  
[www.lfersatzteile724.mobi](http://www.lfersatzteile724.mobi)  
[info@lfersatzteile.ch](mailto:info@lfersatzteile.ch)

**ESPAÑA**



**LF Repuestos Horeca S.L.U.**  
Calle Ciudad Real, 10 - 45517 Escalonilla - Toledo  
Tif. +34 91 477 91 00  
Fax +34 91 477 90 81  
[www.lfrepuestos724.es](http://www.lfrepuestos724.es)  
[www.lfrepuestos724.mobi](http://www.lfrepuestos724.mobi)  
[info@lfrepuestos.es](mailto:info@lfrepuestos.es)

**UNITED KINGDOM**



**LF Spare Parts Ltd.**  
A10a Lakeside Business Park, Broadway Lane  
South Cerney, Gloucestershire GL7 5XL  
Tel. +44 (0)1285 86 16 25  
Fax +44 (0)1285 86 39 49  
[www.lfspareparts724.co.uk](http://www.lfspareparts724.co.uk)  
[www.lfspareparts724.mobi](http://www.lfspareparts724.mobi)  
[info@lfspaceparts.co.uk](mailto:info@lfspaceparts.co.uk)

**RUSSIA**



**OOO LF**  
ul, Anatoliya Zhivova, 8 - office 1 - 123100 Moscow  
Tel. +7 499 259 85 75  
Fax +7 495 725 26 53  
[www.lfspareparts724.ru](http://www.lfspareparts724.ru)  
[www.lfspareparts724.mobi](http://www.lfspareparts724.mobi)  
[info@lfspaceparts.ru](mailto:info@lfspaceparts.ru)

**CHINA**



**LF China**  
Room 102, House 8, Lane 725, Mao Tai Rd.  
Changning Dist. - 200336 Shanghai  
Tel. +86 (0)21 33 53 66 31  
Fax +86 (0)21 33 53 66 32  
[www.lfspareparts724.com](http://www.lfspareparts724.com)  
[www.lfspareparts724.mobi](http://www.lfspareparts724.mobi)  
[china@lfspaceparts.com](mailto:china@lfspaceparts.com)