



Spare parts for:  
**Bar equipment**



# Solenoid valves

- Diaphragms
- Flowrate adjusters
- Coils



This catalogue is automatically generated.  
Therefore, the sequence of the items might  
not be always shown at best.  
Updates will be issued in case of additions  
and/or amendments.





# Solenoid valves



Suitable for:

Suitable for:

**1199215 COIL PARKER WB8.0 230V**

**1120244 COIL CEME BIF 230V 50Hz**



ELMECO BOBWB8.0-230/50

PARKER 304314

CAB 1285

CAB 1298

ULKA BIF-R

**1199316 COIL CEME B4 230V 50 Hz**

**3120569 COIL CEME B6 230V 50 Hz**



GBG SL300951342

GBG SL38EAE48GL

SENCOTEL SL38EAE48GL

ULKA BDF/R

STAFF ICE SYSTEM 951342

STAFF ICE SYSTEM SL300951342

ULKA 1W7/R

**1120245 COIL CEME R08 100/120V 60Hz 22VA**

**5500721 COIL PARKER WB4.5 6W 115V 50/60Hz**  
width 22 mm - height 30 mm  
depth 32 mm



CAB 1290/A

ULKA R08-R

PARKER 304260

UGOLINI 22800-23741

**1120362 COIL PARKER WB4.5 6W 220/230V 50/60Hz**  
length 22 mm - height 30,5 mm  
depth 32,5 mm

**1120336 COIL PARKER ZB09 9W 110/120V 50/60Hz**  
width 34 mm - height 33 mm  
depth 43 mm



GBG SL38EAA44GL

PARKER 304262

UGOLINI 22800-23740

ELMECO B304010GR110V

GBG SL30210/110

PARKER 304010

**3120032 COIL PARKER ZB09 9W 220/240V 50/60Hz**  
width 34 mm - height 33 mm  
depth 43 mm

**1199214 COIL WB8.0 115V**



ELMECO B304012GR220V  
PARKER 304012

GBG SL300000210  
SAB ITALIA

NUOVA SIMONELLI  
SPAZIALE

ELMECO BOBWB8.0-110/60

PARKER 304312



# Solenoid valves



Suitable for:

Suitable for:

**1199317 DOUBLE SOLENOID VALVE BODY CEME**

**3120356 INJECTION PIPE**  
sold per meter



GBG SL300970159

STAFF ICE SYSTEM 970159

ULKA 5934TE1,5S12DM

**3120259 PARKER SOLENOID VALVE PM 117 CLS**  
pipe  $\varnothing$  6 mm  
orifice  $\varnothing$  2.5 mm

**1120109 SILICONE OPEN GASKET**  
coupling gasket for solenoid valve  
external  $\varnothing$  24 mm - via hole  $\varnothing$  11 mm



ELMECO CPM117FS

SPM 04.CA0031.001

**3120352 SOLENOID VALVE**



**1120236 SOLENOID VALVE CEME 2-WAY  $\varnothing$  1/8" F 230V**  
5220 - max 13bar  
VITON seal - orifice  $\varnothing$  2.0 mm  
with coil B4 13.5VA 230V 50Hz  
fluid temperature -10°C+140°C

**1199316 COIL CEME B4 230V 50 Hz**



ULKA 5220VN2,0SAIF

GBG SL300951342

GBG SL38EAE48GL

SENCOTEL SL38EAE48GL

STAFF ICE SYSTEM 951342

STAFF ICE SYSTEM SL300951342

ULKA 1W7/R

**1120602 SOLENOID VALVE CEME 5935 3-WAY**  
230V 50/60Hz  
tubes  $\varnothing$  5 mm - orifice 1.5 mm

**1120252 SOLENOID VALVE M&M B297DVH**  
Coil 12Vac 10VA 50/60Hz  
Connection G 1/8" F  
nominal  $\varnothing$  3.0 mm



GBG SL3GS36711A

GBG SL3GS36711B

STAFF ICE SYSTEM SL3GS36711B

SPM 04.EA0072.001

STAFF ICE SYSTEM 951231

ULKA 5935TE1,5S041W7

ULKA 5935TE1,5S121W7



# Solenoid valves



Suitable for:

Suitable for:

**1120603 SOLENOID VALVE M&M 246DSQ0G**  
 Coil 24V 10VA 50/60Hz  
 thread fitting 1/4" LH hole - closed hole RH  
 with standard flow rate regulation screw  
 silicone gasket  
 nominal  $\varnothing$  7.5 mm

**3120350 SOLENOID VALVE  $\varnothing$  1/4" FF 24V**



GBG SL300001375

SPM 04.AA0018.001

**1120253 2-WAY SOLENOID VALVE CEME**  
 230V 50/60Hz  
 tubes  $\varnothing$  5 mm - orifice 1.5 mm



GBG SL3GS24711A

GBG SL3GS24711B

GBG SL300951230

SENCOTEL SL3GS24711B

SPM 04.BB0037.001

SPM 04.BB0082.001

STAFF ICE SYSTEM 901230

STAFF ICE SYSTEM 951230

STAFF ICE SYSTEM SL3GS24711B

ULKA 5934TE1,5S041W7

ULKA 5934TE1,5S121W7

**1120230 2-WAY SOLENOID VALVE CEME  $\varnothing$  1/4" F 230V**  
 6712 - max 14bar  
 VITON seal - orifice  $\varnothing$  2.5 mm  
 with coil B6 17VA 230V 50Hz  
 fluid temperature -10°C+140°C

**3120569 COIL CEME B6 230V 50 Hz**



ULKA 6712VV2,5SBIF

ULKA BDF/R

**1120231 2-WAY SOLENOID VALVE CEME  $\varnothing$  1/4" F 230V**  
 6712 - max 10bar  
 VITON seal - orifice  $\varnothing$  2.8 mm  
 with coil B6 17VA 230V 50Hz  
 fluid temperature -10°C+140°C

**3120569 COIL CEME B6 230V 50 Hz**



ULKA 6712VV2,8SBIF

ULKA BDF/R



# Solenoid valves



Suitable for:

Suitable for:

**1120232 2-WAY SOLENOID VALVE CEME  $\varnothing$  1/4" F 230V**  
 6612 - max 9bar  
 VITON seal - orifice  $\varnothing$  3.0 mm  
 with coil B6 17VA 230V 50Hz  
 fluid temperature -10°C+140°C

**3120569 COIL CEME B6 230V 50 Hz**



ULKA 6612VV3,0SBIF

ULKA BDF/R

**1120238 2-WAY SOLENOID VALVE CEME  $\varnothing$  1/8" F 120V**  
 NICKEL PLATED CASE  
 5220 - max 13bar  
 VITON seal - orifice  $\varnothing$  2.0 mm  
 with coil B4 14VA 100/120V 60Hz  
 fluid temperature -10°C+140°C



ULKA 5220VN2,0NROY

**1120237 2-WAY SOLENOID VALVE CEME  $\varnothing$  1/8" F 230V**  
 NICKEL PLATED CASE  
 5220 - max 13bar  
 VITON seal - orifice  $\varnothing$  2.0 mm  
 with coil B4 13.5VA 230V 50Hz  
 fluid temperature -10°C+140°C

**1199316 COIL CEME B4 230V 50 Hz**



ULKA 5220VN2,0NAIF

GBG SL300951342

GBG SL38EAE48GL

SENCOTEL SL38EAE48GL

STAFF ICE SYSTEM 951342

STAFF ICE SYSTEM SL300951342

ULKA 1W7/R

**1120235 3-WAY SOLENOID VALVE CEME  $\varnothing$  1/8" F 120V**  
 NICKEL PLATED CASE  
 5320 - outlet  $\varnothing$  7 mm - max 14bar  
 VITON seal - orifice  $\varnothing$  1.2 mm  
 with coil B4 14VA 100/120V 60Hz  
 fluid temperature -10°C+140°C



ULKA 5320VN1,2VNNROY





# Solenoid valves



Suitable for:

Suitable for:

**1120229 3-WAY SOLENOID VALVE CEME  $\varnothing$  1/8" F 230V**  
 6211 - outlet  $\varnothing$  1/8" M - max 15bar  
 VITON seal - orifice  $\varnothing$  1.5 mm  
 with coil B6 17VA 230V 50Hz  
 fluid temperature -10°C+140°C

**3120569 COIL CEME B6 230V 50 Hz**



ULKA 6211VN1,5SBIF

ULKA BDF/R

**1120233 3-WAY SOLENOID VALVE CEME  $\varnothing$  1/8" F 230V**  
 STAINLESS STEEL SLEEVE  
 5320 - outlet  $\varnothing$  7 mm - max 14bar  
 VITON seal - orifice  $\varnothing$  1.2 mm  
 with coil B4 13.5VA 230V 50Hz  
 fluid temperature -10°C+140°C

**1199316 COIL CEME B4 230V 50 Hz**



ULKA 5320VN1,2VNSAIX

GBG SL300951342  
STAFF ICE SYSTEM 951342

GBG SL38EAE48GL  
STAFF ICE SYSTEM SL300951342

SENCOTEL SL38EAE48GL  
ULKA 1W7/R

**1120234 3-WAY SOLENOID VALVE CEME  $\varnothing$  1/8" F 230V**  
 NICKEL PLATED CASE  
 5320 - outlet  $\varnothing$  7 mm - max 14bar  
 VITON seal - orifice  $\varnothing$  1.2 mm  
 with coil B4 13.5VA 230V 50Hz  
 fluid temperature -10°C+140°C

**1199316 COIL CEME B4 230V 50 Hz**



ULKA 5320VN1,2VNNAIX

GBG SL300951342  
STAFF ICE SYSTEM 951342

GBG SL38EAE48GL  
STAFF ICE SYSTEM SL300951342

SENCOTEL SL38EAE48GL  
ULKA 1W7/R

**1120228 3-WAY SOLENOID VALVE CEME 230V**  
 6270 - outlet  $\varnothing$  1/8" M - max 15bar  
 VITON seal - orifice  $\varnothing$  1.5 mm  
 with coil B6 17VA 230V 50Hz  
 fluid temperature -10°C+140°C

**3120569 COIL CEME B6 230V 50 Hz**



ULKA 6270VN1,5SBIF

ULKA BDF/R