



Spare parts for:

Cooking equipment



Electrical gas valves and accessories



This catalogue is automatically generated.
Therefore, the sequence of the items might
not be always shown at best.
Updates will be issued in case of additions
and/or amendments.

Rel. 2014-02111213





Electrical gas valves and accessories



Suitable for:

Suitable for:

3120380 COIL 220 V - 50 Hz
 for solenoid valves with manual reset
 3/8"-1/2"-3/4"-1"-1"1/4-1"1/2-2"



3120379 COIL 220V
 with connector
 for solenoid valves with manual reset 3/8"-1/2"-3/4"-1"-1"1/4-1"1/2-2"



3526035 MANUAL RESET VALVE \varnothing 1/2"FF 230V
 normally OPEN
 manual reset valve for gas
 flow rate 6 mc/h
 the valve shutter is lifted manually to allow the gas inflow being hold back by an internal pawl.
 Connect the valve to gas detectors allowing to close down automatically if the alarm set off
 The above mentioned flow rate refers to a 20 mm C.A. load loss



3526037 MANUAL RESET VALVE \varnothing 1"FF 230V
 normally OPEN
 manual reset valve for gas
 flow rate 15 mc/h
 the valve shutter is lifted manually to allow the gas inflow being hold back by an internal pawl.
 Connect the valve to gas detectors allowing to close down automatically if the alarm set off
 The above mentioned flow rate refers to a 20 mm C.A. load loss



3526036 MANUAL RESET VALVE \varnothing 3/4"FF 230V
 normally OPEN
 manual reset valve for gas
 flow rate 6 mc/h
 the valve shutter is lifted manually to allow the gas inflow being hold back by an internal pawl.
 Connect the valve to gas detectors allowing to close down automatically if the alarm set off
 The above mentioned flow rate refers to a 20 mm C.A. load loss



3120377 SOLENOID VALVE MANUAL RESET \varnothing 1/2"FF 22
 normally closed
 solenoid valve manual reset for gas
 DPBB 1210 - from 0 to 3 mbar - 50 Hz
 max pressure 360 mbar



3120380 COIL 220 V - 50 Hz
 for solenoid valves with manual reset
 3/8"-1/2"-3/4"-1"-1"1/4-1"1/2-2"





Electrical gas valves and accessories



Suitable for:

3120379 COIL 220V
with connector
for solenoid valves with manual reset 3/8"-1/2"-3/1"-1"1/4-1"1/2-2"



Suitable for:

3120536 CONNECTOR FOR COIL
for gas valves manual reset
1/2" 3/4" 1"



3120378 SOLENOID VALVE MANUAL RESET \varnothing 3/4" FF 220
normally closed
solenoid valve manual reset for gas
DPBB 1212 - from 0 to 3 mbar - 50 Hz
max pressure 360 mbar



3120380 COIL 220 V - 50 Hz
for solenoid valves with manual reset
3/8"-1/2"-3/4"-1"-1"1/4-1"1/2-2"



3120379 COIL 220V
with connector
for solenoid valves with manual reset 3/8"-1/2"-3/1"-1"1/4-1"1/2-2"



3120536 CONNECTOR FOR COIL
for gas valves manual reset
1/2" 3/4" 1"



ALPENINOX

3526270 VALVE 820 NOVA EXTENSION
D shaft \varnothing 10x8 mm
for Bratt pan gas (ZANUSSI) KBR/G2C - KBR/G2CH
KBR/G2F - KBR/G2FH - KBR/G3C - KBR/G3CH
KBR/G3F - KBR/G3FH
for Fryer gas (ZANUSSI) JFR/G2S40 - MFR/G2S40
PFR/G2S40 - RFR/G2S40 - TFR/G2S60 - XFR/G2S40



ALPENINOX 004667



Suitable for:

Electrical gas valves and accessories



Suitable for:

ALPENINOX

3526137 **BUTTON FOR ELETTROSIT VALVE**



ALPENINOX 053820

ALPENINOX 053992

3526098

COIL 220V

for VALVE 820 NOVA-824 NOVASIT-822 NOVA-826 NOVA




ALPENINOX 0K3020

3526142 **DOUBLE COIL FOR VALVE**

220V 50Hz

for VALVE 830 TANDEM-836 TANDEM



ALPENINOX 002452

3526085 **ELETTROSIT VALVE \varnothing 3/4"FF**

inlet \varnothing 3/4"F - outlet \varnothing 3/4"F

thermocouple connection M9x1

maximum gas inlet pressure 50 mbar

pressure adjustment range

3 ÷ 18 mbar

ambient temperature 0 ÷ 60°C

power supply 230V 50Hz

pilot connection and LATERAL thermocouple



ALPENINOX

3526096

VALVE MICROSWITCH

maximum load 0.2 A

for VALVE ELETTROSIT-820 NOVA-824 NOVASIT



ALPENINOX 054539

ALPENINOX 056601

3526086 **ELETTROSIT VALVE \varnothing 3/4"FF**

inlet \varnothing 3/4"F - outlet \varnothing 3/4"F

thermocouple connection M9x1

maximum gas inlet pressure 50 mbar

pressure adjustment range

3 ÷ 18 mbar

ambient temperature 0 ÷ 60°C

power supply 230V 50Hz

pilot connection and LOWER thermocouple



ALPENINOX 0A2035

3526096

VALVE MICROSWITCH

maximum load 0.2 A

for VALVE ELETTROSIT-820 NOVA-824 NOVASIT



ALPENINOX 054539

ALPENINOX 056601



Electrical gas valves and accessories



Suitable for:

3526087 Elettrosit Valve \varnothing 3/4"FF
inlet \varnothing 3/4" F - outlet \varnothing 3/4" F
thermocouple connection M9x1
maximum gas inlet pressure 50 mbar
pressure adjustment range
3 ÷ 18 mbar
ambient temperature 0 ÷ 60°C
power supply 24V 50Hz
pilot connection and LOWER thermocouple



ALPENINOX 054437

Suitable for:

3526093 EXTENSION Elettrosit Button
for switching on/off buttons



ALPENINOX 051281

ALPENINOX 055805

3526096 Valve Microswitch
maximum load 0.2 A
for VALVE Elettrosit-820 NOVA-824 NOVASIT



ALPENINOX 054539

ALPENINOX 056601

3526090 Elettrosit Valve \varnothing 3/4"FF
inlet \varnothing 3/4" F - outlet \varnothing 3/4" F
thermocouple connection M9x1
maximum gas inlet pressure 50 mbar
pressure adjustment range
3 ÷ 18 mbar
ambient temperature 0 ÷ 60°C
power supply 230V 50Hz
long buttons
pilot connection and LATERAL thermocouple
for Bratt pan gas (BONNET)
for Bratt pan gas (OLIS) KBG970 - 725KBG - 94KBCM
94KBG
for Fryer gas (BONNET)



ALPENINOX 057543

3526137 Button for Elettrosit Valve



ALPENINOX 053820

ALPENINOX 053992

3526093 EXTENSION Elettrosit Button
for switching on/off buttons



ALPENINOX 051281

ALPENINOX 055805

3526136 Spring for Push-Button



ALPENINOX 053819



Electrical gas valves and accessories



Suitable for:

3526096 VALVE MICROSWITCH
maximum load 0.2 A
for VALVE ELETTROSIT-820 NOVA-824 NOVASIT

Suitable for:



ALPENINOX 054539

ALPENINOX 056601

3526093 EXTENSION ELETTROSIT BUTTON
for switching on/off buttons

3526066 HONEYWELL VALVE V4400C \varnothing 3/4" FF 220V
inlet \varnothing 3/4" F - outlet \varnothing 3/4" F
thermocouple connection ASA pitch
maximum gas inlet pressure 60 mbar
room temperature 0÷70°C
power supply 230V 50Hz



ALPENINOX 051281

ALPENINOX 055805

ALPENINOX 057340

3526136 SPRING FOR PUSH-BUTTON

3440200 TWIN LEAD THERMOPILE 580 mm



ALPENINOX 053819

ALPENINOX 002607

3526096 VALVE MICROSWITCH
maximum load 0.2 A
for VALVE ELETTROSIT-820 NOVA-824 NOVASIT



ALPENINOX 054539

ALPENINOX 056601



Electrical gas valves and accessories



Suitable for:

3526079 VALVE 820 NOVA \varnothing 1/2"FF
inlet \varnothing 1/2" F - outlet \varnothing 1/2" F
thermocouple fitting M9x1
maximum gas inlet pressure 60 mbar
outlet pressure setting range
3÷30 mbar
room temperature 0÷70°C
power supply 230V 50Hz
for Fryer gas (ANGELO PO) - Series ALPHA
Series BIFRONTI - Series DELTA - Series GAMMA
Series OMEGA
for Fryer gas (CAPIC)



ALPENINOX 0A2440

ALPENINOX 055446

ALPENINOX 056514

3526098 COIL 220V
for VALVE 820 NOVA-824 NOVASIT-822 NOVA-826 NOVA



ALPENINOX 0K3020

3241142 KNOB GASKET \varnothing 44 mm



ALPENINOX 059326

3020083 NUT & OLIVE \varnothing 4 mm



ALPENINOX 052833

Suitable for:

3526270 VALVE 820 NOVA EXTENSION
D shaft \varnothing 10x8 mm
for Bratt pan gas (ZANUSSI) KBR/G2C - KBR/G2CH
KBR/G2F - KBR/G2FH - KBR/G3C - KBR/G3CH
KBR/G3F - KBR/G3FH
for Fryer gas (ZANUSSI) JFR/G2S40 - MFR/G2S40
PFR/G2S40 - RFR/G2S40 - TFR/G2S60 - XFR/G2S40



ALPENINOX 004667

3241141 KNOB EXTENSION
D-shaped hole 10x8 mm
for gas valve
for OVEN-FRYER



ALPENINOX 059305

3182008 MAGNETIC UNIT SIT
 \varnothing head 35 mm - \varnothing end 20 mm - length 47 mm
for valve SIT NOVASIT 820



ALPENINOX 056589

3020084 NUT & OLIVE \varnothing 6 mm



ALPENINOX 052834



Suitable for:

Electrical gas valves and accessories



3526096 VALVE MICROSWITCH
maximum load 0.2 A
for VALVE ELETTROSIT-820 NOVA-824 NOVASIT



ALPENINOX 054539

ALPENINOX 056601

Suitable for:

3526269 VALVE 820 NOVA EXTENSION
D shaft \varnothing 10x8 mm
for Bratt pan gas (WHIRLPOOL) ABR/G810-221560
for Bratt pan gas (ZANUSSI) ABR/G800 - ABR/G805
ABR/G810 - ABR/G811 - ABR/G815 - ABR/G816
ABR/G820 - ABR/G825 - OBR/G800UK
for Fryer gas (WHIRLPOOL) XFR/G351



ALPENINOX 002790

3526179 VALVE 820 NOVA \varnothing 1/2"FF
inlet \varnothing 1/2" F - outlet \varnothing 1/2" F
thermocouple connection M9x1
maximum gas inlet pressure 60 mbar
outlet pressure adjustment range
5÷50 mbar
ambient temperature 0÷70°C
without slow start
power supply 220V 50Hz
for Boiling pan gas (ZANUSSI) - Series N700
Series N900
for Fryer (WHIRLPOOL) AFR/G410
for Fryer gas (ZANUSSI) - Series HD900
Series N900
for Pasta cooker gas (ZANUSSI) - Series N900



ALPENINOX 002903

3526270 VALVE 820 NOVA EXTENSION
D shaft \varnothing 10x8 mm
for Bratt pan gas (ZANUSSI) KBR/G2C - KBR/G2CH
KBR/G2F - KBR/G2FH - KBR/G3C - KBR/G3CH
KBR/G3F - KBR/G3FH
for Fryer gas (ZANUSSI) JFR/G2S40 - MFR/G2S40
PFR/G2S40 - RFR/G2S40 - TFR/G2S60 - XFR/G2S40



ALPENINOX 004667

3241429 BLACK KNOB \varnothing 30 mm SILK-SCREEN PRINTED



ALPENINOX 003704

3526098 COIL 220V
for VALVE 820 NOVA-824 NOVASIT-822 NOVA-826 NOVA



ALPENINOX 0K3020

3182008 MAGNETIC UNIT SIT
 \varnothing head 35 mm - \varnothing end 20 mm - length 47 mm
for valve SIT NOVASIT 820



ALPENINOX 056589

3020083 NUT & OLIVE \varnothing 4 mm



ALPENINOX 052833



Electrical gas valves and accessories



Suitable for:

3020084 NUT & OLIVE \varnothing 6 mm



ALPENINOX 052834

Suitable for:

3526096 VALVE MICROSWITCH
maximum load 0.2 A
for VALVE ELETTROSIT-820 NOVA-824 NOVASIT



ALPENINOX 054539

ALPENINOX 056601

40C2408 VALVE 820 NOVA \varnothing 1/2"FF
inlet \varnothing 1/2" F - outlet \varnothing 1/2" F
thermocouple connection M9x1
gas max. inlet pressure 60 mbar
outlet pressure range setting
5÷50 mbar
room temperature 0÷70°C
power supply 24V 50Hz
for Bratt pan gas (ZANUSSI) CRN15G - CRN20G
for Pasta cooker gas (ZANUSSI) CR40G - CR42G



ALPENINOX 0C2408

3526098 COIL 220V
for VALVE 820 NOVA-824 NOVASIT-822 NOVA-826 NOVA



ALPENINOX 0K3020

3182008 MAGNETIC UNIT SIT
 \varnothing head 35 mm - \varnothing end 20 mm - length 47 mm
for valve SIT NOVASIT 820



3020083 NUT & OLIVE \varnothing 4 mm



ALPENINOX 056589

3020084 NUT & OLIVE \varnothing 6 mm



ALPENINOX 052834

ALPENINOX 052833

3526096 VALVE MICROSWITCH
maximum load 0.2 A
for VALVE ELETTROSIT-820 NOVA-824 NOVASIT



ALPENINOX 054539

ALPENINOX 056601



Electrical gas valves and accessories



Suitable for:

3526300 VALVE 820 NOVA mV \varnothing 1/2"FF
 inlet \varnothing 1/2"F - outlet \varnothing 1/2"F
 thermocouple fitting M9x1
 maximum gas inlet pressure 60 mbar
 outlet pressure range setting
 outlet 5÷50 mbar
 room temperature 0÷70°C
 double wire thermopile power supply
 (TPTH - TH terminal)
 thermostat connection (TPTH - TH terminal)
 suitable to replace the ITT valve
 UB67 model
 for Fryer gas (ELFRAMO) GSDT12 - GSDT20 - GST12
 GST20 - GWDT12 - GWDT20 - GWD209T - GWM35T
 GWT12 - GWT20 - GW209T



ALPENINOX 002806

3182008 MAGNETIC UNIT SIT
 \varnothing head 35 mm - \varnothing end 20 mm - length 47 mm
 for valve SIT NOVASIT 820



ALPENINOX 056589

3020084 NUT & OLIVE \varnothing 6 mm



ALPENINOX 052834

3526096 VALVE MICROSWITCH
 maximum load 0.2 A
 for VALVE ELETTROSIT-820 NOVA-824 NOVASIT



ALPENINOX 054539

ALPENINOX 056601

Suitable for:

3526270 VALVE 820 NOVA EXTENSION
 D shaft \varnothing 10x8 mm
 for Bratt pan gas (ZANUSSI) KBR/G2C - KBR/G2CH
 KBR/G2F - KBR/G2FH - KBR/G3C - KBR/G3CH
 KBR/G3F - KBR/G3FH
 for Fryer gas (ZANUSSI) JFR/G2S40 - MFR/G2S40
 PFR/G2S40 - RFR/G2S40 - TFR/G2S60 - XFR/G2S40



ALPENINOX 004667

3020083 NUT & OLIVE \varnothing 4 mm



ALPENINOX 052833

3440200 TWIN LEAD THERMOPILE 580 mm



ALPENINOX 002607



Electrical gas valves and accessories



Suitable for:

Suitable for:

3526269 VALVE 820 NOVA EXTENSION

D shaft \varnothing 10x8 mm
for Bratt pan gas (WHIRLPOOL) ABR/G810-221560
for Bratt pan gas (ZANUSSI) ABR/G800 - ABR/G805
ABR/G810 - ABR/G811 - ABR/G815 - ABR/G816
ABR/G820 - ABR/G825 - OBR/G800UK
for Fryer gas (WHIRLPOOL) XFR/G351



ALPENINOX 002790

3526361 VALVE 822 NOVA \varnothing 1/2"FF

inlet \varnothing 1/2" F - outlet \varnothing 1/2" F
thermocouple fitting M10x1
maximum gas inlet pressure 60 mbar
outlet pressure setting range
3 ÷ 30 mbar
room temperature 0 ÷ 60°C
power supply 230V 50Hz
for Bratt pan gas (ZANUSSI) - Series HD900



ALPENINOX 059473

3020083 NUT & OLIVE \varnothing 4 mm



ALPENINOX 052833

3526141 VALVE 830 TANDEM \varnothing 1/2"FF

inlet \varnothing 1/2" F - outlet \varnothing 1/2" F
thermocouple fitting M10x1
maximum gas inlet pressure 60 mbar
outlet gas pressure setting range 3 ÷ 50 mbar
room temperature 0 ÷ 60°C
power supply 230V 50Hz



ALPENINOX 002340

ALPENINOX 005897

3526098 COIL 220V

for VALVE 820 NOVA-824 NOVASIT-822 NOVA-826 NOVA



ALPENINOX 0K3020

3020084 NUT & OLIVE \varnothing 6 mm



ALPENINOX 052834

3526142 DOUBLE COIL FOR VALVE

220V 50Hz
for VALVE 830 TANDEM-836 TANDEM



ALPENINOX 002452



Electrical gas valves and accessories



Suitable for:

3020083 NUT & OLIVE \varnothing 4 mm



ALPENINOX 052833

3348041 PIPE OLIVE \varnothing 16 mm
for model PEL 23



ALPENINOX 052671

ALPENINOX 054817

3526268 VALVE 830 TANDEM \varnothing 1/2"FF
inlet \varnothing 1/2"F - outlet \varnothing 1/2"F
maximum gas inlet pressure 60 mbar
outlet pressure adjustment range
3÷50 mbar
power supply 24V 60Hz
for Pasta cooker gas (ZANUSSI) CR40G - CR41G
CR42G



ALPENINOX 005526

3020083 NUT & OLIVE \varnothing 4 mm



ALPENINOX 052833

3348041 PIPE OLIVE \varnothing 16 mm
for model PEL 23



ALPENINOX 052671

ALPENINOX 054817

Suitable for:

3020084 NUT & OLIVE \varnothing 6 mm



ALPENINOX 052834

3526142 DOUBLE COIL FOR VALVE
220V 50Hz
for VALVE 830 TANDEM-836 TANDEM



ALPENINOX 002452

3020084 NUT & OLIVE \varnothing 6 mm



ALPENINOX 052834



Electrical gas valves and accessories



Suitable for:

3526140 VALVE 836 TANDEM \varnothing 1/2"FF
inlet \varnothing 1/2" F - outlet \varnothing 1/2" F
maximum gas inlet pressure 60 mbar
max.gas outlet pressure adjustment range 7÷50 mbar
outlet gas pressure setting range min.2÷45 mbar
room temperature 0÷60°C
power supply 230V 30A rectified
for Bratt pan gas (ZANUSSI) BR70G - BR70GZ
for Pasta cooker gas (ZANUSSI) - Series CPD



ALPENINOX 002714

3020083 NUT & OLIVE \varnothing 4 mm



ALPENINOX 052833

3348041 PIPE OLIVE \varnothing 16 mm
for model PEL 23



ALPENINOX 052671

ALPENINOX 054817

Suitable for:

3526142 DOUBLE COIL FOR VALVE
220V 50Hz
for VALVE 830 TANDEM-836 TANDEM



ALPENINOX 002452

3020084 NUT & OLIVE \varnothing 6 mm



ALPENINOX 052834

AMBACH

3526098 COIL 220V
for VALVE 820 NOVA-824 NOVASIT-822 NOVA-826 NOVA



AMBACH 5061516585



Suitable for:

Electrical gas valves and accessories



Suitable for:

AMBACH

3526089 ELETROSIT VALVE \varnothing 1/2"FF
inlet \varnothing 1/2" F - outlet \varnothing 1/2" F
thermocouple connection M9x1
maximum gas inlet pressure 50 mbar
pressure adjustment range
3 ÷ 18 mbar
ambient temperature 0 ÷ 60°C
power supply 230V 50Hz
long buttons
pilot connection and LOWER thermocouple



AMBACH 5018902787

3526124 KNOB EXTENSION LENGTH 65 mm
for VALVE 820 NOVA-824 NOVASIT



AMBACH 5022910518

3526175 VALVE 822 NOVA 230V 50Hz
inlet \varnothing 1/2" F - outlet \varnothing 1/2" F
gas inlet max. pressure 60 mbar
outlet pressure range
3 ÷ 30 mbar
room temperature 0 ÷ 60°C
power supply 230V 50Hz



AMBACH 5018909590

3526098 COIL 220V
for VALVE 820 NOVA-824 NOVASIT-822 NOVA-826 NOVA



AMBACH 5061516585

AMBASSADE

3523098 VALVE 824 NOVA \varnothing 1/2"FF
inlet \varnothing 1/2" F - outlet \varnothing 1/2" F
thermocouple connection M9x1
maximum gas inlet pressure 60 mbar
outlet pressure adjustment range
2 ÷ 50 mbar
ambient temperature 0 ÷ 60°C
power supply 230V 50Hz
for Bratt pan gas (AMBASSADE) DBRG



AMBASSADE 07834A



Suitable for:

Electrical gas valves and accessories



Suitable for:

ANGELO PO

- 3030001 ELECTRIC COUPLING WITH CABLE**
for valve sit 824 NOVA-826 NOVA
for Bratt pan gas (ANGELO PO) - Series ALPHA
Series DELTA



ANGELO PO 32A2340

- 3526102 ELECTRIC COUPLING WITH CABLE**
for VALVE 820 NOVA-824 NOVASIT-822 NOVA-826 NOVA



ANGELO PO 32A2330

- 3526092 ELETTROSIT VALVE \varnothing 1/2"FF**
inlet \varnothing 1/2" F - outlet \varnothing 1/2" F
thermocouple connection M9x1
maximum gas inlet pressure 50 mbar
pressure adjustment range
3÷18 mbar
ambient temperature 0÷60°C
power supply 220/240V 50Hz
long buttons
pilot connection and LATERAL thermocouple



ANGELO PO 33A0590

ANGELO PO 6000640

- 3526096 VALVE MICROSWITCH**
maximum load 0.2 A
for VALVE ELETTROSIT-820 NOVA-824 NOVASIT



ANGELO PO 33A0020

- 3526138 VALVE PROTECTION 72x44 mm**
for Bratt pan gas (ANGELO PO) - Series SENIOR
Series SUMMIT



ANGELO PO 37Q1200



Electrical gas valves and accessories



Suitable for:

3526090 Elettrosit Valve \varnothing 3/4" FF
 inlet \varnothing 3/4" F - outlet \varnothing 3/4" F
 thermocouple connection M9x1
 maximum gas inlet pressure 50 mbar
 pressure adjustment range
 3 ÷ 18 mbar
 ambient temperature 0 ÷ 60°C
 power supply 230V 50Hz
 long buttons
 pilot connection and LATERAL thermocouple
 for Bratt pan gas (BONNET)
 for Bratt pan gas (OLIS) KBG970 - 725KBG - 94KBCM
 94KBG
 for Fryer gas (BONNET)



ANGELO PO 33A0530

Suitable for:

3526096 Valve Microswitch
 maximum load 0.2 A
 for VALVE Elettrosit-820 NOVA-824 NOVASIT



ANGELO PO 33A0020

3526066 Honeywell Valve V4400C \varnothing 3/4" FF 220V
 inlet \varnothing 3/4" F - outlet \varnothing 3/4" F
 thermocouple connection ASA pitch
 maximum gas inlet pressure 60 mbar
 room temperature 0 ÷ 70°C
 power supply 230V 50Hz



ANGELO PO 33A0450


3526124 Knob Extension Length 65 mm
 for VALVE 820 NOVA-824 NOVASIT



ANGELO PO 33G0620

ANGELO PO 3227400

3526123 Rubber Protection for Eurosit Valve



ANGELO PO 3152280

3526096 Valve Microswitch
 maximum load 0.2 A
 for VALVE Elettrosit-820 NOVA-824 NOVASIT



ANGELO PO 33A0020



Electrical gas valves and accessories



Suitable for:

3526145 VALVE NOVASIT \varnothing 1/2"FF
inlet \varnothing 1/2" F - outlet \varnothing 1/2" F
thermocouple connection 9x1
maximum gas inlet pressure 60 mbar
outlet pressure range
2÷50 mbar
ambient temperature 0÷60°C
power supply 230V 50Hz
for Bratt pan gas (ANGELO PO) - Series ALPHA
Series DELTA



ANGELO PO 33A0930

Suitable for:

3030001 ELECTRIC COUPLING WITH CABLE
for valve sit 824 NOVA-826 NOVA
for Bratt pan gas (ANGELO PO) - Series ALPHA
Series DELTA



ANGELO PO 32A2340

3526102 ELECTRIC COUPLING WITH CABLE
for VALVE 820 NOVA-824 NOVASIT-822 NOVA-826 NOVA



ANGELO PO 32A2330

3526124 KNOB EXTENSION LENGTH 65 mm
for VALVE 820 NOVA-824 NOVASIT



ANGELO PO 33G0620

ANGELO PO 3227400

3526096 VALVE MICROSWITCH
maximum load 0.2 A
for VALVE ELETTROSIT-820 NOVA-824 NOVASIT



ANGELO PO 33A0020

3526138 VALVE PROTECTION 72x44 mm
for Bratt pan gas (ANGELO PO) - Series SENIOR
Series SUMMIT



ANGELO PO 37Q1200



Electrical gas valves and accessories



Suitable for:

3526079 VALVE 820 NOVA \varnothing 1/2"FF
 inlet \varnothing 1/2" F - outlet \varnothing 1/2" F
 thermocouple fitting M9x1
 maximum gas inlet pressure 60 mbar
 outlet pressure setting range
 3÷30 mbar
 room temperature 0÷70°C
 power supply 230V 50Hz
 for Fryer gas (ANGELO PO) - Series ALPHA
 Series BIFRONTI - Series DELTA - Series GAMMA
 Series OMEGA
 for Fryer gas (CAPIC)



ANGELO PO 33A0460

3526124 KNOB EXTENSION LENGTH 65 mm
 for VALVE 820 NOVA-824 NOVASIT



ANGELO PO 33G0620

ANGELO PO 3227400

Suitable for:

3526102 ELECTRIC COUPLING WITH CABLE
 for VALVE 820 NOVA-824 NOVASIT-822 NOVA-826 NOVA



ANGELO PO 32A2330

3526096 VALVE MICROSWITCH
 maximum load 0.2 A
 for VALVE ELETTROSIT-820 NOVA-824 NOVASIT



ANGELO PO 33A0020

ATA

3526176 VALVE 820 NOVA \varnothing 1/2"FF
 inlet \varnothing 1/2" F - outlet \varnothing 1/2" F
 thermocouple connection M9x1
 maximum gas inlet pressure 60 mbar
 outlet pressure adjustment range
 3÷30 mbar
 ambient temperature 0÷70°C
 power supply 230V 50Hz
 for Boiling pan gas (MARENO)
 Series 900PROTAGONISTA NUOVA
 for Bratt pan gas (MARENO)
 Series 900PROTAGONISTA NUOVA
 for Bratt pan gas (OLIS) - Series 700 - Series 900
 for Fryer (BARON) 9FRI/G420
 for Fryer gas (OLIS) - Series 900
 for Pasta cooker gas (MARENO)



ATA K00055

3348036 OLIVE FOR 4 mm \varnothing PIPE
 for model PEL 21-22



ATA K22003



Suitable for:

Electrical gas valves and accessories



Suitable for:

BARON

3526108 ELBOW FLANGE \varnothing 1/2" F
with screws and "O" ring
for ELETTROSIT VALVE



BARON 6A049900

3526090 ELETTROSIT VALVE \varnothing 3/4" FF
inlet \varnothing 3/4" F - outlet \varnothing 3/4" F
thermocouple connection M9x1
maximum gas inlet pressure 50 mbar
pressure adjustment range
3 ÷ 18 mbar
ambient temperature 0 ÷ 60°C
power supply 230V 50Hz
long buttons
pilot connection and LATERAL thermocouple
for Bratt pan gas (BONNET)
for Bratt pan gas (OLIS) KBG970 - 725KBG - 94KBCM
94KBG
for Fryer gas (BONNET)



BARON 6A050000

3526108 ELBOW FLANGE \varnothing 1/2" F
with screws and "O" ring
for ELETTROSIT VALVE



BARON 6A049900

3526096 VALVE MICROSWITCH
maximum load 0.2 A
for VALVE ELETTROSIT-820 NOVA-824 NOVASIT



BARON BN6A050003

BARON 6A050003

3526124 KNOB EXTENSION LENGTH 65 mm
for VALVE 820 NOVA-824 NOVASIT



BARON 824710350

3440200 TWIN LEAD THERMOPILE 580 mm



BARON 41826920100



Electrical gas valves and accessories



Suitable for:

Suitable for:

3526096 VALVE MICROSWITCH
 maximum load 0.2 A
 for VALVE ELETTROSIT-820 NOVA-824 NOVASIT



BARON BN6A050003

BARON 6A050003

3526300 VALVE 820 NOVA mV \varnothing 1/2"FF
 inlet \varnothing 1/2" F - outlet \varnothing 1/2" F
 thermocouple fitting M9x1
 maximum gas inlet pressure 60 mbar
 outlet pressure range setting
 outlet 5 ÷ 50 mbar
 room temperature 0 ÷ 70°C
 double wire thermopile power supply
 (TPTH - TH terminal)
 thermostat connection (TPTH - TH terminal)
 suitable to replace the ITT valve
 UB67 model
 for Fryer gas (ELFRAMO) GSDT12 - GSDT20 - GST12
 GST20 - GWDT12 - GWDT20 - GWD209T - GWM35T
 GWT12 - GWT20 - GW209T



BARON 41826920090

BARON 826920090

BARON BN826920090

3020083 NUT & OLIVE \varnothing 4 mm



BARON 6A011608

3440200 TWIN LEAD THERMOPILE 580 mm



BARON 41826920100

3526124 KNOB EXTENSION LENGTH 65 mm
 for VALVE 820 NOVA-824 NOVASIT



BARON 824710350

3020084 NUT & OLIVE \varnothing 6 mm



BARON 6A011607

3526096 VALVE MICROSWITCH
 maximum load 0.2 A
 for VALVE ELETTROSIT-820 NOVA-824 NOVASIT



BARON BN6A050003

BARON 6A050003



Suitable for:

Electrical gas valves and accessories



Suitable for:

BERTO'S

- 3526090 ELETTROSIT VALVE \varnothing 3/4"FF**
inlet \varnothing 3/4" F - outlet \varnothing 3/4" F
thermocouple connection M9x1
maximum gas inlet pressure 50 mbar
pressure adjustment range
3 ÷ 18 mbar
ambient temperature 0 ÷ 60°C
power supply 230V 50Hz
long buttons
pilot connection and LATERAL thermocouple
for Bratt pan gas (BONNET)
for Fryer gas (OLIS) KBG970 - 725KBG - 94KBCM
94KBG
for Fryer gas (BONNET)



BERTO'S 23270900

- 3526079 VALVE 820 NOVA \varnothing 1/2"FF**
inlet \varnothing 1/2" F - outlet \varnothing 1/2" F
thermocouple fitting M9x1
maximum gas inlet pressure 60 mbar
outlet pressure setting range
3 ÷ 30 mbar
room temperature 0 ÷ 70°C
power supply 230V 50Hz
for Fryer gas (ANGELO PO) - Series ALPHA
Series BIFRONTI - Series DELTA - Series GAMMA
Series OMEGA
for Fryer gas (CAPIC)



BERTO'S 32271300

- 3526140 VALVE 836 TANDEM \varnothing 1/2"FF**
inlet \varnothing 1/2" F - outlet \varnothing 1/2" F
maximum gas inlet pressure 60 mbar
max. gas outlet pressure adjustment range 7 ÷ 50 mbar
outlet gas pressure setting range min. 2 ÷ 45 mbar
room temperature 0 ÷ 60°C
power supply 230V 30A rectified
for Bratt pan gas (ZANUSSI) BR70G - BR70GZ
for Pasta cooker gas (ZANUSSI) - Series CPD



BERTO'S 25271500

BONNET

- 3526098 COIL 220V**
for VALVE 820 NOVA-824 NOVASIT-822 NOVA-826 NOVA



BONNET 2020037



Suitable for:

Electrical gas valves and accessories



Suitable for:

BONNET

3526090 ELETTROSIT VALVE \varnothing 3/4"FF
 inlet \varnothing 3/4" F - outlet \varnothing 3/4" F
 thermocouple connection M9x1
 maximum gas inlet pressure 50 mbar
 pressure adjustment range
 3 ÷ 18 mbar
 ambient temperature 0 ÷ 60°C
 power supply 230V 50Hz
 long buttons
 pilot connection and LATERAL thermocouple
 for Bratt pan gas (BONNET)
 for Bratt pan gas (OLIS) KBG970 - 725KBG - 94KBCM
 94KBG
 for Fryer gas (BONNET)



BONNET 7472025

3523073 GAS VALVE UNITROL 7000 BER ROBERTSHAW
 inlet \varnothing 3/4" F - outlet \varnothing 3/4" F
 with pressure regulator 17cm CE
 power supply 240V



BONNET 7473017

3440165 THERMOCOUPLE 11/32 P.ASA 60 cm COUPLING
 with fitting M11x1



BONNET

3523079 GAS VALVE UNITROL 7000 BGOR-S7B
 inlet \varnothing 1/2" F - outlet \varnothing 3/4" F
 without pressure regulator



BONNET 7473020

3523082 MICRO SWITCH VALVE
 length 415 mm
 for gas valve UNITROL 7000 BER



BONNET

3523082 MICRO SWITCH VALVE
 length 415 mm
 for gas valve UNITROL 7000 BER



BONNET



Electrical gas valves and accessories



Suitable for:

3523082 MICRO SWITCH VALVE
length 415 mm
for gas valve UNITROL 7000 BER



BONNET

Suitable for:

3526141 VALVE 830 TANDEM \varnothing 1/2"FF
inlet \varnothing 1/2" F - outlet \varnothing 1/2" F
thermocouple fitting M10x1
maximum gas inlet pressure 60 mbar
outlet gas pressure setting range 3 ÷ 50 mbar
room temperature 0 ÷ 60°C
power supply 230V 50Hz



BONNET 310305

CAPIC

3526077 ELBOW FLANGE \varnothing 1/2" F
complete with screws and O-Ring
for valves SIT 820-Honeywell V4400-V4600-VR4605P



CAPIC G652031

3526078 ELBOW FLANGE \varnothing 3/4" F
complete with screws and O-Ring
for valves SIT 820-Honeywell V4400-V4600-VR4605P



CAPIC G653032

3526085 ELETROSIT VALVE \varnothing 3/4" FF
inlet \varnothing 3/4" F - outlet \varnothing 3/4" F
thermocouple connection M9x1
maximum gas inlet pressure 50 mbar
pressure adjustment range
3 ÷ 18 mbar
ambient temperature 0 ÷ 60°C
power supply 230V 50Hz
pilot connection and LATERAL thermocouple



CAPIC G652401

3526075 STRAIGHT FLANGE \varnothing 1/2" F
complete with screws and O-Ring
for valves SIT 820-Honeywell V4400-V4600-VR4605P



CAPIC G653033



Electrical gas valves and accessories



Suitable for:

3526176 VALVE 820 NOVA \varnothing 1/2"FF
 inlet \varnothing 1/2" F - outlet \varnothing 1/2" F
 thermocouple connection M9x1
 maximum gas inlet pressure 60 mbar
 outlet pressure adjustment range
 3÷30 mbar
 ambient temperature 0÷70°C
 power supply 230V 50Hz
 for Boiling pan gas (MARENO)
 Series 900PROTAGONISTA NUOVA
 for Bratt pan gas (MARENO)
 Series 900PROTAGONISTA NUOVA
 for Bratt pan gas (OLIS) - Series 700 - Series 900
 for Fryer (BARON) 9FRI/G420
 for Fryer gas (OLIS) - Series 900
 for Pasta cooker gas (MARENO)



CAPIC G653028

Suitable for:

3526077 ELBOW FLANGE \varnothing 1/2" F
 complete with screws and O-Ring
 for valves SIT 820-Honeywell V4400-V4600-VR4605P



CAPIC G652031

3526078 ELBOW FLANGE \varnothing 3/4" F
 complete with screws and O-Ring
 for valves SIT 820-Honeywell V4400-V4600-VR4605P



CAPIC G653032

3526075 STRAIGHT FLANGE \varnothing 1/2" F
 complete with screws and O-Ring
 for valves SIT 820-Honeywell V4400-V4600-VR4605P



CAPIC G653033

3526175 VALVE 822 NOVA 230V 50Hz
 inlet \varnothing 1/2" F - outlet \varnothing 1/2" F
 gas inlet max. pressure 60 mbar
 outlet pressure range
 3÷30 mbar
 room temperature 0÷60°C
 power supply 230V 50Hz



CAPIC G653026

3526077 ELBOW FLANGE \varnothing 1/2" F
 complete with screws and O-Ring
 for valves SIT 820-Honeywell V4400-V4600-VR4605P



CAPIC G652031

3526078 ELBOW FLANGE \varnothing 3/4" F
 complete with screws and O-Ring
 for valves SIT 820-Honeywell V4400-V4600-VR4605P



CAPIC G653032

3526075 STRAIGHT FLANGE \varnothing 1/2" F
 complete with screws and O-Ring
 for valves SIT 820-Honeywell V4400-V4600-VR4605P



CAPIC G653033



Suitable for:

Electrical gas valves and accessories



Suitable for:

CHARVET

3523076 GAS VALVE UNITROL 7000 BER S7C
inlet \varnothing 1/2"F - outlet \varnothing 3/4"F
with pressure regulator 17cm CE
slow opening
power supply 24V
for Fryer gas (FRYMASTER) MJ45



CHARVET

3440170 THERMOCOUPLE 11/32 P.ASA 120 cm
with coupling M5x1
for GAS VALVE UNITROL 7000 BGO ROBERTSHAW
for GAS VALVE UNITROL 7000 BER ROBERTSHAW
for GAS VALVE UNITROL 7000 BER S7C ROBERTSHAW



CHARVET 286A

COLUSSI

3526361 VALVE 822 NOVA \varnothing 1/2"FF
inlet \varnothing 1/2"F - outlet \varnothing 1/2"F
thermocouple fitting M10x1
maximum gas inlet pressure 60 mbar
outlet pressure setting range
3÷30 mbar
room temperature 0÷60°C
power supply 230V 50Hz
for Bratt pan gas (ZANUSSI) - Series HD900



COLUSSI R52510100

COMETTO

3526141 VALVE 830 TANDEM \varnothing 1/2"FF
inlet \varnothing 1/2"F - outlet \varnothing 1/2"F
thermocouple fitting M10x1
maximum gas inlet pressure 60 mbar
outlet gas pressure setting range 3÷50 mbar
room temperature 0÷60°C
power supply 230V 50Hz



COMETTO



Suitable for:

Electrical gas valves and accessories



Suitable for:

EBERHARDT

3526096 VALVE MICROSWITCH
maximum load 0.2 A
for VALVE ELETTROSIT-820 NOVA-824 NOVASIT



EBERHARDT 202812

3526079 VALVE 820 NOVA ø 1/2"FF
inlet ø 1/2"F - outlet ø 1/2"F
thermocouple fitting M9x1
maximum gas inlet pressure 60 mbar
outlet pressure setting range
3÷30 mbar
room temperature 0÷70°C
power supply 230V 50Hz
for Fryer gas (ANGELO PO) - Series ALPHA
Series BIFRONTI - Series DELTA - Series GAMMA
Series OMEGA
for Fryer gas (CAPIC)



EBERHARDT 214394

3526176 VALVE 820 NOVA ø 1/2"FF
inlet ø 1/2"F - outlet ø 1/2"F
thermocouple connection M9x1
maximum gas inlet pressure 60 mbar
outlet pressure adjustment range
3÷30 mbar
ambient temperature 0÷70°C
power supply 230V 50Hz
for Boiling pan gas (MARENO)
Series 900PROTAGONISTA NUOVA
for Bratt pan gas (MARENO)
Series 900PROTAGONISTA NUOVA
for Bratt pan gas (OLIS) - Series 700 - Series 900
for Fryer (BARON) 9FRI/G420
for Fryer gas (OLIS) - Series 900
for Pasta cooker gas (MARENO)



EBERHARDT 286100

3526096 VALVE MICROSWITCH
maximum load 0.2 A
for VALVE ELETTROSIT-820 NOVA-824 NOVASIT



EBERHARDT 202812

3020077 FITTING FOR PIPE ø 4 mm
for Kitchen gas (ANGELO PO) 3A1FA1G



EBERHARDT 212636



Electrical gas valves and accessories



Suitable for:

3348041 PIPE OLIVE \varnothing 16 mm
for model PEL 23



EBERHARDT 212629

Suitable for:

3526096 VALVE MICROSWITCH
maximum load 0.2 A
for VALVE ELETTROSIT-820 NOVA-824 NOVASIT



EBERHARDT 202812

3526104 VALVE 830 TANDEM \varnothing 1/2"FF
inlet \varnothing 1/2" F - outlet \varnothing 1/2" F
maximum gas inlet pressure 60 mbar
outlet pressure adjustment range
3÷50 mbar
with slow start
room temperature 0÷60°C
power supply 230V 50Hz



EBERHARDT 214188

3348041 PIPE OLIVE \varnothing 16 mm
for model PEL 23



EBERHARDT 212629

ELECTROLUX

3526270 VALVE 820 NOVA EXTENSION
D shaft \varnothing 10x8 mm
for Bratt pan gas (ZANUSSI) KBR/G2C - KBR/G2CH
KBR/G2F - KBR/G2FH - KBR/G3C - KBR/G3CH
KBR/G3F - KBR/G3FH
for Fryer gas (ZANUSSI) JFR/G2S40 - MFR/G2S40
PFR/G2S40 - RFR/G2S40 - TFR/G2S60 - XFR/G2S40



ELECTROLUX 004667

3526137 BUTTON FOR ELETTROSIT VALVE



ELECTROLUX 053820

ELECTROLUX 053992

3526098 COIL 220V
for VALVE 820 NOVA-824 NOVASIT-822 NOVA-826 NOVA



ELECTROLUX 0K3020



Electrical gas valves and accessories



Suitable for:

Suitable for:

3526142 DOUBLE COIL FOR VALVE
220V 50Hz
for VALVE 830 TANDEM-836 TANDEM



ELECTROLUX 002452

3526085 ELETROSIT VALVE \varnothing 3/4"FF
inlet \varnothing 3/4" F - outlet \varnothing 3/4" F
thermocouple connection M9x1
maximum gas inlet pressure 50 mbar
pressure adjustment range
3 ÷ 18 mbar
ambient temperature 0 ÷ 60°C
power supply 230V 50Hz
pilot connection and LATERAL thermocouple



ELECTROLUX

3526086 ELETROSIT VALVE \varnothing 3/4"FF
inlet \varnothing 3/4" F - outlet \varnothing 3/4" F
thermocouple connection M9x1
maximum gas inlet pressure 50 mbar
pressure adjustment range
3 ÷ 18 mbar
ambient temperature 0 ÷ 60°C
power supply 230V 50Hz
pilot connection and LOWER thermocouple



ELECTROLUX 0A2035

3526087 ELETROSIT VALVE \varnothing 3/4"FF
inlet \varnothing 3/4" F - outlet \varnothing 3/4" F
thermocouple connection M9x1
maximum gas inlet pressure 50 mbar
pressure adjustment range
3 ÷ 18 mbar
ambient temperature 0 ÷ 60°C
power supply 24V 50Hz
pilot connection and LOWER thermocouple



ELECTROLUX 054437

3526096 VALVE MICROSWITCH
maximum load 0.2 A
for VALVE ELETROSIT-820 NOVA-824 NOVASIT



ELECTROLUX 054539

ELECTROLUX 056601

3526096 VALVE MICROSWITCH
maximum load 0.2 A
for VALVE ELETROSIT-820 NOVA-824 NOVASIT



ELECTROLUX 054539

ELECTROLUX 056601

3526093 EXTENSION ELETROSIT BUTTON
for switching on/off buttons



ELECTROLUX 051281

ELECTROLUX 055805



Electrical gas valves and accessories



Suitable for:

3526096 VALVE MICROSWITCH
maximum load 0.2 A
for VALVE ELETTROSIT-820 NOVA-824 NOVASIT

Suitable for:



ELECTROLUX 054539

ELECTROLUX 056601

3526093 EXTENSION ELETTROSIT BUTTON
for switching on/off buttons



ELECTROLUX 051281

ELECTROLUX 055805

3526136 SPRING FOR PUSH-BUTTON



ELECTROLUX 053819

3526096 VALVE MICROSWITCH
maximum load 0.2 A
for VALVE ELETTROSIT-820 NOVA-824 NOVASIT



ELECTROLUX 054539

ELECTROLUX 056601

3526066 HONEYWELL VALVE V4400C \varnothing 3/4" FF 220V
inlet \varnothing 3/4" F - outlet \varnothing 3/4" F
thermocouple connection ASA pitch
maximum gas inlet pressure 60 mbar
room temperature 0÷70°C
power supply 230V 50Hz



ELECTROLUX 057340

3440200 TWIN LEAD THERMOPILE 580 mm



ELECTROLUX 002607



Electrical gas valves and accessories



Suitable for:

3526079 VALVE 820 NOVA \varnothing 1/2"FF
 inlet \varnothing 1/2"F - outlet \varnothing 1/2"F
 thermocouple fitting M9x1
 maximum gas inlet pressure 60 mbar
 outlet pressure setting range
 3÷30 mbar
 room temperature 0÷70°C
 power supply 230V 50Hz
 for Fryer gas (ANGELO PO) - Series ALPHA
 Series BIFRONTI - Series DELTA - Series GAMMA
 Series OMEGA
 for Fryer gas (CAPIC)



ELECTROLUX 0A2440

3526098 COIL 220V
 for VALVE 820 NOVA-824 NOVASIT-822 NOVA-826 NOVA



ELECTROLUX 0K3020

3241142 KNOB GASKET \varnothing 44 mm



ELECTROLUX 059326

3020083 NUT & OLIVE \varnothing 4 mm



ELECTROLUX 052833

Suitable for:

3526270 VALVE 820 NOVA EXTENSION
 D shaft \varnothing 10x8 mm
 for Bratt pan gas (ZANUSSI) KBR/G2C - KBR/G2CH
 KBR/G2F - KBR/G2FH - KBR/G3C - KBR/G3CH
 KBR/G3F - KBR/G3FH
 for Fryer gas (ZANUSSI) JFR/G2S40 - MFR/G2S40
 PFR/G2S40 - RFR/G2S40 - TFR/G2S60 - XFR/G2S40



ELECTROLUX 004667

3241141 KNOB EXTENSION
 D-shaped hole 10x8 mm
 for gas valve
 for OVEN-FRYER



ELECTROLUX 059305

3182008 MAGNETIC UNIT SIT
 \varnothing head 35 mm - \varnothing end 20 mm - length 47 mm
 for valve SIT NOVASIT 820



ELECTROLUX 056589

3020084 NUT & OLIVE \varnothing 6 mm



ELECTROLUX 052834



Electrical gas valves and accessories



Suitable for:

3526096 VALVE MICROSWITCH
maximum load 0.2 A
for VALVE ELETROSIT-820 NOVA-824 NOVASIT



ELECTROLUX 054539

ELECTROLUX 056601

Suitable for:

3526269 VALVE 820 NOVA EXTENSION
D shaft \varnothing 10x8 mm
for Bratt pan gas (WHIRLPOOL) ABR/G810-221560
for Bratt pan gas (ZANUSSI) ABR/G800 - ABR/G805
ABR/G810 - ABR/G811 - ABR/G815 - ABR/G816
ABR/G820 - ABR/G825 - OBR/G800UK
for Fryer gas (WHIRLPOOL) XFR/G351



ELECTROLUX 002790

3526179 VALVE 820 NOVA \varnothing 1/2"FF
inlet \varnothing 1/2" F - outlet \varnothing 1/2" F
thermocouple connection M9x1
maximum gas inlet pressure 60 mbar
outlet pressure adjustment range
5÷50 mbar
ambient temperature 0÷70°C
without slow start
power supply 220V 50Hz
for Boiling pan gas (ZANUSSI) - Series N700
Series N900
for Fryer (WHIRLPOOL) AFR/G410
for Fryer gas (ZANUSSI) - Series HD900
Series N900
for Pasta cooker gas (ZANUSSI) - Series N900



ELECTROLUX 002903

3241429 BLACK KNOB \varnothing 30 mm SILK-SCREEN PRINTED



ELECTROLUX 003704

3182008 MAGNETIC UNIT SIT
 \varnothing head 35 mm - \varnothing end 20 mm - length 47 mm
for valve SIT NOVASIT 820



ELECTROLUX 056589

3526270 VALVE 820 NOVA EXTENSION
D shaft \varnothing 10x8 mm
for Bratt pan gas (ZANUSSI) KBR/G2C - KBR/G2CH
KBR/G2F - KBR/G2FH - KBR/G3C - KBR/G3CH
KBR/G3F - KBR/G3FH
for Fryer gas (ZANUSSI) JFR/G2S40 - MFR/G2S40
PFR/G2S40 - RFR/G2S40 - TFR/G2S60 - XFR/G2S40



ELECTROLUX 004667

3526098 COIL 220V
for VALVE 820 NOVA-824 NOVASIT-822 NOVA-826 NOVA



ELECTROLUX 0K3020

3020083 NUT & OLIVE \varnothing 4 mm



ELECTROLUX 052833



Suitable for:

3020084 NUT & OLIVE \varnothing 6 mm



ELECTROLUX 052834

40C2408 VALVE 820 NOVA \varnothing 1/2"FF
inlet \varnothing 1/2" F - outlet \varnothing 1/2" F
thermocouple connection M9x1
gas max. inlet pressure 60 mbar
outlet pressure range setting
5÷50 mbar
room temperature 0÷70°C
power supply 24V 50Hz
for Bratt pan gas (ZANUSSI) CRN15G - CRN20G
for Pasta cooker gas (ZANUSSI) CR40G - CR42G



ELECTROLUX 0C2408

3182008 MAGNETIC UNIT SIT
 \varnothing head 35 mm - \varnothing end 20 mm - length 47 mm
for valve SIT NOVASIT 820



ELECTROLUX 056589

3020084 NUT & OLIVE \varnothing 6 mm



ELECTROLUX 052834

Electrical gas valves and accessories



Suitable for:

3526096 VALVE MICROSWITCH
maximum load 0.2 A
for VALVE ELETTROSIT-820 NOVA-824 NOVASIT



ELECTROLUX 054539

ELECTROLUX 056601

3526098 COIL 220V
for VALVE 820 NOVA-824 NOVASIT-822 NOVA-826 NOVA



ELECTROLUX 0K3020

3020083 NUT & OLIVE \varnothing 4 mm



ELECTROLUX 052833

3526096 VALVE MICROSWITCH
maximum load 0.2 A
for VALVE ELETTROSIT-820 NOVA-824 NOVASIT



ELECTROLUX 054539

ELECTROLUX 056601



Electrical gas valves and accessories



Suitable for:

3526300 VALVE 820 NOVA mV \varnothing 1/2"FF
 inlet \varnothing 1/2" F - outlet \varnothing 1/2" F
 thermocouple fitting M9x1
 maximum gas inlet pressure 60 mbar
 outlet pressure range setting
 outlet 5÷50 mbar
 room temperature 0÷70°C
 double wire thermopile power supply
 (TPTH - TH terminal)
 thermostat connection (TPTH - TH terminal)
 suitable to replace the ITT valve
 UB67 model
 for Fryer gas (ELFRAMO) GSDT12 - GSDT20 - GST12
 GST20 - GWDT12 - GWDT20 - GWD209T - GWM35T
 GWT12 - GWT20 - GW209T



ELECTROLUX 002606

3182008 MAGNETIC UNIT SIT
 \varnothing head 35 mm - \varnothing end 20 mm - length 47 mm
 for valve SIT NOVASIT 820



ELECTROLUX 056589

3020084 NUT & OLIVE \varnothing 6 mm



ELECTROLUX 052834

3526096 VALVE MICROSWITCH
 maximum load 0.2 A
 for VALVE ELETTROSIT-820 NOVA-824 NOVASIT



ELECTROLUX 054539

ELECTROLUX 056601

Suitable for:

3526270 VALVE 820 NOVA EXTENSION
 D shaft \varnothing 10x8 mm
 for Bratt pan gas (ZANUSSI) KBR/G2C - KBR/G2CH
 KBR/G2F - KBR/G2FH - KBR/G3C - KBR/G3CH
 KBR/G3F - KBR/G3FH
 for Fryer gas (ZANUSSI) JFR/G2S40 - MFR/G2S40
 PFR/G2S40 - RFR/G2S40 - TFR/G2S60 - XFR/G2S40



ELECTROLUX 004667

3020083 NUT & OLIVE \varnothing 4 mm



ELECTROLUX 052833

3440200 TWIN LEAD THERMOPILE 580 mm



ELECTROLUX 002607



Electrical gas valves and accessories



Suitable for:

Suitable for:

3526269 VALVE 820 NOVA EXTENSION

D shaft \varnothing 10x8 mm
for Bratt pan gas (WHIRLPOOL) ABR/G810-221560
for Bratt pan gas (ZANUSSI) ABR/G800 - ABR/G805
ABR/G810 - ABR/G811 - ABR/G815 - ABR/G816
ABR/G820 - ABR/G825 - OBR/G800UK
for Fryer gas (WHIRLPOOL) XFR/G351



ELECTROLUX 002790

3526361 VALVE 822 NOVA \varnothing 1/2"FF

inlet \varnothing 1/2" F - outlet \varnothing 1/2" F
thermocouple fitting M10x1
maximum gas inlet pressure 60 mbar
outlet pressure setting range
3 ÷ 30 mbar
room temperature 0 ÷ 60°C
power supply 230V 50Hz
for Bratt pan gas (ZANUSSI) - Series HD900



ELECTROLUX 059473

3020083 NUT & OLIVE \varnothing 4 mm



ELECTROLUX 052833

3526141 VALVE 830 TANDEM \varnothing 1/2"FF

inlet \varnothing 1/2" F - outlet \varnothing 1/2" F
thermocouple fitting M10x1
maximum gas inlet pressure 60 mbar
outlet gas pressure setting range 3 ÷ 50 mbar
room temperature 0 ÷ 60°C
power supply 230V 50Hz



ELECTROLUX 002340

ELECTROLUX 005897

3526098 COIL 220V

for VALVE 820 NOVA-824 NOVASIT-822 NOVA-826 NOVA



ELECTROLUX 0K3020

3020084 NUT & OLIVE \varnothing 6 mm



ELECTROLUX 052834

3526142 DOUBLE COIL FOR VALVE

220V 50Hz
for VALVE 830 TANDEM-836 TANDEM



ELECTROLUX 002452



Electrical gas valves and accessories



Suitable for:

3020083 NUT & OLIVE \varnothing 4 mm



ELECTROLUX 052833

3348041 PIPE OLIVE \varnothing 16 mm
for model PEL 23



ELECTROLUX 052671

ELECTROLUX 054817

3526268 VALVE 830 TANDEM \varnothing 1/2"FF
inlet \varnothing 1/2"F - outlet \varnothing 1/2"F
maximum gas inlet pressure 60 mbar
outlet pressure adjustment range
3÷50 mbar
power supply 24V 60Hz
for Pasta cooker gas (ZANUSSI) CR40G - CR41G
CR42G



ELECTROLUX 005526

3020083 NUT & OLIVE \varnothing 4 mm



ELECTROLUX 052833

3348041 PIPE OLIVE \varnothing 16 mm
for model PEL 23



ELECTROLUX 052671

ELECTROLUX 054817

Suitable for:

3020084 NUT & OLIVE \varnothing 6 mm



ELECTROLUX 052834

3526142 DOUBLE COIL FOR VALVE
220V 50Hz
for VALVE 830 TANDEM-836 TANDEM



ELECTROLUX 002452

3020084 NUT & OLIVE \varnothing 6 mm



ELECTROLUX 052834



Electrical gas valves and accessories



Suitable for:

3526140 VALVE 836 TANDEM \varnothing 1/2" FF
inlet \varnothing 1/2" F - outlet \varnothing 1/2" F
maximum gas inlet pressure 60 mbar
max.gas outlet pressure adjustment range 7÷50 mbar
outlet gas pressure setting range min.2÷45 mbar
room temperature 0÷60°C
power supply 230V 30A rectified
for Bratt pan gas (ZANUSSI) BR70G - BR70GZ
for Pasta cooker gas (ZANUSSI) - Series CPD



ELECTROLUX 002714

3020083 NUT & OLIVE \varnothing 4 mm



ELECTROLUX 052833

3348041 PIPE OLIVE \varnothing 16 mm
for model PEL 23



ELECTROLUX 052671

ELECTROLUX 054817

Suitable for:

3526142 DOUBLE COIL FOR VALVE
220V 50Hz
for VALVE 830 TANDEM-836 TANDEM



ELECTROLUX 002452

3020084 NUT & OLIVE \varnothing 6 mm



ELECTROLUX 052834

ELFRAMO

3440200 TWIN LEAD THERMOPILE 580 mm



ELFRAMO 17100002



Electrical gas valves and accessories



Suitable for:

Suitable for:

ELFRAMO

3526300 VALVE 820 NOVA mV \varnothing 1/2"FF

inlet \varnothing 1/2" F - outlet \varnothing 1/2" F
thermocouple fitting M9x1
maximum gas inlet pressure 60 mbar
outlet pressure range setting
outlet 5÷50 mbar
room temperature 0÷70°C
double wire thermopile power supply
(TPTH - TH terminal)
thermostat connection (TPTH - TH terminal)
suitable to replace the ITT valve
UB67 model
for Fryer gas (ELFRAMO) GSDT12 - GSDT20 - GST12
GST20 - GWDT12 - GWDT20 - GWD209T - GWM35T
GWT12 - GWT20 - GW209T



ELFRAMO 16100005

3020084 NUT & OLIVE \varnothing 6 mm



ELFRAMO 33120013

ELFRAMO 16100004

3440200 TWIN LEAD THERMOPILE 580 mm



ELFRAMO 17100002

EMMEPI

3526102 ELECTRIC COUPLING WITH CABLE

for VALVE 820 NOVA-824 NOVASIT-822 NOVA-826 NOVA



EMMEPI C00974

EMMEPI 245120705



Suitable for:

Electrical gas valves and accessories



Suitable for:

EMMEPI

3526090 ELETTROSIT VALVE \varnothing 3/4"FF
 inlet \varnothing 3/4" F - outlet \varnothing 3/4" F
 thermocouple connection M9x1
 maximum gas inlet pressure 50 mbar
 pressure adjustment range
 3÷18 mbar
 ambient temperature 0÷60°C
 power supply 230V 50Hz
 long buttons
 pilot connection and LATERAL thermocouple
 for Bratt pan gas (BONNET)
 for Bratt pan gas (OLIS) KBG970 - 725KBG - 94KBCM
 94KBG
 for Fryer gas (BONNET)



EMMEPI C00302

EMMEPI 813416

3526096 VALVE MICROSWITCH
 maximum load 0.2 A
 for VALVE ELETTROSIT-820 NOVA-824 NOVASIT



EMMEPI C00309

3526096 VALVE MICROSWITCH
 maximum load 0.2 A
 for VALVE ELETTROSIT-820 NOVA-824 NOVASIT



EMMEPI C00309

3526079 VALVE 820 NOVA \varnothing 1/2"FF
 inlet \varnothing 1/2" F - outlet \varnothing 1/2" F
 thermocouple fitting M9x1
 maximum gas inlet pressure 60 mbar
 outlet pressure setting range
 3÷30 mbar
 room temperature 0÷70°C
 power supply 230V 50Hz
 for Fryer gas (ANGELO PO) - Series ALPHA
 Series BIFRONTI - Series DELTA - Series GAMMA
 Series OMEGA
 for Fryer gas (CAPIC)



EMMEPI 813436

3526102 ELECTRIC COUPLING WITH CABLE
 for VALVE 820 NOVA-824 NOVASIT-822 NOVA-826 NOVA



EMMEPI C00974

EMMEPI 245120705



Electrical gas valves and accessories



Suitable for:

3020084 NUT & OLIVE \varnothing 6 mm



EMMEPI 8C0070

Suitable for:

3526096 VALVE MICROSWITCH
maximum load 0.2 A
for VALVE ELETTROSIT-820 NOVA-824 NOVASIT



EMMEPI C00309

3526179 VALVE 820 NOVA \varnothing 1/2"FF
inlet \varnothing 1/2"F - outlet \varnothing 1/2"F
thermocouple connection M9x1
maximum gas inlet pressure 60 mbar
outlet pressure adjustment range
5÷50 mbar
ambient temperature 0÷70°C
without slow start
power supply 220V 50Hz
for Boiling pan gas (ZANUSSI) - Series N700
Series N900
for Fryer (WHIRLPOOL) AFR/G410
for Fryer gas (ZANUSSI) - Series HD900
Series N900
for Pasta cooker gas (ZANUSSI) - Series N900



EMMEPI C00946

3020084 NUT & OLIVE \varnothing 6 mm



EMMEPI 8C0070

3526361 VALVE 822 NOVA \varnothing 1/2"FF
inlet \varnothing 1/2"F - outlet \varnothing 1/2"F
thermocouple fitting M10x1
maximum gas inlet pressure 60 mbar
outlet pressure setting range
3÷30 mbar
room temperature 0÷60°C
power supply 230V 50Hz
for Bratt pan gas (ZANUSSI) - Series HD900



EMMEPI 808578

3526102 ELECTRIC COUPLING WITH CABLE
for VALVE 820 NOVA-824 NOVASIT-822 NOVA-826 NOVA



EMMEPI C00974

EMMEPI 245120705

3526096 VALVE MICROSWITCH
maximum load 0.2 A
for VALVE ELETTROSIT-820 NOVA-824 NOVASIT



EMMEPI C00309

3526102 ELECTRIC COUPLING WITH CABLE
for VALVE 820 NOVA-824 NOVASIT-822 NOVA-826 NOVA



EMMEPI C00974

EMMEPI 245120705



Suitable for:

Electrical gas valves and accessories



3020084 NUT & OLIVE \varnothing 6 mm

Suitable for:



EMMEPI 8C0070

3526104 VALVE 830 TANDEM \varnothing 1/2"FF
inlet \varnothing 1/2"F - outlet \varnothing 1/2"F
maximum gas inlet pressure 60 mbar
outlet pressure adjustment range
3÷50 mbar
with slow start
room temperature 0÷60°C
power supply 230V 50Hz

3020084 NUT & OLIVE \varnothing 6 mm



EMMEPI 8C0068

EMMEPI 809595

EMMEPI 8C0070

3526140 VALVE 836 TANDEM \varnothing 1/2"FF
inlet \varnothing 1/2"F - outlet \varnothing 1/2"F
maximum gas inlet pressure 60 mbar
max.gas outlet pressure adjustment range 7÷50 mbar
outlet gas pressure setting range min.2÷45 mbar
room temperature 0÷60°C
power supply 230V 30A rectified
for Bratt pan gas (ZANUSSI) BR70G - BR70GZ
for Pasta cooker gas (ZANUSSI) - Series CPD

3020084 NUT & OLIVE \varnothing 6 mm



EMMEPI 809326

EMMEPI 8C0070



Suitable for:

Electrical gas valves and accessories



Suitable for:

ERRE 2

- 3526090 ELETROSIT VALVE \varnothing 3/4"FF**
inlet \varnothing 3/4"F - outlet \varnothing 3/4"F
thermocouple connection M9x1
maximum gas inlet pressure 50 mbar
pressure adjustment range
3÷18 mbar
ambient temperature 0÷60°C
power supply 230V 50Hz
long buttons
pilot connection and LATERAL thermocouple
for Bratt pan gas (BONNET)
for Bratt pan gas (OLIS) KBG970 - 725KBG - 94KBCM
94KBG
for Fryer gas (BONNET)



ERRE 2 4330012

ERRE 2 433012224

ERRE 2 790202500

- 3526061 VALVE VR4605P HONEYWELL \varnothing 1/2"FF**
inlet \varnothing 1/2"F - outlet \varnothing 1/2"F
thermocouple connection ASA pitch
maximum gas inlet pressure 100 mbar
room temperature 0÷60°C
power supply 220V 50Hz



ERRE 2 43330001

FAGOR

- 3526098 COIL 220V**
for VALVE 820 NOVA-824 NOVASIT-822 NOVA-826 NOVA



FAGOR X163099000

- 3526077 ELBOW FLANGE \varnothing 1/2"FF**
complete with screws and O-Ring
for valves SIT 820-Honeywell V4400-V4600-VR4605P



FAGOR X153004000



Electrical gas valves and accessories



Suitable for:

3526102 ELECTRIC COUPLING WITH CABLE
for VALVE 820 NOVA-824 NOVASIT-822 NOVA-826 NOVA



FAGOR X163008000

Suitable for:

3526075 STRAIGHT FLANGE \varnothing 1/2"
complete with screws and O-Ring
for valves SIT 820-Honeywell V4400-V4600-VR4605P



FAGOR X153005000

3526096 VALVE MICROSWITCH
maximum load 0.2 A
for VALVE ELETTROSIT-820 NOVA-824 NOVASIT



FAGOR R275027000

3526079 VALVE 820 NOVA \varnothing 1/2"FF
inlet \varnothing 1/2"F - outlet \varnothing 1/2"F
thermocouple fitting M9x1
maximum gas inlet pressure 60 mbar
outlet pressure setting range
3÷30 mbar
room temperature 0÷70°C
power supply 230V 50Hz
for Fryer gas (ANGELO PO) - Series ALPHA
Series BIFRONTI - Series DELTA - Series GAMMA
Series OMEGA
for Fryer gas (CAPIC)



FAGOR X163000000

3526098 COIL 220V
for VALVE 820 NOVA-824 NOVASIT-822 NOVA-826 NOVA



FAGOR X163099000

3526077 ELBOW FLANGE \varnothing 1/2"F
complete with screws and O-Ring
for valves SIT 820-Honeywell V4400-V4600-VR4605P



FAGOR X153004000

3526102 ELECTRIC COUPLING WITH CABLE
for VALVE 820 NOVA-824 NOVASIT-822 NOVA-826 NOVA



FAGOR X163008000



Electrical gas valves and accessories



Suitable for:

3182008 MAGNETIC UNIT SIT
ø head 35 mm - ø end 20 mm - length 47 mm
for valve SIT NOVASIT 820



FAGOR X163098000

3020084 NUT & OLIVE ø 6 mm



FAGOR U134323000

3526075 STRAIGHT FLANGE ø 1/2"
complete with screws and O-Ring
for valves SIT 820-Honeywell V4400-V4600-VR4605P



FAGOR X153005000

3526176 VALVE 820 NOVA ø 1/2"FF
inlet ø 1/2"F - outlet ø 1/2"F
thermocouple connection M9x1
maximum gas inlet pressure 60 mbar
outlet pressure adjustment range
3÷30 mbar
ambient temperature 0÷70°C
power supply 230V 50Hz
for Boiling pan gas (MARENO)
Series 900PROTAGONISTA NUOVA
for Bratt pan gas (MARENO)
Series 900PROTAGONISTA NUOVA
for Bratt pan gas (OLIS) - Series 700 - Series 900
for Fryer (BARON) 9FRI/G420
for Fryer gas (OLIS) - Series 900
for Pasta cooker gas (MARENO)



FAGOR X163000000

Suitable for:

3020083 NUT & OLIVE ø 4 mm



FAGOR U442133000

3001008 PIEZO IGNITER VERNITRON
2.4 mm ø male faston connector



FAGOR T982001000

3526096 VALVE MICROSWITCH
maximum load 0.2 A
for VALVE ELETTROSIT-820 NOVA-824 NOVASIT



FAGOR R275027000

3526098 COIL 220V
for VALVE 820 NOVA-824 NOVASIT-822 NOVA-826 NOVA



FAGOR X163099000



Electrical gas valves and accessories



Suitable for:

3526077 ELBOW FLANGE \varnothing 1/2" F
complete with screws and O-Ring
for valves SIT 820-Honeywell V4400-V4600-VR4605P



FAGOR X153004000

3182008 MAGNETIC UNIT SIT
 \varnothing head 35 mm - \varnothing end 20 mm - length 47 mm
for valve SIT NOVASIT 820



FAGOR X163098000

3020084 NUT & OLIVE \varnothing 6 mm



FAGOR U134323000

3348041 PIPE OLIVE \varnothing 16 mm
for model PEL 23



FAGOR S312106000

FAGOR X012105000

3526096 VALVE MICROSWITCH
maximum load 0.2 A
for VALVE ELETTROSIT-820 NOVA-824 NOVASIT



FAGOR R275027000

Suitable for:

3526102 ELECTRIC COUPLING WITH CABLE
for VALVE 820 NOVA-824 NOVASIT-822 NOVA-826 NOVA



FAGOR X163008000

3020083 NUT & OLIVE \varnothing 4 mm



FAGOR U442133000

3001008 PIEZO IGNITER VERNITRON
2.4 mm \varnothing male faston connector



FAGOR T982001000

3526075 STRAIGHT FLANGE \varnothing 1/2"
complete with screws and O-Ring
for valves SIT 820-Honeywell V4400-V4600-VR4605P



FAGOR X153005000



Suitable for:

Electrical gas valves and accessories



Suitable for:

FOEMM

- 3526090 ELETROSIT VALVE \varnothing 3/4"FF**
inlet \varnothing 3/4"F - outlet \varnothing 3/4"F
thermocouple connection M9x1
maximum gas inlet pressure 50 mbar
pressure adjustment range
3÷18 mbar
ambient temperature 0÷60°C
power supply 230V 50Hz
long buttons
pilot connection and LATERAL thermocouple
for Bratt pan gas (BONNET)
for Bratt pan gas (OLIS) KBG970 - 725KBG - 94KBCM
94KBG
for Fryer gas (BONNET)



FOEMM 05150036150

- 3526063 VALVE V4600C HONEYWELL \varnothing 1/2"FF**
inlet \varnothing 1/2"F - outlet \varnothing 1/2"F
thermocouple connection ASA pitch
maximum gas inlet pressure 60 mbar
room temperature 0÷70°C
power supply 220V 50Hz



FOEMM 05750107300

FRIMA

- 3526102 ELECTRIC COUPLING WITH CABLE**
for VALVE 820 NOVA-824 NOVASIT-822 NOVA-826 NOVA



FRIMA 30390205



Suitable for:

Electrical gas valves and accessories



Suitable for:

FRYMASTER

3523078 GAS VALVE \varnothing 1/2"FF VS820A1807
 inlet \varnothing 1/2"F - outlet \varnothing 1/2"F
 for NATURAL GAS - 7500mV
 for Fryer gas (FRYMASTER) GF40 - MJ35 - SM250GNS
 for Fryer gas (PITCO FRIALATOR) SG14



FRYMASTER 8071603

3523076 GAS VALVE UNITROL 7000 BER S7C
 inlet \varnothing 1/2"F - outlet \varnothing 3/4"F
 with pressure regulator 17cm CE
 slow opening
 power supply 24V
 for Fryer gas (FRYMASTER) MJ45



FRYMASTER 807-0428

3241707 VALVE KNOB
 for USA MARKET



FRYMASTER 8100433

3526580 VALVE VK8105A HONEYWELL \varnothing 18 mm
 inlet-outlet \varnothing 18 mm unthreaded
 maximum gas inlet pressure 60 mbar
 room temperature 15÷80°C
 power supply 24V



FRYMASTER 8101715

3440118 THERMOCOUPLE P.ASA 75 cm
 coupling M10x1
 for GAS VALVE UNITROL 7000 BGO ROBERTSHAW
 for GAS VALVE UNITROL 7000 BER ROBERTSHAW
 for GAS VALVE UNITROL 7000 BER S7C ROBERTSHAW
 for Fryer (FRYMASTER) MJ45EMSD



FRYMASTER 8101152

FRYMASTER 8121284



Suitable for:

Electrical gas valves and accessories



Suitable for:

GARLAND

3523078 GAS VALVE \varnothing 1/2"FF VS820A1807
 inlet \varnothing 1/2"F - outlet \varnothing 1/2"F
 for NATURAL GAS - 7500mV
 for Fryer gas (FRYMASTER) GF40 - MJ35 - SM250GNS
 for Fryer gas (PITCO FRIALATOR) SG14



GARLAND 807-1603

GICO

3526090 ELETTRISIT VALVE \varnothing 3/4"FF
 inlet \varnothing 3/4"F - outlet \varnothing 3/4"F
 thermocouple connection M9x1
 maximum gas inlet pressure 50 mbar
 pressure adjustment range
 3÷18 mbar
 ambient temperature 0÷60°C
 power supply 230V 50Hz
 long buttons
 pilot connection and LATERAL thermocouple
 for Bratt pan gas (BONNET)
 for Bratt pan gas (OLIS) KBG970 - 725KBG - 94KBCM
 94KBG
 for Fryer gas (BONNET)



GICO 43300012

GICO 4330122224

GICO 790202500

3440200 TWIN LEAD THERMOPILE 580 mm



GICO 434010580

3526061 VALVE VR4605P HONEYWELL \varnothing 1/2"FF
 inlet \varnothing 1/2"F - outlet \varnothing 1/2"F
 thermocouple connection ASA pitch
 maximum gas inlet pressure 100 mbar
 room temperature 0÷60°C
 power supply 220V 50Hz



GICO 43330001

3526141 VALVE 830 TANDEM \varnothing 1/2"FF
 inlet \varnothing 1/2"F - outlet \varnothing 1/2"F
 thermocouple fitting M10x1
 maximum gas inlet pressure 60 mbar
 outlet gas pressure setting range 3÷50 mbar
 room temperature 0÷60°C
 power supply 230V 50Hz



GICO 433012



Suitable for:

Electrical gas valves and accessories



Suitable for:

GIGA

3526098 COIL 220V

for VALVE 820 NOVA-824 NOVASIT-822 NOVA-826 NOVA



GIGA X50400

3526096 VALVE MICROSWITCH

maximum load 0.2 A

for VALVE ELETTROSIT-820 NOVA-824 NOVASIT



GIGA X49000

3526079 VALVE 820 NOVA ø 1/2"FF

inlet ø 1/2"F - outlet ø 1/2"F

thermocouple fitting M9x1

maximum gas inlet pressure 60 mbar

outlet pressure setting range

3÷30 mbar

room temperature 0÷70°C

power supply 230V 50Hz

for Fryer gas (ANGELO P0) - Series ALPHA

Series BIFRONTI - Series DELTA - Series GAMMA

Series OMEGA

for Fryer gas (CAPIC)



GIGA 0000X11400

GIGA X11400

3526098 COIL 220V

for VALVE 820 NOVA-824 NOVASIT-822 NOVA-826 NOVA



GIGA X50400

3526096 VALVE MICROSWITCH

maximum load 0.2 A

for VALVE ELETTROSIT-820 NOVA-824 NOVASIT



GIGA X49000



Suitable for:

Electrical gas valves and accessories



Suitable for:

GIORIK

3526090 ELETTROSIT VALVE \varnothing 3/4"FF
inlet \varnothing 3/4" F - outlet \varnothing 3/4" F
thermocouple connection M9x1
maximum gas inlet pressure 50 mbar
pressure adjustment range
3 ÷ 18 mbar
ambient temperature 0 ÷ 60°C
power supply 230V 50Hz
long buttons
pilot connection and LATERAL thermocouple
for Bratt pan gas (BONNET)
for Bratt pan gas (OLIS) KBG970 - 725KBG - 94KBCM
94KBG
for Fryer gas (BONNET)



GIORIK 7020060

3526096 VALVE MICROSWITCH
maximum load 0.2 A
for VALVE ELETTROSIT-820 NOVA-824 NOVASIT



GIORIK 6010054

3526096 VALVE MICROSWITCH
maximum load 0.2 A
for VALVE ELETTROSIT-820 NOVA-824 NOVASIT



GIORIK 6010054

3526079 VALVE 820 NOVA \varnothing 1/2"FF
inlet \varnothing 1/2" F - outlet \varnothing 1/2" F
thermocouple fitting M9x1
maximum gas inlet pressure 60 mbar
outlet pressure setting range
3 ÷ 30 mbar
room temperature 0 ÷ 70°C
power supply 230V 50Hz
for Fryer gas (ANGELO PO) - Series ALPHA
Series BIFRONTI - Series DELTA - Series GAMMA
Series OMEGA
for Fryer gas (CAPIC)



GIORIK 7020070

3020084 NUT & OLIVE \varnothing 6 mm



GIORIK 7050020



Electrical gas valves and accessories



Suitable for:

3526096 VALVE MICROSWITCH
maximum load 0.2 A
for VALVE ELETTROSIT-820 NOVA-824 NOVASIT

Suitable for:



GIORIK 6010054

HONEYWELL

3526062 COIL V4336A HONEYWELL 220/240V 50Hz
for valve Honeywell VR4605P



HONEYWELL V4336A2220B

3523078 GAS VALVE \varnothing 1/2"FF VS820A1807
inlet \varnothing 1/2"F - outlet \varnothing 1/2"F
for NATURAL GAS - 7500mV
for Fryer gas (FRYMASTER) GF40 - MJ35 - SM250GNS
for Fryer gas (PITCO FRIALATOR) SG14



HONEYWELL VS820A1807

3526066 HONEYWELL VALVE V4400C \varnothing 3/4"FF 220V
inlet \varnothing 3/4"F - outlet \varnothing 3/4"F
thermocouple connection ASA pitch
maximum gas inlet pressure 60 mbar
room temperature 0÷70°C
power supply 230V 50Hz



HONEYWELL V4400C1237U

HONEYWELL V4400C1211B

HONEYWELL V4400C1211U001

3526580 VALVE VK8105A HONEYWELL \varnothing 18 mm
inlet-outlet \varnothing 18 mm unthreaded
maximum gas inlet pressure 60 mbar
room temperature 15÷80°C
power supply 24V



HONEYWELL VK8105A1007B



Electrical gas valves and accessories



Suitable for:

3526061 VALVE VR4605P HONEYWELL \varnothing 1/2"FF
inlet \varnothing 1/2"F - outlet \varnothing 1/2"F
thermocouple connection ASA pitch
maximum gas inlet pressure 100 mbar
room temperature 0÷60°C
power supply 220V 50Hz



HONEYWELL VR4605P2015B

Suitable for:

3526062 COIL V4336A HONEYWELL 220/240V 50Hz
for valve Honeywell VR4605P



HONEYWELL V4336A2220B

3526063 VALVE V4600C HONEYWELL \varnothing 1/2"FF
inlet \varnothing 1/2"F - outlet \varnothing 1/2"F
thermocouple connection ASA pitch
maximum gas inlet pressure 60 mbar
room temperature 0÷70°C
power supply 220V 50Hz



HONEYWELL V4600C1029B

HONEYWELL V4600C1029U

HONEYWELL V4600C1029U001

HONEYWELL V4600C1086U

JEMI

3526090 ELETTROSIT VALVE \varnothing 3/4"FF
inlet \varnothing 3/4"F - outlet \varnothing 3/4"F
thermocouple connection M9x1
maximum gas inlet pressure 50 mbar
pressure adjustment range
3÷18 mbar
ambient temperature 0÷60°C
power supply 230V 50Hz
long buttons
pilot connection and LATERAL thermocouple
for Bratt pan gas (BONNET)
for Bratt pan gas (OLIS) KBG970 - 725KBG - 94KBCM
94KBG
for Fryer gas (BONNET)



JEMI 998147



Electrical gas valves and accessories



Suitable for:

3526300 VALVE 820 NOVA mV ø 1/2"FF
inlet ø 1/2"F - outlet ø 1/2"F
thermocouple fitting M9x1
maximum gas inlet pressure 60 mbar
outlet pressure range setting
outlet 5÷50 mbar
room temperature 0÷70°C
double wire thermopile power supply
(TPTH - TH terminal)
thermostat connection (TPTH - TH terminal)
suitable to replace the ITT valve
UB67 model
for Fryer gas (ELFRAMO) GSDT12 - GSDT20 - GST12
GST20 - GWDT12 - GWDT20 - GWD209T - GWM35T
GWT12 - GWT20 - GW209T

Suitable for:

3020083 NUT & OLIVE ø 4 mm



JEMI 998161



JEMI 997006

JUNO-RÖDER-SENKING

3526142 DOUBLE COIL FOR VALVE
220V 50Hz
for VALVE 830 TANDEM-836 TANDEM



JUNO-RÖDER-SENKING 231872

3526090 ELETTROSIT VALVE ø 3/4"FF
inlet ø 3/4"F - outlet ø 3/4"F
thermocouple connection M9x1
maximum gas inlet pressure 50 mbar
pressure adjustment range
3÷18 mbar
ambient temperature 0÷60°C
power supply 230V 50Hz
long buttons
pilot connection and LATERAL thermocouple
for Bratt pan gas (BONNET)
for Bratt pan gas (OLIS) KBG970 - 725KBG - 94KBCM
94KBG
for Fryer gas (BONNET)



JUNO-RÖDER-SENKING 203306



Electrical gas valves and accessories



Suitable for:

3523076 GAS VALVE UNITROL 7000 BER S7C
inlet \varnothing 1/2" F - outlet \varnothing 3/4" F
with pressure regulator 17 cm CE
slow opening
power supply 24V
for Fryer gas (FRYMASTER) MJ45



JUNO-RÖDER-SENKING

Suitable for:

3120360 MAGNETIC UNIT UNITROL
 \varnothing head 23 mm - length 59 mm
for valve 7000 UNITROL BGO-BER



JUNO-RÖDER-SENKING 230436

3526066 HONEYWELL VALVE V4400C \varnothing 3/4" FF 220V
inlet \varnothing 3/4" F - outlet \varnothing 3/4" F
thermocouple connection ASA pitch
maximum gas inlet pressure 60 mbar
room temperature 0 \div 70°C
power supply 230V 50Hz



JUNO-RÖDER-SENKING 231908

JUNO-RÖDER-SENKING 231912

JUNO-RÖDER-SENKING 231913

3526141 VALVE 830 TANDEM \varnothing 1/2" FF
inlet \varnothing 1/2" F - outlet \varnothing 1/2" F
thermocouple fitting M10x1
maximum gas inlet pressure 60 mbar
outlet gas pressure setting range 3 \div 50 mbar
room temperature 0 \div 60°C
power supply 230V 50Hz



JUNO-RÖDER-SENKING 231864

3526142 DOUBLE COIL FOR VALVE
220V 50Hz
for VALVE 830 TANDEM-836 TANDEM



JUNO-RÖDER-SENKING 231872

KOMEL

3440200 TWIN LEAD THERMOPILE 580 mm



KOMEL 17100002



Suitable for:

Electrical gas valves and accessories



Suitable for:

KOMEL

3526300 VALVE 820 NOVA mV \varnothing 1/2"FF
 inlet \varnothing 1/2" F - outlet \varnothing 1/2" F
 thermocouple fitting M9x1
 maximum gas inlet pressure 60 mbar
 outlet pressure range setting
 outlet 5÷50 mbar
 room temperature 0÷70°C
 double wire thermopile power supply
 (TPTH - TH terminal)
 thermostat connection (TPTH - TH terminal)
 suitable to replace the ITT valve
 UB67 model
 for Fryer gas (ELFRAMO) GSDT12 - GSDT20 - GST12
 GST20 - GWDT12 - GWDT20 - GWD209T - GWM35T
 GWT12 - GWT20 - GW209T

3020084 NUT & OLIVE \varnothing 6 mm



KOMEL 1610005



KOMEL 1610004

KOMEL 33120013

3440200 TWIN LEAD THERMOPILE 580 mm



KOMEL 17100002

LINCOLN

3526222 GAS VALVE \varnothing 1/2"FF LPG/NG
 inlet \varnothing 1/2" F - outlet \varnothing 1/2" F
 power supply 120V 60Hz



LINCOLN 369398

LOTUS

3526124 KNOB EXTENSION LENGTH 65 mm
 for VALVE 820 NOVA-824 NOVASIT



LOTUS 536022500



Electrical gas valves and accessories



Suitable for:

3526179 VALVE 820 NOVA \varnothing 1/2"FF
inlet \varnothing 1/2" F - outlet \varnothing 1/2" F
thermocouple connection M9x1
maximum gas inlet pressure 60 mbar
outlet pressure adjustment range
5÷50 mbar
ambient temperature 0÷70°C
without slow start
power supply 220V 50Hz
for Boiling pan gas (ZANUSSI) - Series N700
Series N900
for Fryer (WHIRLPOOL) AFR/G410
for Fryer gas (ZANUSSI) - Series HD900
Series N900
for Pasta cooker gas (ZANUSSI) - Series N900



LOTUS 531042000

Suitable for:

3526124 KNOB EXTENSION LENGTH 65 mm
for VALVE 820 NOVA-824 NOVASIT



LOTUS 536022500

3020084 NUT & OLIVE \varnothing 6 mm



LOTUS 533018300

MARENO

3526077 ELBOW FLANGE \varnothing 1/2" F
complete with screws and O-Ring
for valves SIT 820-Honeywell V4400-V4600-VR4605P



MARENO 2865800

MARENO MA2865800

3526102 ELECTRIC COUPLING WITH CABLE
for VALVE 820 NOVA-824 NOVASIT-822 NOVA-826 NOVA



MARENO MA1880600

MARENO 1880600



Electrical gas valves and accessories



Suitable for:

Suitable for:

3526090 ELETTROSIT VALVE \varnothing 3/4"FF
 inlet \varnothing 3/4" F - outlet \varnothing 3/4" F
 thermocouple connection M9x1
 maximum gas inlet pressure 50 mbar
 pressure adjustment range
 3 ÷ 18 mbar
 ambient temperature 0 ÷ 60°C
 power supply 230V 50Hz
 long buttons
 pilot connection and LATERAL thermocouple
 for Bratt pan gas (BONNET)
 for Bratt pan gas (OLIS) KBG970 - 725KBG - 94KBCM
 94KBG
 for Fryer gas (BONNET)

3526107 STRAIGHT FLANGE \varnothing 3/4" F
 with screws and "O" ring
 for ELETTROSIT VALVE



MARENO 1450100

MARENO 1451300

3526096 VALVE MICROSWITCH
 maximum load 0.2 A
 for VALVE ELETTROSIT-820 NOVA-824 NOVASIT



MARENO 1454900

MARENO MA1454900

3526075 STRAIGHT FLANGE \varnothing 1/2"
 complete with screws and O-Ring
 for valves SIT 820-Honeywell V4400-V4600-VR4605P

3526107 STRAIGHT FLANGE \varnothing 3/4" F
 with screws and "O" ring
 for ELETTROSIT VALVE



MARENO 2865700

MARENO MA2865700

MARENO 1451300

3440200 TWIN LEAD THERMOPILE 580 mm

3526096 VALVE MICROSWITCH
 maximum load 0.2 A
 for VALVE ELETTROSIT-820 NOVA-824 NOVASIT



MARENO MA1870712

MARENO 1870712

MARENO 1454900

MARENO MA1454900



Electrical gas valves and accessories



Suitable for:

3526079 VALVE 820 NOVA \varnothing 1/2"FF
inlet \varnothing 1/2" F - outlet \varnothing 1/2" F
thermocouple fitting M9x1
maximum gas inlet pressure 60 mbar
outlet pressure setting range
3÷30 mbar
room temperature 0÷70°C
power supply 230V 50Hz
for Fryer gas (ANGELO PO) - Series ALPHA
Series BIFRONTI - Series DELTA - Series GAMMA
Series OMEGA
for Fryer gas (CAPIC)



MARENO MA2863300

MARENO 2863300

3526102 ELECTRIC COUPLING WITH CABLE
for VALVE 820 NOVA-824 NOVASIT-822 NOVA-826 NOVA



MARENO MA1880600

MARENO 1880600

3020084 NUT & OLIVE \varnothing 6 mm



MARENO 1394800

3526096 VALVE MICROSWITCH
maximum load 0.2 A
for VALVE ELETTROSIT-820 NOVA-824 NOVASIT



MARENO 1454900

MARENO MA1454900

Suitable for:

3526077 ELBOW FLANGE \varnothing 1/2" F
complete with screws and O-Ring
for valves SIT 820-Honeywell V4400-V4600-VR4605P



MARENO 2865800

MARENO MA2865800

3020083 NUT & OLIVE \varnothing 4 mm



MARENO 1388000

MARENO 1394700

MARENO MA1394700

3526075 STRAIGHT FLANGE \varnothing 1/2"
complete with screws and O-Ring
for valves SIT 820-Honeywell V4400-V4600-VR4605P



MARENO 2865700

MARENO MA2865700



Electrical gas valves and accessories



Suitable for:

3526176 VALVE 820 NOVA \varnothing 1/2"FF
 inlet \varnothing 1/2" F - outlet \varnothing 1/2" F
 thermocouple connection M9x1
 maximum gas inlet pressure 60 mbar
 outlet pressure adjustment range
 3÷30 mbar
 ambient temperature 0÷70°C
 power supply 230V 50Hz
 for Boiling pan gas (MARENO)
 Series 900PROTAGONISTA NUOVA
 for Bratt pan gas (MARENO)
 Series 900PROTAGONISTA NUOVA
 for Bratt pan gas (OLIS) - Series 700 - Series 900
 for Fryer (BARON) 9FRI/G420
 for Fryer gas (OLIS) - Series 900
 for Pasta cooker gas (MARENO)



MARENO 1871200

MARENO MA1871200

3526102 ELECTRIC COUPLING WITH CABLE
 for VALVE 820 NOVA-824 NOVASIT-822 NOVA-826 NOVA



MARENO MA1880600

MARENO 1880600

3020083 NUT & OLIVE \varnothing 4 mm



MARENO 1388000

MARENO 1394700

3348036 OLIVE FOR 4 mm \varnothing PIPE
 for model PEL 21-22



MARENO 673600

Suitable for:

3526077 ELBOW FLANGE \varnothing 1/2" F
 complete with screws and O-Ring
 for valves SIT 820-Honeywell V4400-V4600-VR4605P



MARENO 2865800

MARENO MA2865800

3020077 FITTING FOR PIPE \varnothing 4 mm
 for Kitchen gas (ANGELO PO) 3A1FA1G



MARENO MA673500

MARENO 673500

3020084 NUT & OLIVE \varnothing 6 mm



MARENO 1394800

3348034 PIPE FITTING \varnothing 16 mm
 for model PEL 23



MARENO 1421000

MARENO MA1421000



Electrical gas valves and accessories



Suitable for:

3348041 PIPE OLIVE \varnothing 16 mm
for model PEL 23



MARENO MA1127400

MARENO 1127400

Suitable for:

3526075 STRAIGHT FLANGE \varnothing 1/2"
complete with screws and O-Ring
for valves SIT 820-Honeywell V4400-V4600-VR4605P



MARENO 2865700

MARENO MA2865700

3526096 VALVE MICROSWITCH
maximum load 0.2 A
for VALVE ELETTROSIT-820 NOVA-824 NOVASIT



MARENO 1454900

MARENO MA1454900

3526300 VALVE 820 NOVA mV \varnothing 1/2"FF
inlet \varnothing 1/2"F - outlet \varnothing 1/2"F
thermocouple fitting M9x1
maximum gas inlet pressure 60 mbar
outlet pressure range setting
outlet 5÷50 mbar
room temperature 0÷70°C
double wire thermopile power supply
(TPTH - TH terminal)
thermostat connection (TPTH - TH terminal)
suitable to replace the ITT valve
UB67 model
for Fryer gas (ELFRAMO) GSDT12 - GSDT20 - GST12
GST20 - GWDT12 - GWDT20 - GWD209T - GWM35T
GWT12 - GWT20 - GW209T



MARENO MA1870800

MARENO 1870800

3020083 NUT & OLIVE \varnothing 4 mm



MARENO 1388000

MARENO 1394700

MARENO MA1394700

3526077 ELBOW FLANGE \varnothing 1/2"
complete with screws and O-Ring
for valves SIT 820-Honeywell V4400-V4600-VR4605P



MARENO 2865800

MARENO MA2865800

3020084 NUT & OLIVE \varnothing 6 mm



MARENO 1394800



Suitable for:

Electrical gas valves and accessories



3526075 STRAIGHT FLANGE \varnothing 1/2"
complete with screws and O-Ring
for valves SIT 820-Honeywell V4400-V4600-VR4605P



MARENO 2865700

MARENO MA2865700

Suitable for:
3440200 TWIN LEAD THERMOPILE 580 mm



MARENO MA1870712

MARENO 1870712

3526096 VALVE MICROSWITCH
maximum load 0.2 A
for VALVE ELETTROSIT-820 NOVA-824 NOVASIT



MARENO 1454900

MARENO MA1454900

3526361 VALVE 822 NOVA \varnothing 1/2" FF
inlet \varnothing 1/2" F - outlet \varnothing 1/2" F
thermocouple fitting M10x1
maximum gas inlet pressure 60 mbar
outlet pressure setting range
3÷30 mbar
room temperature 0÷60°C
power supply 230V 50Hz
for Bratt pan gas (ZANUSSI) - Series HD900



MARENO MA5118500

MARENO 5118500

3526077 ELBOW FLANGE \varnothing 1/2" F
complete with screws and O-Ring
for valves SIT 820-Honeywell V4400-V4600-VR4605P



MARENO 2865800

MARENO MA2865800

3526102 ELECTRIC COUPLING WITH CABLE
for VALVE 820 NOVA-824 NOVASIT-822 NOVA-826 NOVA



MARENO MA1880600

MARENO 1880600

3020083 NUT & OLIVE \varnothing 4 mm



MARENO 1388000

MARENO 1394700

MARENO MA1394700

3020084 NUT & OLIVE \varnothing 6 mm



MARENO 1394800

3526075 STRAIGHT FLANGE \varnothing 1/2"
complete with screws and O-Ring
for valves SIT 820-Honeywell V4400-V4600-VR4605P



MARENO 2865700

MARENO MA2865700



Electrical gas valves and accessories



Suitable for:

Suitable for:

3526141 VALVE 830 TANDEM \varnothing 1/2"FF
inlet \varnothing 1/2"F - outlet \varnothing 1/2"F
thermocouple fitting M10x1
maximum gas inlet pressure 60 mbar
outlet gas pressure setting range 3÷50 mbar
room temperature 0÷60°C
power supply 230V 50Hz

3020083 NUT & OLIVE \varnothing 4 mm



MARENO MA2942600

MARENO 2942600

MARENO 1388000

MARENO 1394700

MARENO MA1394700

3020084 NUT & OLIVE \varnothing 6 mm

3348041 PIPE OLIVE \varnothing 16 mm
for model PEL 23



MARENO 1394800

MARENO MA1127400

MARENO 1127400

MBM

3526098 COIL 220V
for VALVE 820 NOVA-824 NOVASIT-822 NOVA-826 NOVA



MBM RTFOC00462

3526089 ELETTRISIT VALVE \varnothing 1/2"FF
inlet \varnothing 1/2"F - outlet \varnothing 1/2"F
thermocouple connection M9x1
maximum gas inlet pressure 50 mbar
pressure adjustment range
3÷18 mbar
ambient temperature 0÷60°C
power supply 230V 50Hz
long buttons
pilot connection and LOWER thermocouple



MBM RTBF800077



Electrical gas valves and accessories



Suitable for:

3526079 VALVE 820 NOVA \varnothing 1/2"FF
 inlet \varnothing 1/2" F - outlet \varnothing 1/2" F
 thermocouple fitting M9x1
 maximum gas inlet pressure 60 mbar
 outlet pressure setting range
 3÷30 mbar
 room temperature 0÷70°C
 power supply 230V 50Hz
 for Fryer gas (ANGELO PO) - Series ALPHA
 Series BIFRONTI - Series DELTA - Series GAMMA
 Series OMEGA
 for Fryer gas (CAPIC)



MBM RTFOC00095

3020083 NUT & OLIVE \varnothing 4 mm



MBM RTCU700141

Suitable for:

3526098 COIL 220V
 for VALVE 820 NOVA-824 NOVASIT-822 NOVA-826 NOVA



MBM RTFOC00462

3020084 NUT & OLIVE \varnothing 6 mm



MBM RTCU900217

METOS

3526077 ELBOW FLANGE \varnothing 1/2" F
 complete with screws and O-Ring
 for valves SIT 820-Honeywell V4400-V4600-VR4605P



METOS 3103651

3526108 ELBOW FLANGE \varnothing 1/2" F
 with screws and "O" ring
 for ELETTROSIT VALVE



METOS 6A049900

3526102 ELECTRIC COUPLING WITH CABLE
 for VALVE 820 NOVA-824 NOVASIT-822 NOVA-826 NOVA



METOS BN3103660

METOS 30390205

METOS 3103660



Electrical gas valves and accessories



Suitable for:

3526089 ELETTROSIT VALVE \varnothing 1/2"FF
inlet \varnothing 1/2" F - outlet \varnothing 1/2" F
thermocouple connection M9x1
maximum gas inlet pressure 50 mbar
pressure adjustment range
3÷18 mbar
ambient temperature 0÷60°C
power supply 230V 50Hz
long buttons
pilot connection and LOWER thermocouple



METOS BN9000201

METOS 9000201

Suitable for:

3526108 ELBOW FLANGE \varnothing 1/2" F
with screws and "O" ring
for ELETTROSIT VALVE



METOS 6A049900

3526096 VALVE MICROSWITCH
maximum load 0.2 A
for VALVE ELETTROSIT-820 NOVA-824 NOVASIT



METOS 6A050003

METOS BN6A050003

3526090 ELETTROSIT VALVE \varnothing 3/4"FF
inlet \varnothing 3/4" F - outlet \varnothing 3/4" F
thermocouple connection M9x1
maximum gas inlet pressure 50 mbar
pressure adjustment range
3÷18 mbar
ambient temperature 0÷60°C
power supply 230V 50Hz
long buttons
pilot connection and LATERAL thermocouple
for Bratt pan gas (BONNET)
for Bratt pan gas (OLIS) KBG970 - 725KKG - 94KBCM
94KKG
for Fryer gas (BONNET)



METOS 6A050000

3526096 VALVE MICROSWITCH
maximum load 0.2 A
for VALVE ELETTROSIT-820 NOVA-824 NOVASIT



METOS 6A050003

METOS BN6A050003

3526108 ELBOW FLANGE \varnothing 1/2" F
with screws and "O" ring
for ELETTROSIT VALVE



METOS 6A049900



Electrical gas valves and accessories



Suitable for:

3526124 KNOB EXTENSION LENGTH 65 mm
for VALVE 820 NOVA-824 NOVASIT



METOS BN6A050020

METOS 6A050020

Suitable for:

3526096 VALVE MICROSWITCH
maximum load 0.2 A
for VALVE ELETTROSIT-820 NOVA-824 NOVASIT



METOS 6A050003

METOS BN6A050003

3526176 VALVE 820 NOVA \varnothing 1/2"FF
inlet \varnothing 1/2" F - outlet \varnothing 1/2" F
thermocouple connection M9x1
maximum gas inlet pressure 60 mbar
outlet pressure adjustment range
3÷30 mbar
ambient temperature 0÷70°C
power supply 230V 50Hz
for Boiling pan gas (MARENO)
Series 900PROTAGONISTA NUOVA
for Bratt pan gas (MARENO)
Series 900PROTAGONISTA NUOVA
for Bratt pan gas (OLIS) - Series 700 - Series 900
for Fryer (BARON) 9FRI/G420
for Fryer gas (OLIS) - Series 900
for Pasta cooker gas (MARENO)



METOS 6A050010

METOS BN6A050010

3526077 ELBOW FLANGE \varnothing 1/2" F
complete with screws and O-Ring
for valves SIT 820-Honeywell V4400-V4600-VR4605P



METOS 3103651

3526102 ELECTRIC COUPLING WITH CABLE
for VALVE 820 NOVA-824 NOVASIT-822 NOVA-826 NOVA



METOS BN3103660

METOS 30390205

METOS 3103660

3526124 KNOB EXTENSION LENGTH 65 mm
for VALVE 820 NOVA-824 NOVASIT



METOS BN6A050020

METOS 6A050020

3020083 NUT & OLIVE \varnothing 4 mm



METOS 6A011608

3020084 NUT & OLIVE \varnothing 6 mm



METOS 6A011607



Electrical gas valves and accessories



Suitable for:

3348036 OLIVE FOR 4 mm \varnothing PIPE
for model PEL 21-22



METOS 6A016120


3348041 PIPE OLIVE \varnothing 16 mm
for model PEL 23



METOS 6A016500

Suitable for:

3348034 PIPE FITTING \varnothing 16 mm
for model PEL 23



METOS 6A016401

3526096 VALVE MICROSWITCH
maximum load 0.2 A
for VALVE ELETTROSIT-820 NOVA-824 NOVASIT



METOS 6A050003

METOS BN6A050003

3526300 VALVE 820 NOVA mV \varnothing 1/2"FF
inlet \varnothing 1/2" F - outlet \varnothing 1/2" F
thermocouple fitting M9x1
maximum gas inlet pressure 60 mbar
outlet pressure range setting
outlet 5÷50 mbar
room temperature 0÷70°C
double wire thermopile power supply
(TPTH - TH terminal)
thermostat connection (TPTH - TH terminal)
suitable to replace the ITT valve
UB67 model
for Fryer gas (ELFRAMO) GSDT12 - GSDT20 - GST12
GST20 - GWDT12 - GWDT20 - GWD209T - GWM35T
GWT12 - GWT20 - GW209T



METOS BN826920090

METOS 826920090

3526124 KNOB EXTENSION LENGTH 65 mm
for VALVE 820 NOVA-824 NOVASIT



METOS BN6A050020

METOS 6A050020

3526077 ELBOW FLANGE \varnothing 1/2" F
complete with screws and O-Ring
for valves SIT 820-Honeywell V4400-V4600-VR4605P



METOS 3103651

3020083 NUT & OLIVE \varnothing 4 mm



METOS 6A011608



Suitable for:

3020084 NUT & OLIVE \varnothing 6 mm



METOS 6A011607

Electrical gas valves and accessories



Suitable for:

3526096 VALVE MICROSWITCH
maximum load 0.2 A
for VALVE ELETTROSIT-820 NOVA-824 NOVASIT



METOS 6A050003

METOS BN6A050003

MKN

3526361 VALVE 822 NOVA \varnothing 1/2"FF
inlet \varnothing 1/2" F - outlet \varnothing 1/2" F
thermocouple fitting M10x1
maximum gas inlet pressure 60 mbar
outlet pressure setting range
3÷30 mbar
room temperature 0÷60°C
power supply 230V 50Hz
for Bratt pan gas (ZANUSSI) - Series HD900



MKN 201717

MODULAR

3526361 VALVE 822 NOVA \varnothing 1/2"FF
inlet \varnothing 1/2" F - outlet \varnothing 1/2" F
thermocouple fitting M10x1
maximum gas inlet pressure 60 mbar
outlet pressure setting range
3÷30 mbar
room temperature 0÷60°C
power supply 230V 50Hz
for Bratt pan gas (ZANUSSI) - Series HD900



MODULAR RRC5350-00

3020083 NUT & OLIVE \varnothing 4 mm



MODULAR 671.011.00



Suitable for:

Electrical gas valves and accessories



Suitable for:

NAYATI

- 3526300 VALVE 820 NOVA mV \varnothing 1/2"FF**
inlet \varnothing 1/2" F - outlet \varnothing 1/2" F
thermocouple fitting M9x1
maximum gas inlet pressure 60 mbar
outlet pressure range setting
outlet 5÷50 mbar
room temperature 0÷70°C
double wire thermopile power supply
(TPTH - TH terminal)
thermostat connection (TPTH - TH terminal)
suitable to replace the ITT valve
UB67 model
for Fryer gas (ELFRAMO) GSDT12 - GSDT20 - GST12
GST20 - GWDT12 - GWDT20 - GWD209T - GWM35T
GWT12 - GWT20 - GW209T



NAYATI GS373D

OLIS

- 3526077 ELBOW FLANGE \varnothing 1/2" F**
complete with screws and O-Ring
for valves SIT 820-Honeywell V4400-V4600-VR4605P



OLIS 3103651

- 3526108 ELBOW FLANGE \varnothing 1/2" F**
with screws and "O" ring
for ELETTROSIT VALVE



OLIS 6A049900

- 3526102 ELECTRIC COUPLING WITH CABLE**
for VALVE 820 NOVA-824 NOVASIT-822 NOVA-826 NOVA



OLIS BN3103660

OLIS 3103660



Electrical gas valves and accessories



Suitable for:

3526089 ELETTROSIT VALVE \varnothing 1/2"FF
 inlet \varnothing 1/2" F - outlet \varnothing 1/2" F
 thermocouple connection M9x1
 maximum gas inlet pressure 50 mbar
 pressure adjustment range
 3÷18 mbar
 ambient temperature 0÷60°C
 power supply 230V 50Hz
 long buttons
 pilot connection and LOWER thermocouple



OLIS BN9000201

OLIS 9000201

Suitable for:

3526108 ELBOW FLANGE \varnothing 1/2" F
 with screws and "O" ring
 for ELETTROSIT VALVE



OLIS 6A049900

3526096 VALVE MICROSWITCH
 maximum load 0.2 A
 for VALVE ELETTROSIT-820 NOVA-824 NOVASIT



OLIS BN6A050003

OLIS 6A050003

3526090 ELETTROSIT VALVE \varnothing 3/4"FF
 inlet \varnothing 3/4" F - outlet \varnothing 3/4" F
 thermocouple connection M9x1
 maximum gas inlet pressure 50 mbar
 pressure adjustment range
 3÷18 mbar
 ambient temperature 0÷60°C
 power supply 230V 50Hz
 long buttons
 pilot connection and LATERAL thermocouple
 for Bratt pan gas (BONNET)
 for Bratt pan gas (OLIS) KBG970 - 725KGB - 94KBCM
 94KGB
 for Fryer gas (BONNET)



OLIS 6A050000

3526096 VALVE MICROSWITCH
 maximum load 0.2 A
 for VALVE ELETTROSIT-820 NOVA-824 NOVASIT



OLIS BN6A050003

OLIS 6A050003

3526108 ELBOW FLANGE \varnothing 1/2" F
 with screws and "O" ring
 for ELETTROSIT VALVE



OLIS 6A049900



Electrical gas valves and accessories



Suitable for:

3526124 KNOB EXTENSION LENGTH 65 mm
for VALVE 820 NOVA-824 NOVASIT



OLIS BN6A050020

OLIS 6A050020

Suitable for:

3526096 VALVE MICROSWITCH
maximum load 0.2 A
for VALVE ELETTROSIT-820 NOVA-824 NOVASIT



OLIS BN6A050003

OLIS 6A050003

3526176 VALVE 820 NOVA \varnothing 1/2"FF
inlet \varnothing 1/2" F - outlet \varnothing 1/2" F
thermocouple connection M9x1
maximum gas inlet pressure 60 mbar
outlet pressure adjustment range
3÷30 mbar
ambient temperature 0÷70°C
power supply 230V 50Hz
for Boiling pan gas (MARENO)
Series 900PROTAGONISTA NUOVA
for Bratt pan gas (MARENO)
Series 900PROTAGONISTA NUOVA
for Bratt pan gas (OLIS) - Series 700 - Series 900
for Fryer (BARON) 9FRI/G420
for Fryer gas (OLIS) - Series 900
for Pasta cooker gas (MARENO)



OLIS 6A050010

OLIS BN6A050010

3526077 ELBOW FLANGE \varnothing 1/2" F
complete with screws and O-Ring
for valves SIT 820-Honeywell V4400-V4600-VR4605P



OLIS 3103651

3526102 ELECTRIC COUPLING WITH CABLE
for VALVE 820 NOVA-824 NOVASIT-822 NOVA-826 NOVA



OLIS BN3103660

OLIS 3103660

3526124 KNOB EXTENSION LENGTH 65 mm
for VALVE 820 NOVA-824 NOVASIT



OLIS BN6A050020

OLIS 6A050020

3020083 NUT & OLIVE \varnothing 4 mm



OLIS 6A011608

3020084 NUT & OLIVE \varnothing 6 mm



OLIS 6A011607



Suitable for:

Electrical gas valves and accessories



3348036 OLIVE FOR 4 mm \varnothing PIPE
for model PEL 21-22



OLIS 6A016120


3348041 PIPE OLIVE \varnothing 16 mm
for model PEL 23



OLIS 6A016500

Suitable for:

3348034 PIPE FITTING \varnothing 16 mm
for model PEL 23



OLIS 6A016401

3526096 VALVE MICROSWITCH
maximum load 0.2 A
for VALVE ELETTROSIT-820 NOVA-824 NOVASIT



OLIS BN6A050003

OLIS 6A050003

3526300 VALVE 820 NOVA mV \varnothing 1/2"FF
inlet \varnothing 1/2" F - outlet \varnothing 1/2" F
thermocouple fitting M9x1
maximum gas inlet pressure 60 mbar
outlet pressure range setting
outlet 5÷50 mbar
room temperature 0÷70°C
double wire thermopile power supply
(TPTH - TH terminal)
thermostat connection (TPTH - TH terminal)
suitable to replace the ITT valve
UB67 model
for Fryer gas (ELFRAMO) GSDT12 - GSDT20 - GST12
GST20 - GWDT12 - GWDT20 - GWD209T - GWM35T
GWT12 - GWT20 - GW209T



OLIS 826920090

OLIS BN826920090

3526124 KNOB EXTENSION LENGTH 65 mm
for VALVE 820 NOVA-824 NOVASIT



OLIS BN6A050020

OLIS 6A050020

3526077 ELBOW FLANGE \varnothing 1/2" F
complete with screws and O-Ring
for valves SIT 820-Honeywell V4400-V4600-VR4605P



OLIS 3103651

3020083 NUT & OLIVE \varnothing 4 mm



OLIS 6A011608



Electrical gas valves and accessories



Suitable for:

3020084 NUT & OLIVE \varnothing 6 mm



OLIS 6A011607

Suitable for:

3526096 VALVE MICROSWITCH
maximum load 0.2 A
for VALVE ELETTROSIT-820 NOVA-824 NOVASIT



OLIS BNGA050003

OLIS 6A050003

OM GAS

3526085 ELETTROSIT VALVE \varnothing 3/4"FF
inlet \varnothing 3/4"F - outlet \varnothing 3/4"F
thermocouple connection M9x1
maximum gas inlet pressure 50 mbar
pressure adjustment range
3÷18 mbar
ambient temperature 0÷60°C
power supply 230V 50Hz
pilot connection and LATERAL thermocouple



OM GAS 1712150059

PALUX

3526090 ELETTROSIT VALVE \varnothing 3/4"FF
inlet \varnothing 3/4"F - outlet \varnothing 3/4"F
thermocouple connection M9x1
maximum gas inlet pressure 50 mbar
pressure adjustment range
3÷18 mbar
ambient temperature 0÷60°C
power supply 230V 50Hz
long buttons
pilot connection and LATERAL thermocouple
for Bratt pan gas (BONNET)
for Bratt pan gas (OLIS) KBG970 - 725KBG - 94KBCM
94KBG
for Fryer gas (BONNET)



PALUX 321907



Suitable for:

Electrical gas valves and accessories



Suitable for:

PARRY

3526283 MICRO SWITCH VALVE
length 450 mm
for gas valve UNITROL



PARRY

PITCO FRIALATOR

3523080 COIL 24V
with adjuster
for VALVE GAS UNITROL 7000 BER



PITCO FRIALATOR

3523077 GAS VALVE UNITROL 7000 BER-S7CL
inlet \varnothing 1/2"F- outlet \varnothing 1/2"F
with pressure regulator 17cm CE
power supply 24V



PITCO FRIALATOR PP10719

3523080 COIL 24V
with adjuster
for VALVE GAS UNITROL 7000 BER



PITCO FRIALATOR

3523082 MICRO SWITCH VALVE
length 415 mm
for gas valve UNITROL 7000 BER



PITCO FRIALATOR P9087601

PITCO FRIALATOR P6071805

3241707 VALVE KNOB
for USA MARKET



PITCO FRIALATOR P6071267

3526230 GAS VALVE UNITROL 7000 7000 BMSER
 \varnothing 1/2" gas with reductions \varnothing 1/2"-3/8"
magnetic thermocouple



PITCO FRIALATOR P5045638

3241707 VALVE KNOB
for USA MARKET



PITCO FRIALATOR P6071267



Electrical gas valves and accessories



Suitable for:

Suitable for:

3523082 MICRO SWITCH VALVE
length 415 mm
for gas valve UNITROL 7000 BER



PITCO FRIALATOR P9087601

PITCO FRIALATOR P6071805

RIEBER

3526171 VALVE BUSHING



RIEBER 32400707

3526173 VALVE SLEEVE



RIEBER 37138201

ROBERTSHAW

2103947 COIL
for GAS VALVE UNITROL 7000



ROBERTSHAW R-85024

3523081 COIL mV
for UNITROL GAS VALVE 7000 BMV



ROBERTSHAW R-82952

ROBERTSHAW R-82967

3526285 COIL mV
for GAS VALVE UNITROL 7000



ROBERTSHAW R-82952

3523080 COIL 24V
with adjuster
for VALVE GAS UNITROL 7000 BER



ROBERTSHAW R-82950

ROBERTSHAW R-85003/R-82950

3526236 COIL 240V
for GAS VALVE UNITROLL 7000



ROBERTSHAW R-82953



Electrical gas valves and accessories



Suitable for:

3523073 GAS VALVE UNITROL 7000 BER ROBERTSHAW
inlet \varnothing 3/4" F - outlet \varnothing 3/4" F
with pressure regulator 17cm CE
power supply 240V



ROBERTSHAW R-4G5-941-300

Suitable for:

3526236 COIL 240V
for GAS VALVE UNITROLL 7000



ROBERTSHAW R-82953

3526238 GAS VALVE PRESSURE SWITCH
for UNITROL 7000



ROBERTSHAW R-85456

ROBERTSHAW 1751-003

3526235 LPG CONVERSION KIT
for GAS VALVE UNITROLL 7000



ROBERTSHAW R-82450

3120360 MAGNETIC UNIT UNITROL
 \varnothing head 23 mm - length 59 mm
for valve 7000 UNITROL BGO-BER



ROBERTSHAW R-83397

3523082 MICRO SWITCH VALVE
length 415 mm
for gas valve UNITROL 7000 BER



ROBERTSHAW R-21607MOD

3440170 THERMOCOUPLE 11/32 P.ASA 120 cm
with coupling M5x1
for GAS VALVE UNITROL 7000 BGO ROBERTSHAW
for GAS VALVE UNITROL 7000 BER ROBERTSHAW
for GAS VALVE UNITROL 7000 BER S7C ROBERTSHAW



ROBERTSHAW R-1970-048

3440165 THERMOCOUPLE 11/32 P.ASA 60 cm COUPLING
with fitting M11x1



ROBERTSHAW R-1900-024

3241707 VALVE KNOB
for USA MARKET



ROBERTSHAW R-82220



Electrical gas valves and accessories



Suitable for:

3523076 GAS VALVE UNITROL 7000 BER S7C
inlet \varnothing 1/2"F - outlet \varnothing 3/4"F
with pressure regulator 17cm CE
slow opening
power supply 24V
for Fryer gas (FRYMASTER) MJ45



ROBERTSHAW R-447-501-564

3526238 GAS VALVE PRESSURE SWITCH
for UNITROL 7000



ROBERTSHAW R-85456

ROBERTSHAW 1751-003

3120360 MAGNETIC UNIT UNITROL
 \varnothing head 23 mm - length 59 mm
for valve 7000 UNITROL BGO-BER



ROBERTSHAW R-83397

3440170 THERMOCOUPLE 11/32 P.ASA 120 cm
with coupling M5x1
for GAS VALVE UNITROL 7000 BGO ROBERTSHAW
for GAS VALVE UNITROL 7000 BER ROBERTSHAW
for GAS VALVE UNITROL 7000 BER S7C ROBERTSHAW



ROBERTSHAW R-1970-048

3241707 VALVE KNOB
for USA MARKET



ROBERTSHAW R-82220

Suitable for:

3523080 COIL 24V
with adjuster
for VALVE GAS UNITROL 7000 BER



ROBERTSHAW R-82950

ROBERTSHAW R-85003/R-82950

3526235 LPG CONVERSION KIT
for GAS VALVE UNITROLL 7000



ROBERTSHAW R-82450

3523082 MICRO SWITCH VALVE
length 415 mm
for gas valve UNITROL 7000 BER



ROBERTSHAW R-21607MOD

3440165 THERMOCOUPLE 11/32 P.ASA 60 cm COUPLING
with fitting M11x1



ROBERTSHAW R-1900-024



Electrical gas valves and accessories



Suitable for:

3523077 GAS VALVE UNITROL 7000 BER-S7CL
inlet \varnothing 1/2"F- outlet \varnothing 1/2"F
with pressure regulator 17cm CE
power supply 24V



ROBERTSHAW R-446-501-564

Suitable for:

3523080 COIL 24V
with adjuster
for VALVE GAS UNITROL 7000 BER



ROBERTSHAW R-82950

ROBERTSHAW R-85003/R-82950

3526238 GAS VALVE PRESSURE SWITCH
for UNITROL 7000



ROBERTSHAW R-85456

ROBERTSHAW 1751-003

3526235 LPG CONVERSION KIT
for GAS VALVE UNITROLL 7000



ROBERTSHAW R-82450

3120360 MAGNETIC UNIT UNITROL
 \varnothing head 23 mm - length 59 mm
for valve 7000 UNITROL BGO-BER



ROBERTSHAW R-83397

3523082 MICRO SWITCH VALVE
length 415 mm
for gas valve UNITROL 7000 BER



ROBERTSHAW R-21607MOD

3440170 THERMOCOUPLE 11/32 P.ASA 120 cm
with coupling M5x1
for GAS VALVE UNITROL 7000 BGO ROBERTSHAW
for GAS VALVE UNITROL 7000 BER ROBERTSHAW
for GAS VALVE UNITROL 7000 BER S7C ROBERTSHAW



ROBERTSHAW R-1970-048

3440165 THERMOCOUPLE 11/32 P.ASA 60 cm COUPLING
with fitting M11x1



ROBERTSHAW R-1900-024

3241707 VALVE KNOB
for USA MARKET



ROBERTSHAW R-82220



Electrical gas valves and accessories




Suitable for:

3523079 GAS VALVE UNITROL 7000 BGOR-S7B
inlet \varnothing 1/2"F - outlet \varnothing 3/4"F
without pressure regulator



ROBERTSHAW R-361-545-053

3523082 MICRO SWITCH VALVE
length 415 mm
for gas valve UNITROL 7000 BER



ROBERTSHAW R-21607MOD

3241707 VALVE KNOB
for USA MARKET



ROBERTSHAW R-82220

3526228 GAS VALVE UNITROL 7000 BGOR-S7B
 \varnothing 3/4" gas with reductions \varnothing 3/4"-1/2"
magnetic thermocouple



ROBERTSHAW R-313-541-018

3120360 MAGNETIC UNIT UNITROL
 \varnothing head 23 mm - length 59 mm
for valve 7000 UNITROL BGO-BER



ROBERTSHAW R-83397

Suitable for:

3120360 MAGNETIC UNIT UNITROL
 \varnothing head 23 mm - length 59 mm
for valve 7000 UNITROL BGO-BER



ROBERTSHAW R-83397

3440170 THERMOCOUPLE 11/32 P.ASA 120 cm
with coupling M5x1
for GAS VALVE UNITROL 7000 BGO ROBERTSHAW
for GAS VALVE UNITROL 7000 BER ROBERTSHAW
for GAS VALVE UNITROL 7000 BER S7C ROBERTSHAW



ROBERTSHAW R-1970-048

3526235 LPG CONVERSION KIT
for GAS VALVE UNITROLL 7000



ROBERTSHAW R-82450

3440125 MICRO SWITCH VALVE
length 300 mm
for gas valve UNITROL



ROBERTSHAW R-41-042



Suitable for:

3526232 PRESSURE REGULATOR
LPG 10"W.C



ROBERTSHAW 1751-020

3440173 TWIN LEAD THERMOPILE \varnothing 9x65 mm
250÷750 mV
lead 1450 mm - with adapter



ROBERTSHAW R-1950-003

3526229 GAS VALVE UNITROL 7000 BMVRL
 \varnothing 3/4" gas with reductions \varnothing 3/4"-1/2"
millivolt thermopile
thermostat fittings



ROBERTSHAW R-402-811-460+...

3526232 PRESSURE REGULATOR
LPG 10"W.C



ROBERTSHAW 1751-020

3440173 TWIN LEAD THERMOPILE \varnothing 9x65 mm
250÷750 mV
lead 1450 mm - with adapter



ROBERTSHAW R-1950-003

Electrical gas valves and accessories



Suitable for:

3440172 TWIN LEAD THERMOPILE \varnothing 9x65 mm
250÷750 mV
lead 850 mm



ROBERTSHAW R-21436

3241707 VALVE KNOB
for USA MARKET



ROBERTSHAW R-82220

3440125 MICRO SWITCH VALVE
length 300 mm
for gas valve UNITROL



ROBERTSHAW R-41-042

3440172 TWIN LEAD THERMOPILE \varnothing 9x65 mm
250÷750 mV
lead 850 mm



ROBERTSHAW R-21436

3241707 VALVE KNOB
for USA MARKET



ROBERTSHAW R-82220



Suitable for:

3526230 GAS VALVE UNITROL 7000 7000 BMSER
 ø 1/2" gas with reductions ø 1/2"-3/8"
 magnetic thermocouple



ROBERTSHAW R-337-501-502 ROBERTSHAW 700-409

3526232 PRESSURE REGULATOR
 LPG 10"W.C



ROBERTSHAW 1751-020

3440173 TWIN LEAD THERMOPILE ø 9x65 mm
 250÷750 mV
 lead 1450 mm - with adapter



ROBERTSHAW R-1950-003

3526235 LPG CONVERSION KIT
 for GAS VALVE UNITROLL 7000



ROBERTSHAW R-82450

3523082 MICRO SWITCH VALVE
 length 415 mm
 for gas valve UNITROL 7000 BER



ROBERTSHAW R-21607MOD

Suitable for:

3440125 MICRO SWITCH VALVE
 length 300 mm
 for gas valve UNITROL



ROBERTSHAW R-41-042

3440172 TWIN LEAD THERMOPILE ø 9x65 mm
 250÷750 mV
 lead 850 mm



ROBERTSHAW R-21436

3241707 VALVE KNOB
 for USA MARKET



ROBERTSHAW R-82220

3440125 MICRO SWITCH VALVE
 length 300 mm
 for gas valve UNITROL



ROBERTSHAW R-41-042

3526283 MICRO SWITCH VALVE
 length 450 mm
 for gas valve UNITROL



ROBERTSHAW R-21603



Electrical gas valves and accessories



Suitable for:

3526234 PILOT VALVE TS11J \varnothing 1/2" FF
inlet \varnothing 1/2"F - outlet \varnothing 1/2"F



ROBERTSHAW R-1720-007

Suitable for:

3526233 PILOT VALVE TS11J \varnothing 1/4" FF
inlet \varnothing 1/4"F - outlet \varnothing 1/4"F



ROBERTSHAW R-511-100-001

3440172 TWIN LEAD THERMOPILE \varnothing 9x65 mm
250÷750 mV
lead 850 mm



ROBERTSHAW R-21436

3440173 TWIN LEAD THERMOPILE \varnothing 9x65 mm
250÷750 mV
lead 1450 mm - with adapter



ROBERTSHAW R-1950-003

3526284 UNITROL GAS VALVE 7000 BGOR
 \varnothing 1/2" gas with adaptors \varnothing 3/4"-1/2"
magnetic thermocouple



ROBERTSHAW R-386-541-078

3523074 UNITROL GAS VALVE 7000 BMV ROBERTSHAW
inlet \varnothing 3/4" F - outlet \varnothing 3/4" F
without pressure regulator
power supply 350mV(thermopile)



ROBERTSHAW R-402-705-436

3523081 COIL mV
for UNITROL GAS VALVE 7000 BMV



ROBERTSHAW R-82952

ROBERTSHAW R-82967

3440128 THERMOGENERATOR 900 mm
fitting M10x1
bulb \varnothing 10x60 mm
for gas valve Unitrol Robertshaw mod. BMV
for Fryer (PITCO FRIALATOR)



ROBERTSHAW R-51053

3241707 VALVE KNOB
for USA MARKET



ROBERTSHAW R-82220

ROSINOX

3523081 COIL mV
for UNITROL GAS VALVE 7000 BMV



ROSINOX

3526090 ELETTROSIT VALVE \varnothing 3/4"FF
inlet \varnothing 3/4" F - outlet \varnothing 3/4" F
thermocouple connection M9x1
maximum gas inlet pressure 50 mbar
pressure adjustment range
3 ÷ 18 mbar
ambient temperature 0 ÷ 60°C
power supply 230V 50Hz
long buttons
pilot connection and LATERAL thermocouple
for Bratt pan gas (BONNET)
for Bratt pan gas (OLIS) KBG970 - 725KBG - 94KBCM
94KBG
for Fryer gas (BONNET)



ROSINOX RX94024965

3523073 GAS VALVE UNITROL 7000 BER ROBERTSHAW
inlet \varnothing 3/4" F - outlet \varnothing 3/4" F
with pressure regulator 17cm CE
power supply 240V



ROSINOX

3440165 THERMOCOUPLE 11/32 P.ASA 60 cm COUPLING
with fitting M11x1



ROSINOX

3526096 VALVE MICROSWITCH
maximum load 0.2 A
for VALVE ELETTROSIT-820 NOVA-824 NOVASIT



ROSINOX RX94034683

3523082 MICRO SWITCH VALVE
length 415 mm
for gas valve UNITROL 7000 BER



ROSINOX

3241707 VALVE KNOB
for USA MARKET



ROSINOX RX26645069



Electrical gas valves and accessories



Suitable for:

3523076 GAS VALVE UNITROL 7000 BER S7C
inlet \varnothing 1/2"F - outlet \varnothing 3/4"F
with pressure regulator 17cm CE
slow opening
power supply 24V
for Fryer gas (FRYMASTER) MJ45



ROSINOX

3440165 THERMOCOUPLE 11/32 P.ASA 60 cm COUPLING
with fitting M11x1



ROSINOX

3523079 GAS VALVE UNITROL 7000 BGOR-S7B
inlet \varnothing 1/2"F - outlet \varnothing 3/4"F
without pressure regulator



ROSINOX

3241707 VALVE KNOB
for USA MARKET



ROSINOX RX26645069

3523082 MICRO SWITCH VALVE
length 415 mm
for gas valve UNITROL 7000 BER



ROSINOX

Suitable for:

3523082 MICRO SWITCH VALVE
length 415 mm
for gas valve UNITROL 7000 BER



ROSINOX

3241707 VALVE KNOB
for USA MARKET



ROSINOX RX26645069

3523082 MICRO SWITCH VALVE
length 415 mm
for gas valve UNITROL 7000 BER



ROSINOX



Electrical gas valves and accessories



Suitable for:

3523074 UNITROL GAS VALVE 7000 BMV ROBERTSHAW

inlet \varnothing 3/4" F - outlet \varnothing 3/4" F
without pressure regulator
power supply 350mV(thermopile)



ROSINOX RX24867038

3440128 THERMOGENERATOR 900 mm

fitting M10x1
bulb \varnothing 10x60 mm
for gas valve Unitrol Robertshaw mod. BMV
for Fryer (PITCO FRIALATOR)



ROSINOX RX24802365

3526096 VALVE MICROSWITCH

maximum load 0.2 A
for VALVE ELETTROSIT-820 NOVA-824 NOVASIT



ROSINOX RX94034683

3526079 VALVE 820 NOVA \varnothing 1/2"FF

inlet \varnothing 1/2" F - outlet \varnothing 1/2" F
thermocouple fitting M9x1
maximum gas inlet pressure 60 mbar
outlet pressure setting range
3÷30 mbar
room temperature 0÷70°C
power supply 230V 50Hz
for Fryer gas (ANGELO PO) - Series ALPHA
Series BIFRONTE - Series DELTA - Series GAMMA
Series OMEGA
for Fryer gas (CAPIC)



ROSINOX 94023744

Suitable for:

3523081 COIL mV

for UNITROL GAS VALVE 7000 BMV



ROSINOX

3241707 VALVE KNOB

for USA MARKET



ROSINOX RX26645069

3526096 VALVE MICROSWITCH

maximum load 0.2 A
for VALVE ELETTROSIT-820 NOVA-824 NOVASIT



ROSINOX RX94034683



Suitable for:

Electrical gas valves and accessories



Suitable for:

SILKO

3440200 TWIN LEAD THERMOPILE 580 mm



SILKO MA1870712

SILKO 0105109

SILKO 1870712

3526300 VALVE 820 NOVA mV \varnothing 1/2"FF
 inlet \varnothing 1/2" F - outlet \varnothing 1/2" F
 thermocouple fitting M9x1
 maximum gas inlet pressure 60 mbar
 outlet pressure range setting
 outlet 5 ÷ 50 mbar
 room temperature 0 ÷ 70°C
 double wire thermopile power supply
 (TPTH - TH terminal)
 thermostat connection (TPTH - TH terminal)
 suitable to replace the ITT valve
 UB67 model
 for Fryer gas (ELFRAMO) GSDT12 - GSDT20 - GST12
 GST20 - GWDT12 - GWDT20 - GWD209T - GWM35T
 GWT12 - GWT20 - GW209T



SILKO MA1870800

SILKO 0105082

3020084 NUT & OLIVE \varnothing 6 mm



SILKO 0100884

3526104 VALVE 830 TANDEM \varnothing 1/2"FF
 inlet \varnothing 1/2" F - outlet \varnothing 1/2" F
 maximum gas inlet pressure 60 mbar
 outlet pressure adjustment range
 3 ÷ 50 mbar
 with slow start
 room temperature 0 ÷ 60°C
 power supply 230V 50Hz



SILKO 0102481

3020083 NUT & OLIVE \varnothing 4 mm



SILKO 1394700

3440200 TWIN LEAD THERMOPILE 580 mm



SILKO MA1870712

SILKO 0105109

SILKO 1870712

3020083 NUT & OLIVE \varnothing 4 mm



SILKO 1394700



Electrical gas valves and accessories



Suitable for:

3020084 NUT & OLIVE \varnothing 6 mm



SILKO 0100884

Suitable for:

3348041 PIPE OLIVE \varnothing 16 mm
for model PEL 23



SILKO 0100765

SIT

3526098 COIL 220V
for VALVE 820 NOVA-824 NOVASIT-822 NOVA-826 NOVA



SIT 0.967.064

3526100 COIL 220V
for VALVE ELETTROSIT



SIT 0.967.041

3526099 COIL 24V
for VALVE 820 NOVA-824 NOVASIT-822 NOVA-826 NOVA



SIT 0.967.065

3526142 DOUBLE COIL FOR VALVE
220V 50Hz
for VALVE 830 TANDEM-836 TANDEM



SIT 0.967.090

3526077 ELBOW FLANGE \varnothing 1/2" F
complete with screws and O-Ring
for valves SIT 820-Honeywell V4400-V4600-VR4605P



SIT 0.906.260

3526108 ELBOW FLANGE \varnothing 1/2" F
with screws and "O" ring
for ELETTROSIT VALVE



SIT

3526078 ELBOW FLANGE \varnothing 3/4" F
complete with screws and O-Ring
for valves SIT 820-Honeywell V4400-V4600-VR4605P



SIT 0.906.258



Electrical gas valves and accessories



Suitable for:

3030001 ELECTRIC COUPLING WITH CABLE
for valve sit 824 NOVA-826 NOVA
for Bratt pan gas (ANGELO PO) - Series ALPHA
Series DELTA



SIT 0.960.018

SIT 0.960.118

Suitable for:

3526102 ELECTRIC COUPLING WITH CABLE
for VALVE 820 NOVA-824 NOVASIT-822 NOVA-826 NOVA



SIT 0.960.015

SIT 0.960.103

2110743 ELETTROSIT VALVE \varnothing 1/2"FF
inlet \varnothing 1/2" F - outlet \varnothing 1/2" F
thermocouple connection ASA pitch
maximum gas inlet pressure 50 mbar
setting range of the regulator
pressure 3 ÷ 18 mbar
room temperature 0 ÷ 60°C
power supply 230V 50Hz
pilot connection and LOWER thermocouple



SIT 0.810.156

3526100 COIL 220V
for VALVE ELETTROSIT



SIT 0.967.041

3526108 ELBOW FLANGE \varnothing 1/2" F
with screws and "O" ring
for ELETTROSIT VALVE



SIT

3001008 PIEZO IGNITER VERNITRON
2.4 mm \varnothing male faston connector



SIT 0.073.953

3526106 STRAIGHT FLANGE \varnothing 1/2" F
with screws and "O" ring
for ELETTROSIT VALVE



SIT

3526107 STRAIGHT FLANGE \varnothing 3/4" F
with screws and "O" ring
for ELETTROSIT VALVE



SIT

3526096 VALVE MICROSWITCH
maximum load 0.2 A
for VALVE ELETTROSIT-820 NOVA-824 NOVASIT



SIT 0.927.012



Electrical gas valves and accessories



Suitable for:

3526084 **ELETTROSIT VALVE \varnothing 1/2"FF**
inlet \varnothing 1/2" F - outlet \varnothing 1/2" F
thermocouple connection M9x1
maximum gas inlet pressure 50 mbar
pressure adjustment range
3÷18 mbar
ambient temperature 0÷60°C
power supply 230V 50Hz
pilot connection and LOWER thermocouple



SIT 0.810.130

3526108 **ELBOW FLANGE \varnothing 1/2" F**
with screws and "O" ring
for ELETTROSIT VALVE



SIT

3526106 **STRAIGHT FLANGE \varnothing 1/2"**
with screws and "O" ring
for ELETTROSIT VALVE



SIT

3526096 **VALVE MICROSWITCH**
maximum load 0.2 A
for VALVE ELETTROSIT-820 NOVA-824 NOVASIT



SIT 0.927.012

Suitable for:

3526100 **COIL 220V**
for VALVE ELETTROSIT



SIT 0.967.041

3001008 **PIEZO IGNITER VERNITRON**
2.4 mm \varnothing male faston connector



SIT 0.073.953

3526107 **STRAIGHT FLANGE \varnothing 3/4" F**
with screws and "O" ring
for ELETTROSIT VALVE



SIT



Electrical gas valves and accessories



Suitable for:

Suitable for:

3526089 ELETROSIT VALVE \varnothing 1/2"FF
inlet \varnothing 1/2" F - outlet \varnothing 1/2" F
thermocouple connection M9x1
maximum gas inlet pressure 50 mbar
pressure adjustment range
3 ÷ 18 mbar
ambient temperature 0 ÷ 60°C
power supply 230V 50Hz
long buttons
pilot connection and LOWER thermocouple



SIT 0.810.136

3526108 ELBOW FLANGE \varnothing 1/2" F
with screws and "O" ring
for ELETROSIT VALVE



SIT

3526106 STRAIGHT FLANGE \varnothing 1/2" F
with screws and "O" ring
for ELETROSIT VALVE



SIT

3526096 VALVE MICROSWITCH
maximum load 0.2 A
for VALVE ELETROSIT-820 NOVA-824 NOVASIT



SIT 0.927.012

3526100 COIL 220V
for VALVE ELETROSIT



SIT 0.967.041

3001008 PIEZO IGNITER VERNITRON
2.4 mm \varnothing male faston connector



SIT 0.073.953

3526107 STRAIGHT FLANGE \varnothing 3/4" F
with screws and "O" ring
for ELETROSIT VALVE



SIT



Electrical gas valves and accessories



Suitable for:

3526092 ELETTROSIT VALVE \varnothing 1/2"FF
inlet \varnothing 1/2" F - outlet \varnothing 1/2" F
thermocouple connection M9x1
maximum gas inlet pressure 50 mbar
pressure adjustment range
3 ÷ 18 mbar
ambient temperature 0 ÷ 60°C
power supply 220/240V 50Hz
long buttons
pilot connection and LATERAL thermocouple



SIT 0.810.126

3526108 ELBOW FLANGE \varnothing 1/2" F
with screws and "O" ring
for ELETTROSIT VALVE



SIT

3526106 STRAIGHT FLANGE \varnothing 1/2" F
with screws and "O" ring
for ELETTROSIT VALVE



SIT

3526096 VALVE MICROSWITCH
maximum load 0.2 A
for VALVE ELETTROSIT-820 NOVA-824 NOVASIT



SIT 0.927.012

Suitable for:

3526100 COIL 220V
for VALVE ELETTROSIT



SIT 0.967.041

3001008 PIEZO IGNITER VERNITRON
2.4 mm \varnothing male faston connector



SIT 0.073.953

3526107 STRAIGHT FLANGE \varnothing 3/4" F
with screws and "O" ring
for ELETTROSIT VALVE



SIT



Electrical gas valves and accessories



Suitable for:

3526085 **ELETTROSIT VALVE \varnothing 3/4"FF**
 inlet \varnothing 3/4" F - outlet \varnothing 3/4" F
 thermocouple connection M9x1
 maximum gas inlet pressure 50 mbar
 pressure adjustment range
 3÷18 mbar
 ambient temperature 0÷60°C
 power supply 230V 50Hz
 pilot connection and LATERAL thermocouple



SIT 0.810.122

3526108 **ELBOW FLANGE \varnothing 1/2" F**
 with screws and "O" ring
 for ELETTROSIT VALVE



SIT

3526106 **STRAIGHT FLANGE \varnothing 1/2"**
 with screws and "O" ring
 for ELETTROSIT VALVE



SIT

3526096 **VALVE MICROSWITCH**
 maximum load 0.2 A
 for VALVE ELETTROSIT-820 NOVA-824 NOVASIT



SIT 0.927.012

Suitable for:

3526100 **COIL 220V**
 for VALVE ELETTROSIT



SIT 0.967.041

3001008 **PIEZO IGNITER VERNITRON**
 2.4 mm \varnothing male faston connector



SIT 0.073.953

3526107 **STRAIGHT FLANGE \varnothing 3/4" F**
 with screws and "O" ring
 for ELETTROSIT VALVE



SIT



Electrical gas valves and accessories



Suitable for:

Suitable for:

3526086 ELETROSIT VALVE \varnothing 3/4"FF
inlet \varnothing 3/4" F - outlet \varnothing 3/4" F
thermocouple connection M9x1
maximum gas inlet pressure 50 mbar
pressure adjustment range
3 ÷ 18 mbar
ambient temperature 0 ÷ 60°C
power supply 230V 50Hz
pilot connection and LOWER thermocouple



SIT 0.810.138

3526108 ELBOW FLANGE \varnothing 1/2" F
with screws and "O" ring
for ELETROSIT VALVE



SIT

3526106 STRAIGHT FLANGE \varnothing 1/2"
with screws and "O" ring
for ELETROSIT VALVE



SIT

3526096 VALVE MICROSWITCH
maximum load 0.2 A
for VALVE ELETROSIT-820 NOVA-824 NOVASIT



SIT 0.927.012

3526100 COIL 220V
for VALVE ELETROSIT



SIT 0.967.041

3001008 PIEZO IGNITER VERNITRON
2.4 mm \varnothing male faston connector



SIT 0.073.953

3526107 STRAIGHT FLANGE \varnothing 3/4" F
with screws and "O" ring
for ELETROSIT VALVE



SIT



Electrical gas valves and accessories



Suitable for:

Suitable for:

3526087 ELETROSIT VALVE \varnothing 3/4"FF
 inlet \varnothing 3/4" F - outlet \varnothing 3/4" F
 thermocouple connection M9x1
 maximum gas inlet pressure 50 mbar
 pressure adjustment range
 3÷18 mbar
 ambient temperature 0÷60°C
 power supply 24V 50Hz
 pilot connection and LOWER thermocouple



SIT 0.810.171

3001008 PIEZO IGNITER VERNITRON
 2.4 mm \varnothing male faston connector



SIT 0.073.953

3526107 STRAIGHT FLANGE \varnothing 3/4" F
 with screws and "O" ring
 for ELETROSIT VALVE



SIT

3526090 ELETROSIT VALVE \varnothing 3/4"FF
 inlet \varnothing 3/4" F - outlet \varnothing 3/4" F
 thermocouple connection M9x1
 maximum gas inlet pressure 50 mbar
 pressure adjustment range
 3÷18 mbar
 ambient temperature 0÷60°C
 power supply 230V 50Hz
 long buttons
 pilot connection and LATERAL thermocouple
 for Bratt pan gas (BONNET)
 for Bratt pan gas (OLIS) KBG970 - 725KBG - 94KBCM
 94KBG
 for Fryer gas (BONNET)



SIT 0.810.175

3526108 ELBOW FLANGE \varnothing 1/2" F
 with screws and "O" ring
 for ELETROSIT VALVE



SIT

3526106 STRAIGHT FLANGE \varnothing 1/2" F
 with screws and "O" ring
 for ELETROSIT VALVE



SIT

3526096 VALVE MICROSWITCH
 maximum load 0.2 A
 for VALVE ELETROSIT-820 NOVA-824 NOVASIT



SIT 0.927.012

3526100 COIL 220V
 for VALVE ELETROSIT



SIT 0.967.041



Electrical gas valves and accessories



Suitable for:

3526108 ELBOW FLANGE \varnothing 1/2" F
with screws and "O" ring
for ELETTROSIT VALVE



SIT

3526106 STRAIGHT FLANGE \varnothing 1/2"
with screws and "O" ring
for ELETTROSIT VALVE



SIT

3526096 VALVE MICROSWITCH
maximum load 0.2 A
for VALVE ELETTROSIT-820 NOVA-824 NOVASIT



SIT 0.927.012

3526091 ELETTROSIT VALVES 1/2" FF
inlet \varnothing 1/2" F - outlet \varnothing 1/2" F
thermocouple connection M9x1
maximum gas inlet pressure 50 mbar
pressure adjustment range of
pressure 3÷18 mbar
ambient temperature 0÷60°C
power supply 230V 50Hz
pilot connection and LATERAL thermocouple



SIT 0.810.123

3526108 ELBOW FLANGE \varnothing 1/2" F
with screws and "O" ring
for ELETTROSIT VALVE



SIT

Suitable for:

3001008 PIEZO IGNITER VERNITRON
2.4 mm \varnothing male faston connector



SIT 0.073.953

3526107 STRAIGHT FLANGE \varnothing 3/4" F
with screws and "O" ring
for ELETTROSIT VALVE



SIT

3526100 COIL 220V
for VALVE ELETTROSIT



SIT 0.967.041

3001008 PIEZO IGNITER VERNITRON
2.4 mm \varnothing male faston connector



SIT 0.073.953



Electrical gas valves and accessories



Suitable for:

3526106 STRAIGHT FLANGE \varnothing 1/2"
with screws and "O" ring
for ELETTROSIT VALVE



SIT

3526096 VALVE MICROSWITCH
maximum load 0.2 A
for VALVE ELETTROSIT-820 NOVA-824 NOVASIT



SIT 0.927.012

3526124 KNOB EXTENSION LENGTH 65 mm
for VALVE 820 NOVA-824 NOVASIT



SIT 0.999.957

SIT 0.999.959

Suitable for:

3526107 STRAIGHT FLANGE \varnothing 3/4"
with screws and "O" ring
for ELETTROSIT VALVE



SIT

3526143 MODULATOR COIL
220V rectified
for VALVE 836 TANDEM



SIT 0.967.135

3526103 PROTECTING COVER
for VALVE 820 NOVA-824 NOVASIT-822 NOVA-826 NOVA



SIT 0.903.094

3526112 SIMPLOSIT VALVE \varnothing 3/8"FF
inlet \varnothing 3/8" F - outlet \varnothing 3/8" F
thermocouple connection M9x1
maximum gas inlet pressure 50 mbar
ambient temperature 0÷80°C



SIT 0.500.015

3182005 MAGNETIC UNIT SIT
 \varnothing head 19 mm - \varnothing end 14,5 mm - length 47 mm
for valve SIT B3-BABYSIT-SIMPLOSIT-COMPOSIT



SIT 0.006.229



Suitable for:

3526075 STRAIGHT FLANGE \varnothing 1/2"
complete with screws and O-Ring
for valves SIT 820-Honeywell V4400-V4600-VR4605P



SIT 0.906.261

Suitable for:

3526106 STRAIGHT FLANGE \varnothing 1/2"
with screws and "O" ring
for ELETTROSIT VALVE



SIT

3526076 STRAIGHT FLANGE \varnothing 3/4"
complete with screws and O-Ring
for valves SIT 820-Honeywell V4400-V4600-VR4605P



SIT 0.906.259

3526107 STRAIGHT FLANGE \varnothing 3/4"
with screws and "O" ring
for ELETTROSIT VALVE



SIT

3440200 TWIN LEAD THERMOPILE 580 mm



SIT 0.240.002

SIT 0.940.002

3526096 VALVE MICROSWITCH
maximum load 0.2 A
for VALVE ELETTROSIT-820 NOVA-824 NOVASIT



SIT 0.927.012

3526145 VALVE NOVASIT \varnothing 1/2"FF
inlet \varnothing 1/2"F - outlet \varnothing 1/2"F
thermocouple connection 9x1
maximum gas inlet pressure 60 mbar
outlet pressure range
2÷50 mbar
ambient temperature 0÷60°C
power supply 230V 50Hz
for Bratt pan gas (ANGELO PO) - Series ALPHA
Series DELTA



SIT 0.824.011

3526098 COIL 220V
for VALVE 820 NOVA-824 NOVASIT-822 NOVA-826 NOVA



SIT 0.967.064

3526099 COIL 24V
for VALVE 820 NOVA-824 NOVASIT-822 NOVA-826 NOVA



SIT 0.967.065

3526077 ELBOW FLANGE \varnothing 1/2"
complete with screws and O-Ring
for valves SIT 820-Honeywell V4400-V4600-VR4605P



SIT 0.906.260



Suitable for:

Electrical gas valves and accessories



3526078 ELBOW FLANGE \varnothing 3/4" F
complete with screws and O-Ring
for valves SIT 820-Honeywell V4400-V4600-VR4605P



SIT 0.906.258

3526102 ELECTRIC COUPLING WITH CABLE
for VALVE 820 NOVA-824 NOVASIT-822 NOVA-826 NOVA



SIT 0.960.015

SIT 0.960.103

3182008 MAGNETIC UNIT SIT
 \varnothing head 35 mm - \varnothing end 20 mm - length 47 mm
for valve SIT NOVASIT 820



SIT 0.006.245

3020083 NUT & OLIVE \varnothing 4 mm



SIT 0.958.030

3001008 PIEZO IGNITER VERNITRON
2.4 mm \varnothing male faston connector



SIT 0.073.953

Suitable for:

3030001 ELECTRIC COUPLING WITH CABLE
for valve sit 824 NOVA-826 NOVA
for Bratt pan gas (ANGELO PO) - Series ALPHA
Series DELTA



SIT 0.960.018

3526124 KNOB EXTENSION LENGTH 65 mm
for VALVE 820 NOVA-824 NOVASIT



SIT 0.999.957

SIT 0.999.959

3526143 MODULATOR COIL
220V rectified
for VALVE 836 TANDEM



SIT 0.967.135

3020084 NUT & OLIVE \varnothing 6 mm



SIT 0.958.031

3526103 PROTECTING COVER
for VALVE 820 NOVA-824 NOVASIT-822 NOVA-826 NOVA



SIT 0.903.094



Electrical gas valves and accessories



Suitable for:

3526075 STRAIGHT FLANGE \varnothing 1/2"
complete with screws and O-Ring
for valves SIT 820-Honeywell V4400-V4600-VR4605P



SIT 0.906.261

3526096 VALVE MICROSWITCH
maximum load 0.2 A
for VALVE ELETTROSIT-820 NOVA-824 NOVASIT



SIT 0.927.012

Suitable for:

3526076 STRAIGHT FLANGE \varnothing 3/4"
complete with screws and O-Ring
for valves SIT 820-Honeywell V4400-V4600-VR4605P



SIT 0.906.259

3526079 VALVE 820 NOVA \varnothing 1/2" FF
inlet \varnothing 1/2" F - outlet \varnothing 1/2" F
thermocouple fitting M9x1
maximum gas inlet pressure 60 mbar
outlet pressure setting range
3÷30 mbar
room temperature 0÷70°C
power supply 230V 50Hz
for Fryer gas (ANGELO PO) - Series ALPHA
Series BIFRONTI - Series DELTA - Series GAMMA
Series OMEGA
for Fryer gas (CAPIC)



SIT 0.820.012

SIT 0.820.010

3526099 COIL 24V
for VALVE 820 NOVA-824 NOVASIT-822 NOVA-826 NOVA



SIT 0.967.065

3526098 COIL 220V
for VALVE 820 NOVA-824 NOVASIT-822 NOVA-826 NOVA



SIT 0.967.064

3526077 ELBOW FLANGE \varnothing 1/2" F
complete with screws and O-Ring
for valves SIT 820-Honeywell V4400-V4600-VR4605P



SIT 0.906.260



Suitable for:

Electrical gas valves and accessories



3526078 ELBOW FLANGE \varnothing 3/4" F
complete with screws and O-Ring
for valves SIT 820-Honeywell V4400-V4600-VR4605P



SIT 0.906.258

3526124 KNOB EXTENSION LENGTH 65 mm
for VALVE 820 NOVA-824 NOVASIT



SIT 0.999.957

SIT 0.999.959

3020083 NUT & OLIVE \varnothing 4 mm



SIT 0.958.030

3001008 PIEZO IGNITER VERNITRON
2.4 mm \varnothing male faston connector



SIT 0.073.953

3526075 STRAIGHT FLANGE \varnothing 1/2"
complete with screws and O-Ring
for valves SIT 820-Honeywell V4400-V4600-VR4605P



SIT 0.906.261

Suitable for:

3526102 ELECTRIC COUPLING WITH CABLE
for VALVE 820 NOVA-824 NOVASIT-822 NOVA-826 NOVA



SIT 0.960.015

SIT 0.960.103

3182008 MAGNETIC UNIT SIT
 \varnothing head 35 mm - \varnothing end 20 mm - length 47 mm
for valve SIT NOVASIT 820



SIT 0.006.245

3020084 NUT & OLIVE \varnothing 6 mm



SIT 0.958.031

3526103 PROTECTING COVER
for VALVE 820 NOVA-824 NOVASIT-822 NOVA-826 NOVA



SIT 0.903.094

3526076 STRAIGHT FLANGE \varnothing 3/4"
complete with screws and O-Ring
for valves SIT 820-Honeywell V4400-V4600-VR4605P



SIT 0.906.259



Electrical gas valves and accessories



Suitable for:

3526096 VALVE MICROSWITCH
maximum load 0.2 A
for VALVE ELETTROSIT-820 NOVA-824 NOVASIT



Suitable for:

SIT 0.927.012

3526176 VALVE 820 NOVA \varnothing 1/2"FF
inlet \varnothing 1/2" F - outlet \varnothing 1/2" F
thermocouple connection M9x1
maximum gas inlet pressure 60 mbar
outlet pressure adjustment range
3÷30 mbar
ambient temperature 0÷70°C
power supply 230V 50Hz
for Boiling pan gas (MARENO)
Series 900PROTAGONISTA NUOVA
for Bratt pan gas (MARENO)
Series 900PROTAGONISTA NUOVA
for Bratt pan gas (OLIS) - Series 700 - Series 900
for Fryer (BARON) 9FRI/G420
for Fryer gas (OLIS) - Series 900
for Pasta cooker gas (MARENO)



SIT 0.820.018

3526099 COIL 24V
for VALVE 820 NOVA-824 NOVASIT-822 NOVA-826 NOVA



SIT 0.967.065

3526078 ELBOW FLANGE \varnothing 3/4" F
complete with screws and O-Ring
for valves SIT 820-Honeywell V4400-V4600-VR4605P



SIT 0.906.258

3526098 COIL 220V
for VALVE 820 NOVA-824 NOVASIT-822 NOVA-826 NOVA



SIT 0.967.064

3526077 ELBOW FLANGE \varnothing 1/2" F
complete with screws and O-Ring
for valves SIT 820-Honeywell V4400-V4600-VR4605P



SIT 0.906.260

3526102 ELECTRIC COUPLING WITH CABLE
for VALVE 820 NOVA-824 NOVASIT-822 NOVA-826 NOVA



SIT 0.960.015

SIT 0.960.103



Suitable for:

Electrical gas valves and accessories



3020077 **FITTING FOR PIPE \varnothing 4 mm**
for Kitchen gas (ANGELO PO) 3A1FA1G



SIT 0.958.013

3182008 **MAGNETIC UNIT SIT**
 \varnothing head 35 mm - \varnothing end 20 mm - length 47 mm
for valve SIT NOVASIT 820



SIT 0.006.245

3020084 **NUT & OLIVE \varnothing 6 mm**



SIT 0.958.031

3348041 **PIPE OLIVE \varnothing 16 mm**
for model PEL 23



SIT 0.957.008

3526075 **STRAIGHT FLANGE \varnothing 1/2"**
complete with screws and O-Ring
for valves SIT 820-Honeywell V4400-V4600-VR4605P



SIT 0.906.261

Suitable for:

3526124 **KNOB EXTENSION LENGTH 65 mm**
for VALVE 820 NOVA-824 NOVASIT



SIT 0.999.957

SIT 0.999.959

3020083 **NUT & OLIVE \varnothing 4 mm**



SIT 0.958.030

3001008 **PIEZO IGNITER VERNITRON**
2.4 mm \varnothing male faston connector



SIT 0.073.953

3526103 **PROTECTING COVER**
for VALVE 820 NOVA-824 NOVASIT-822 NOVA-826 NOVA



SIT 0.903.094

3526076 **STRAIGHT FLANGE \varnothing 3/4"**
complete with screws and O-Ring
for valves SIT 820-Honeywell V4400-V4600-VR4605P



SIT 0.906.259



Electrical gas valves and accessories



Suitable for:

3526096 VALVE MICROSWITCH
maximum load 0.2 A
for VALVE ELETTROSIT-820 NOVA-824 NOVASIT



Suitable for:

SIT 0.927.012

3526179 VALVE 820 NOVA \varnothing 1/2"FF
inlet \varnothing 1/2" F - outlet \varnothing 1/2" F
thermocouple connection M9x1
maximum gas inlet pressure 60 mbar
outlet pressure adjustment range
5÷50 mbar
ambient temperature 0÷70°C
without slow start
power supply 220V 50Hz
for Boiling pan gas (ZANUSSI) - Series N700
Series N900
for Fryer (WHIRLPOOL) AFR/G410
for Fryer gas (ZANUSSI) - Series HD900
Series N900
for Pasta cooker gas (ZANUSSI) - Series N900



3526098 COIL 220V
for VALVE 820 NOVA-824 NOVASIT-822 NOVA-826 NOVA



SIT 0.820.031

3526099 COIL 24V
for VALVE 820 NOVA-824 NOVASIT-822 NOVA-826 NOVA



SIT 0.967.064

3526077 ELBOW FLANGE \varnothing 1/2" F
complete with screws and O-Ring
for valves SIT 820-Honeywell V4400-V4600-VR4605P



SIT 0.967.065

3526078 ELBOW FLANGE \varnothing 3/4" F
complete with screws and O-Ring
for valves SIT 820-Honeywell V4400-V4600-VR4605P



SIT 0.906.260

3526102 ELECTRIC COUPLING WITH CABLE
for VALVE 820 NOVA-824 NOVASIT-822 NOVA-826 NOVA



SIT 0.906.258

SIT 0.960.015

SIT 0.960.103



Suitable for:

Electrical gas valves and accessories



3526124 **KNOB EXTENSION LENGTH 65 mm**
for VALVE 820 NOVA-824 NOVASIT



SIT 0.999.957 SIT 0.999.959

3020083 **NUT & OLIVE \varnothing 4 mm**



SIT 0.958.030
3001008 **PIEZO IGNITER VERNITRON**
2.4 mm \varnothing male faston connector



SIT 0.073.953
3526075 **STRAIGHT FLANGE \varnothing 1/2"**
complete with screws and O-Ring
for valves SIT 820-Honeywell V4400-V4600-VR4605P



SIT 0.906.261
3526096 **VALVE MICROSWITCH**
maximum load 0.2 A
for VALVE ELETTROSIT-820 NOVA-824 NOVASIT



SIT 0.927.012

Suitable for:
3182008 **MAGNETIC UNIT SIT**
 \varnothing head 35 mm - \varnothing end 20 mm - length 47 mm
for valve SIT NOVASIT 820



SIT 0.006.245
3020084 **NUT & OLIVE \varnothing 6 mm**



SIT 0.958.031
3526103 **PROTECTING COVER**
for VALVE 820 NOVA-824 NOVASIT-822 NOVA-826 NOVA



SIT 0.903.094
3526076 **STRAIGHT FLANGE \varnothing 3/4"**
complete with screws and O-Ring
for valves SIT 820-Honeywell V4400-V4600-VR4605P



SIT 0.906.259



Suitable for:

40C2408 VALVE 820 NOVA \varnothing 1/2"FF
 inlet \varnothing 1/2" F - outlet \varnothing 1/2" F
 thermocouple connection M9x1
 gas max. inlet pressure 60 mbar
 outlet pressure range setting
 5÷50 mbar
 room temperature 0÷70°C
 power supply 24V 50Hz
 for Bratt pan gas (ZANUSSI) CRN15G - CRN20G
 for Pasta cooker gas (ZANUSSI) CR40G - CR42G



SIT 0.820.037

3526099 COIL 24V
 for VALVE 820 NOVA-824 NOVASIT-822 NOVA-826 NOVA



SIT 0.967.065

3526078 ELBOW FLANGE \varnothing 3/4" F
 complete with screws and O-Ring
 for valves SIT 820-Honeywell V4400-V4600-VR4605P



SIT 0.906.258

3526124 KNOB EXTENSION LENGTH 65 mm
 for VALVE 820 NOVA-824 NOVASIT



SIT 0.999.957

SIT 0.999.959

3020083 NUT & OLIVE \varnothing 4 mm



SIT 0.958.030

Suitable for:

3526098 COIL 220V
 for VALVE 820 NOVA-824 NOVASIT-822 NOVA-826 NOVA



SIT 0.967.064

3526077 ELBOW FLANGE \varnothing 1/2" F
 complete with screws and O-Ring
 for valves SIT 820-Honeywell V4400-V4600-VR4605P



SIT 0.906.260

3526102 ELECTRIC COUPLING WITH CABLE
 for VALVE 820 NOVA-824 NOVASIT-822 NOVA-826 NOVA



SIT 0.960.015

SIT 0.960.103

3182008 MAGNETIC UNIT SIT
 \varnothing head 35 mm - \varnothing end 20 mm - length 47 mm
 for valve SIT NOVASIT 820



SIT 0.006.245

3020084 NUT & OLIVE \varnothing 6 mm



SIT 0.958.031



Electrical gas valves and accessories



Suitable for:

3001008 **PIEZO IGNITER VERNITRON**
2.4 mm \varnothing male faston connector



SIT 0.073.953

3526075 **STRAIGHT FLANGE \varnothing 1/2"**
complete with screws and O-Ring
for valves SIT 820-Honeywell V4400-V4600-VR4605P



SIT 0.906.261

3526096 **VALVE MICROSWITCH**
maximum load 0.2 A
for VALVE ELETTROSIT-820 NOVA-824 NOVASIT



SIT 0.927.012

2111851 **VALVE 820 NOVA mV \varnothing 1/2"FF**
inlet \varnothing 1/2" F - outlet \varnothing 1/2" F
thermocouple connection M9x1
maximum gas inlet pressure 60 mbar
pressure calibration range of
outlet 5÷50 mbar
room temperature 0÷70°C
power supply through double wire thermopile
(TPTH-TP terminal)
slow ignition level 3-5 mbr



SIT 0.820.303

3526078 **ELBOW FLANGE \varnothing 3/4"**
complete with screws and O-Ring
for valves SIT 820-Honeywell V4400-V4600-VR4605P



SIT 0.906.258

Suitable for:

3526103 **PROTECTING COVER**
for VALVE 820 NOVA-824 NOVASIT-822 NOVA-826 NOVA



SIT 0.903.094

3526076 **STRAIGHT FLANGE \varnothing 3/4"**
complete with screws and O-Ring
for valves SIT 820-Honeywell V4400-V4600-VR4605P



SIT 0.906.259

3526077 **ELBOW FLANGE \varnothing 1/2" F**
complete with screws and O-Ring
for valves SIT 820-Honeywell V4400-V4600-VR4605P



SIT 0.906.260

3526124 **KNOB EXTENSION LENGTH 65 mm**
for VALVE 820 NOVA-824 NOVASIT



SIT 0.999.957

SIT 0.999.959



Electrical gas valves and accessories



Suitable for:

3182008 **MAGNETIC UNIT SIT**
ø head 35 mm - ø end 20 mm - length 47 mm
for valve SIT NOVASIT 820



SIT 0.006.245

3020084 **NUT & OLIVE ø 6 mm**



SIT 0.958.031

3526075 **STRAIGHT FLANGE ø 1/2"**
complete with screws and O-Ring
for valves SIT 820-Honeywell V4400-V4600-VR4605P



SIT 0.906.261

3440200 **TWIN LEAD THERMOPILE 580 mm**



SIT 0.240.002

SIT 0.940.002

Suitable for:

3020083 **NUT & OLIVE ø 4 mm**



SIT 0.958.030

3001008 **PIEZO IGNITER VERNITRON**
2.4 mm ø male faston connector



SIT 0.073.953

3526076 **STRAIGHT FLANGE ø 3/4"**
complete with screws and O-Ring
for valves SIT 820-Honeywell V4400-V4600-VR4605P



SIT 0.906.259

3526096 **VALVE MICROSWITCH**
maximum load 0.2 A
for VALVE ELETTROSIT-820 NOVA-824 NOVASIT



SIT 0.927.012



Electrical gas valves and accessories



Suitable for:

3526300 VALVE 820 NOVA mV \varnothing 1/2"FF
 inlet \varnothing 1/2" F - outlet \varnothing 1/2" F
 thermocouple fitting M9x1
 maximum gas inlet pressure 60 mbar
 outlet pressure range setting
 outlet 5÷50 mbar
 room temperature 0÷70°C
 double wire thermopile power supply
 (TPTH - TH terminal)
 thermostat connection (TPTH - TH terminal)
 suitable to replace the ITT valve
 UB67 model
 for Fryer gas (ELFRAMO) GSDT12 - GSDT20 - GST12
 GST20 - GWDT12 - GWDT20 - GWD209T - GWM35T
 GWT12 - GWT20 - GW209T



SIT 0.820.301

3526078 ELBOW FLANGE \varnothing 3/4" F
 complete with screws and O-Ring
 for valves SIT 820-Honeywell V4400-V4600-VR4605P



SIT 0.906.258

3182008 MAGNETIC UNIT SIT
 \varnothing head 35 mm - \varnothing end 20 mm - length 47 mm
 for valve SIT NOVASIT 820



SIT 0.006.245

3020084 NUT & OLIVE \varnothing 6 mm



SIT 0.958.031

Suitable for:

3526077 ELBOW FLANGE \varnothing 1/2" F
 complete with screws and O-Ring
 for valves SIT 820-Honeywell V4400-V4600-VR4605P



SIT 0.906.260

3526124 KNOB EXTENSION LENGTH 65 mm
 for VALVE 820 NOVA-824 NOVASIT



SIT 0.999.957

SIT 0.999.959

3020083 NUT & OLIVE \varnothing 4 mm



SIT 0.958.030

3001008 PIEZO IGNITER VERNITRON
 2.4 mm \varnothing male faston connector



SIT 0.073.953



Electrical gas valves and accessories



Suitable for:

3526075 STRAIGHT FLANGE \varnothing 1/2"
complete with screws and O-Ring
for valves SIT 820-Honeywell V4400-V4600-VR4605P



SIT 0.906.261

3440200 TWIN LEAD THERMOPILE 580 mm



SIT 0.240.002

SIT 0.940.002

3526361 VALVE 822 NOVA \varnothing 1/2"FF
inlet \varnothing 1/2"F - outlet \varnothing 1/2"F
thermocouple fitting M10x1
maximum gas inlet pressure 60 mbar
outlet pressure setting range
3÷30 mbar
room temperature 0÷60°C
power supply 230V 50Hz
for Bratt pan gas (ZANUSSI) - Series HD900



SIT 0.822.110

3526099 COIL 24V
for VALVE 820 NOVA-824 NOVASIT-822 NOVA-826 NOVA



SIT 0.967.065

3526078 ELBOW FLANGE \varnothing 3/4"
complete with screws and O-Ring
for valves SIT 820-Honeywell V4400-V4600-VR4605P



SIT 0.906.258

Suitable for:

3526076 STRAIGHT FLANGE \varnothing 3/4"
complete with screws and O-Ring
for valves SIT 820-Honeywell V4400-V4600-VR4605P



SIT 0.906.259

3526096 VALVE MICROSWITCH
maximum load 0.2 A
for VALVE ELETTROSIT-820 NOVA-824 NOVASIT



SIT 0.927.012

3526098 COIL 220V
for VALVE 820 NOVA-824 NOVASIT-822 NOVA-826 NOVA



SIT 0.967.064

3526077 ELBOW FLANGE \varnothing 1/2"
complete with screws and O-Ring
for valves SIT 820-Honeywell V4400-V4600-VR4605P



SIT 0.906.260

3526102 ELECTRIC COUPLING WITH CABLE
for VALVE 820 NOVA-824 NOVASIT-822 NOVA-826 NOVA



SIT 0.960.015

SIT 0.960.103



Electrical gas valves and accessories



Suitable for:

3020083 NUT & OLIVE \varnothing 4 mm



SIT 0.958.030

3526103 PROTECTING COVER
for VALVE 820 NOVA-824 NOVASIT-822 NOVA-826 NOVA



SIT 0.903.094

3526076 STRAIGHT FLANGE \varnothing 3/4"
complete with screws and O-Ring
for valves SIT 820-Honeywell V4400-V4600-VR4605P



SIT 0.906.259

3526175 VALVE 822 NOVA 230V 50Hz
inlet \varnothing 1/2"F - outlet \varnothing 1/2"F
gas inlet max.pressure 60 mbar
outlet pressure range
3÷30 mbar
room temperature 0÷60°C
power supply 230V 50Hz



SIT 0.822.144

SIT 0.822.114

3526099 COIL 24V
for VALVE 820 NOVA-824 NOVASIT-822 NOVA-826 NOVA



SIT 0.967.065

Suitable for:

3020084 NUT & OLIVE \varnothing 6 mm



SIT 0.958.031

3526075 STRAIGHT FLANGE \varnothing 1/2"
complete with screws and O-Ring
for valves SIT 820-Honeywell V4400-V4600-VR4605P



SIT 0.906.261

3526098 COIL 220V
for VALVE 820 NOVA-824 NOVASIT-822 NOVA-826 NOVA



SIT 0.967.064

3526077 ELBOW FLANGE \varnothing 1/2"
complete with screws and O-Ring
for valves SIT 820-Honeywell V4400-V4600-VR4605P



SIT 0.906.260



Electrical gas valves and accessories



Suitable for:

3526078 ELBOW FLANGE \varnothing 3/4" F
complete with screws and O-Ring
for valves SIT 820-Honeywell V4400-V4600-VR4605P



SIT 0.906.258

3020083 NUT & OLIVE \varnothing 4 mm



SIT 0.958.030

3526103 PROTECTING COVER
for VALVE 820 NOVA-824 NOVASIT-822 NOVA-826 NOVA



SIT 0.903.094

3526076 STRAIGHT FLANGE \varnothing 3/4"
complete with screws and O-Ring
for valves SIT 820-Honeywell V4400-V4600-VR4605P



SIT 0.906.259

3523098 VALVE 824 NOVA \varnothing 1/2" FF
inlet \varnothing 1/2" F - outlet \varnothing 1/2" F
thermocouple connection M9x1
maximum gas inlet pressure 60 mbar
outlet pressure adjustment range
2÷50 mbar
ambient temperature 0÷60°C
power supply 230V 50Hz
for Bratt pan gas (AMBASSADE) DBRG



SIT 0.824.010

Suitable for:

3526102 ELECTRIC COUPLING WITH CABLE
for VALVE 820 NOVA-824 NOVASIT-822 NOVA-826 NOVA



SIT 0.960.015

SIT 0.960.103

3020084 NUT & OLIVE \varnothing 6 mm



SIT 0.958.031

3526075 STRAIGHT FLANGE \varnothing 1/2"
complete with screws and O-Ring
for valves SIT 820-Honeywell V4400-V4600-VR4605P



SIT 0.906.261

3526098 COIL 220V
for VALVE 820 NOVA-824 NOVASIT-822 NOVA-826 NOVA



SIT 0.967.064



Suitable for:

Electrical gas valves and accessories



3526099 COIL 24V
for VALVE 820 NOVA-824 NOVASIT-822 NOVA-826 NOVA



SIT 0.967.065

3526078 ELBOW FLANGE \varnothing 3/4" F
complete with screws and O-Ring
for valves SIT 820-Honeywell V4400-V4600-VR4605P



SIT 0.906.258

3526143 MODULATOR COIL
220V rectified
for VALVE 836 TANDEM



SIT 0.967.135

3020084 NUT & OLIVE \varnothing 6 mm



SIT 0.958.031

3526075 STRAIGHT FLANGE \varnothing 1/2"
complete with screws and O-Ring
for valves SIT 820-Honeywell V4400-V4600-VR4605P



SIT 0.906.261

Suitable for:

3526077 ELBOW FLANGE \varnothing 1/2" F
complete with screws and O-Ring
for valves SIT 820-Honeywell V4400-V4600-VR4605P



SIT 0.906.260

3526102 ELECTRIC COUPLING WITH CABLE
for VALVE 820 NOVA-824 NOVASIT-822 NOVA-826 NOVA



SIT 0.960.015

3020083 NUT & OLIVE \varnothing 4 mm

SIT 0.960.103



SIT 0.958.030

3526103 PROTECTING COVER
for VALVE 820 NOVA-824 NOVASIT-822 NOVA-826 NOVA



SIT 0.903.094

3526076 STRAIGHT FLANGE \varnothing 3/4"
complete with screws and O-Ring
for valves SIT 820-Honeywell V4400-V4600-VR4605P



SIT 0.906.259



Electrical gas valves and accessories



Suitable for:

3526104 VALVE 830 TANDEM \varnothing 1/2"FF
inlet \varnothing 1/2"F - outlet \varnothing 1/2"F
maximum gas inlet pressure 60 mbar
outlet pressure adjustment range
3÷50 mbar
with slow start
room temperature 0÷60°C
power supply 230V 50Hz



SIT 0.830.034

3020083 NUT & OLIVE \varnothing 4 mm



SIT 0.958.030

3348041 PIPE OLIVE \varnothing 16 mm
for model PEL 23



SIT 0.957.008

3526141 VALVE 830 TANDEM \varnothing 1/2"FF
inlet \varnothing 1/2"F - outlet \varnothing 1/2"F
thermocouple fitting M10x1
maximum gas inlet pressure 60 mbar
outlet gas pressure setting range 3÷50 mbar
room temperature 0÷60°C
power supply 230V 50Hz



SIT 0.830.040

3020083 NUT & OLIVE \varnothing 4 mm



SIT 0.958.030

Suitable for:

3526142 DOUBLE COIL FOR VALVE
220V 50Hz
for VALVE 830 TANDEM-836 TANDEM



SIT 0.967.090

3020084 NUT & OLIVE \varnothing 6 mm



SIT 0.958.031

3526142 DOUBLE COIL FOR VALVE
220V 50Hz
for VALVE 830 TANDEM-836 TANDEM



SIT 0.967.090

3020084 NUT & OLIVE \varnothing 6 mm



SIT 0.958.031



Suitable for:

Electrical gas valves and accessories



3348041 PIPE OLIVE \varnothing 16 mm
for model PEL 23



SIT 0.957.008

3526268 VALVE 830 TANDEM \varnothing 1/2"FF
inlet \varnothing 1/2"F - outlet \varnothing 1/2"F
maximum gas inlet pressure 60 mbar
outlet pressure adjustment range
3÷50 mbar
power supply 24V 60Hz
for Pasta cooker gas (ZANUSSI) CR40G - CR41G
CR42G



SIT 0.830.100

3020083 NUT & OLIVE \varnothing 4 mm



SIT 0.958.030

3348041 PIPE OLIVE \varnothing 16 mm
for model PEL 23



SIT 0.957.008

3526140 VALVE 836 TANDEM \varnothing 1/2"FF
inlet \varnothing 1/2"F - outlet \varnothing 1/2"F
maximum gas inlet pressure 60 mbar
max.gas outlet pressure adjustment range 7÷50 mbar
outlet gas pressure setting range min.2÷45 mbar
room temperature 0÷60°C
power supply 230V 30A rectified
for Bratt pan gas (ZANUSSI) BR70G - BR70GZ
for Pasta cooker gas (ZANUSSI) - Series CPD



SIT 0.836.010

Suitable for:

3526142 DOUBLE COIL FOR VALVE
220V 50Hz
for VALVE 830 TANDEM-836 TANDEM



SIT 0.967.090

3020084 NUT & OLIVE \varnothing 6 mm



SIT 0.958.031

3526142 DOUBLE COIL FOR VALVE
220V 50Hz
for VALVE 830 TANDEM-836 TANDEM



SIT 0.967.090



Electrical gas valves and accessories



Suitable for:

3526143 MODULATOR COIL
220V rectified
for VALVE 836 TANDEM



SIT 0.967.135

3020084 NUT & OLIVE \varnothing 6 mm



SIT 0.958.031

Suitable for:

3020083 NUT & OLIVE \varnothing 4 mm



SIT 0.958.030

3348041 PIPE OLIVE \varnothing 16 mm
for model PEL 23



SIT 0.957.008

SOFINOR

3523079 GAS VALVE UNITROL 7000 BGOR-S7B
inlet \varnothing 1/2"F - outlet \varnothing 3/4"F
without pressure regulator




SOFINOR

3523082 MICRO SWITCH VALVE
length 415 mm
for gas valve UNITROL 7000 BER



SOFINOR

3523082 MICRO SWITCH VALVE
length 415 mm
for gas valve UNITROL 7000 BER



SOFINOR



Suitable for:

Electrical gas valves and accessories



Suitable for:

SOLYMAC

- 3526086 ELETROSIT VALVE \varnothing 3/4"FF**
inlet \varnothing 3/4" F - outlet \varnothing 3/4" F
thermocouple connection M9x1
maximum gas inlet pressure 50 mbar
pressure adjustment range
3 ÷ 18 mbar
ambient temperature 0 ÷ 60°C
power supply 230V 50Hz
pilot connection and LOWER thermocouple



SOLYMAC P71

TECNOINOX

- 3526300 VALVE 820 NOVA mV \varnothing 1/2"FF**
inlet \varnothing 1/2" F - outlet \varnothing 1/2" F
thermocouple fitting M9x1
maximum gas inlet pressure 60 mbar
outlet pressure range setting
outlet 5 ÷ 50 mbar
room temperature 0 ÷ 70°C
double wire thermopile power supply
(TPTH - TH terminal)
thermostat connection (TPTH - TH terminal)
suitable to replace the ITT valve
UB67 model
for Fryer gas (ELFRAMO) GSDT12 - GSDT20 - GST12
GST20 - GWDT12 - GWDT20 - GWD209T - GWM35T
GWT12 - GWT20 - GW209T



TECNOINOX RC30300014

THIRODE

- 3526141 VALVE 830 TANDEM \varnothing 1/2"FF**
inlet \varnothing 1/2" F - outlet \varnothing 1/2" F
thermocouple fitting M10x1
maximum gas inlet pressure 60 mbar
outlet gas pressure setting range 3 ÷ 50 mbar
room temperature 0 ÷ 60°C
power supply 230V 50Hz



THIRODE 310305



Suitable for:

Electrical gas valves and accessories



Suitable for:

UNOX

- 3526104 VALVE 830 TANDEM \varnothing 1/2"FF**
inlet \varnothing 1/2" F - outlet \varnothing 1/2" F
maximum gas inlet pressure 60 mbar
outlet pressure adjustment range
3÷50 mbar
with slow start
room temperature 0÷60°C
power supply 230V 50Hz



UNOX EL015

VISCOUNT

- 3526235 LPG CONVERSION KIT**
for GAS VALVE UNITROLL 7000



VISCOUNT 923569-05

- 3440172 TWIN LEAD THERMOPILE \varnothing 9x65 mm**
250÷750 mV
lead 850 mm



VISCOUNT 924598

- 3526284 UNITROL GAS VALVE 7000 BGOR**
 \varnothing 1/2" gas with adaptors \varnothing 3/4"-1/2"
magnetic thermocouple



VISCOUNT

WHIRLPOOL

- 3526137 BUTTON FOR ELETROSIT VALVE**



WHIRLPOOL 771985002741

- 3526142 DOUBLE COIL FOR VALVE**
220V 50Hz
for VALVE 830 TANDEM-836 TANDEM



WHIRLPOOL 771985000089



Electrical gas valves and accessories



Suitable for:

3526086 ELETTROSIT VALVE \varnothing 3/4"FF
 inlet \varnothing 3/4" F - outlet \varnothing 3/4" F
 thermocouple connection M9x1
 maximum gas inlet pressure 50 mbar
 pressure adjustment range
 3 ÷ 18 mbar
 ambient temperature 0 ÷ 60°C
 power supply 230V 50Hz
 pilot connection and LOWER thermocouple



WHIRLPOOL 202035

Suitable for:

3526096 VALVE MICROSWITCH
 maximum load 0.2 A
 for VALVE ELETTROSIT-820 NOVA-824 NOVASIT



WHIRLPOOL 483286009412

WHIRLPOOL 154539

WHIRLPOOL 156601

3526087 ELETTROSIT VALVE \varnothing 3/4"FF
 inlet \varnothing 3/4" F - outlet \varnothing 3/4" F
 thermocouple connection M9x1
 maximum gas inlet pressure 50 mbar
 pressure adjustment range
 3 ÷ 18 mbar
 ambient temperature 0 ÷ 60°C
 power supply 24V 50Hz
 pilot connection and LOWER thermocouple



WHIRLPOOL 154437

WHIRLPOOL 771985002952

3526096 VALVE MICROSWITCH
 maximum load 0.2 A
 for VALVE ELETTROSIT-820 NOVA-824 NOVASIT



WHIRLPOOL 483286009412

WHIRLPOOL 154539

WHIRLPOOL 156601

3526090 ELETTROSIT VALVE \varnothing 3/4"FF
 inlet \varnothing 3/4" F - outlet \varnothing 3/4" F
 thermocouple connection M9x1
 maximum gas inlet pressure 50 mbar
 pressure adjustment range
 3 ÷ 18 mbar
 ambient temperature 0 ÷ 60°C
 power supply 230V 50Hz
 long buttons
 pilot connection and LATERAL thermocouple
 for Bratt pan gas (BONNET)
 for Bratt pan gas (OLIS) KBG970 - 725KBG - 94KBCM
 94KBG
 for Fryer gas (BONNET)



WHIRLPOOL 157543

3526137 BUTTON FOR ELETTROSIT VALVE



WHIRLPOOL 771985002741



Electrical gas valves and accessories



Suitable for:

Suitable for:

3526096 VALVE MICROSWITCH
maximum load 0.2 A
for VALVE ELETTROSIT-820 NOVA-824 NOVASIT



WHIRLPOOL 483286009412

WHIRLPOOL 154539

WHIRLPOOL 156601

3526066 HONEYWELL VALVE V4400C \varnothing 3/4"FF 220V
inlet \varnothing 3/4"F - outlet \varnothing 3/4"F
thermocouple connection ASA pitch
maximum gas inlet pressure 60 mbar
room temperature 0÷70°C
power supply 230V 50Hz

3440200 TWIN LEAD THERMOPILE 580 mm



WHIRLPOOL 157340

WHIRLPOOL 102607

3526096 VALVE MICROSWITCH
maximum load 0.2 A
for VALVE ELETTROSIT-820 NOVA-824 NOVASIT



WHIRLPOOL 483286009412

WHIRLPOOL 154539

WHIRLPOOL 156601

3526079 VALVE 820 NOVA \varnothing 1/2"FF
inlet \varnothing 1/2"F - outlet \varnothing 1/2"F
thermocouple fitting M9x1
maximum gas inlet pressure 60 mbar
outlet pressure setting range
3÷30 mbar
room temperature 0÷70°C
power supply 230V 50Hz
for Fryer gas (ANGELO PO) - Series ALPHA
Series BIFRONTI - Series DELTA - Series GAMMA
Series OMEGA
for Fryer gas (CAPIC)

3241141 KNOB EXTENSION
D-shaped hole 10x8 mm
for gas valve
for OVEN-FRYER



WHIRLPOOL 483286009413

WHIRLPOOL 155446

WHIRLPOOL 156514

WHIRLPOOL 159305

WHIRLPOOL 202440



Suitable for:

3241142 KNOB GASKET \varnothing 44 mm



WHIRLPOOL 159326

3020083 NUT & OLIVE \varnothing 4 mm



WHIRLPOOL 152833

3526096 VALVE MICROSWITCH
maximum load 0.2 A
for VALVE ELETTROSIT-820 NOVA-824 NOVASIT



WHIRLPOOL 483286009412

WHIRLPOOL 154539

WHIRLPOOL 156601

3526179 VALVE 820 NOVA \varnothing 1/2"FF
inlet \varnothing 1/2" F - outlet \varnothing 1/2" F
thermocouple connection M9x1
maximum gas inlet pressure 60 mbar
outlet pressure adjustment range
5÷50 mbar
ambient temperature 0÷70°C
without slow start
power supply 220V 50Hz
for Boiling pan gas (ZANUSSI) - Series N700
Series N900
for Fryer (WHIRLPOOL) AFR/G410
for Fryer gas (ZANUSSI) - Series HD900
Series N900
for Pasta cooker gas (ZANUSSI) - Series N900



WHIRLPOOL 102903

WHIRLPOOL 771985000271

Electrical gas valves and accessories



Suitable for:

3182008 MAGNETIC UNIT SIT
 \varnothing head 35 mm - \varnothing end 20 mm - length 47 mm
for valve SIT NOVASIT 820



WHIRLPOOL 156589

3020084 NUT & OLIVE \varnothing 6 mm



WHIRLPOOL 152834

WHIRLPOOL 483286008457

3526269 VALVE 820 NOVA EXTENSION
D shaft \varnothing 10x8 mm
for Bratt pan gas (WHIRLPOOL) ABR/G810-221560
for Bratt pan gas (ZANUSSI) ABR/G800 - ABR/G805
ABR/G810 - ABR/G811 - ABR/G815 - ABR/G816
ABR/G820 - ABR/G825 - OBR/G800UK
for Fryer gas (WHIRLPOOL) XFR/G351



WHIRLPOOL 771985000236

WHIRLPOOL 102790

3182008 MAGNETIC UNIT SIT
 \varnothing head 35 mm - \varnothing end 20 mm - length 47 mm
for valve SIT NOVASIT 820



WHIRLPOOL 156589



Electrical gas valves and accessories



Suitable for:

3020083 NUT & OLIVE \varnothing 4 mm



WHIRLPOOL 152833

3526096 VALVE MICROSWITCH
maximum load 0.2 A
for VALVE ELETTROSIT-820 NOVA-824 NOVASIT



Suitable for:

3020084 NUT & OLIVE \varnothing 6 mm



WHIRLPOOL 152834

WHIRLPOOL 483286008457

WHIRLPOOL 483286009412

WHIRLPOOL 154539

WHIRLPOOL 156601

3526300 VALVE 820 NOVA mV \varnothing 1/2"FF
inlet \varnothing 1/2"FF - outlet \varnothing 1/2"FF
thermocouple fitting M9x1
maximum gas inlet pressure 60 mbar
outlet pressure range setting
outlet 5÷50 mbar
room temperature 0÷70°C
double wire thermopile power supply
(TPTH - TH terminal)
thermostat connection (TPTH - TH terminal)
suitable to replace the ITT valve
UB67 model
for Fryer gas (ELFRAMO) GSDT12 - GSDT20 - GST12
GST20 - GWDT12 - GWDT20 - GWD209T - GWM35T
GWT12 - GWT20 - GW209T



WHIRLPOOL 102606

3020083 NUT & OLIVE \varnothing 4 mm



WHIRLPOOL 152833

3182008 MAGNETIC UNIT SIT
 \varnothing head 35 mm - \varnothing end 20 mm - length 47 mm
for valve SIT NOVASIT 820



WHIRLPOOL 156589

3020084 NUT & OLIVE \varnothing 6 mm



WHIRLPOOL 152834

WHIRLPOOL 483286008457



Suitable for:

Electrical gas valves and accessories



3440200 TWIN LEAD THERMOPILE 580 mm

Suitable for:

3526096 VALVE MICROSWITCH
maximum load 0.2 A
for VALVE ELETTROSIT-820 NOVA-824 NOVASIT



WHIRLPOOL 102607

WHIRLPOOL 483286009412

WHIRLPOOL 154539

WHIRLPOOL 156601

3526269 VALVE 820 NOVA EXTENSION

D shaft \varnothing 10x8 mm
for Bratt pan gas (WHIRLPOOL) ABR/G810-221560
for Bratt pan gas (ZANUSSI) ABR/G800 - ABR/G805
ABR/G810 - ABR/G811 - ABR/G815 - ABR/G816
ABR/G820 - ABR/G825 - OBR/G800UK
for Fryer gas (WHIRLPOOL) XFR/G351



WHIRLPOOL 771985000236

WHIRLPOOL 102790

3526361 VALVE 822 NOVA \varnothing 1/2"FF

inlet \varnothing 1/2" F - outlet \varnothing 1/2" F
thermocouple fitting M10x1
maximum gas inlet pressure 60 mbar
outlet pressure setting range
3÷30 mbar
room temperature 0÷60°C
power supply 230V 50Hz
for Bratt pan gas (ZANUSSI) - Series HD900



WHIRLPOOL 159473

3020083 NUT & OLIVE \varnothing 4 mm



WHIRLPOOL 152833

3020084 NUT & OLIVE \varnothing 6 mm



WHIRLPOOL 152834

WHIRLPOOL 483286008457



Electrical gas valves and accessories



Suitable for:

Suitable for:

3526175 VALVE 822 NOVA 230V 50Hz
 inlet \varnothing 1/2" F - outlet \varnothing 1/2" F
 gas inlet max. pressure 60 mbar
 outlet pressure range
 3 ÷ 30 mbar
 room temperature 0 ÷ 60°C
 power supply 230V 50Hz

3020083 NUT & OLIVE \varnothing 4 mm



WHIRLPOOL 483286009797

WHIRLPOOL 152833

3020084 NUT & OLIVE \varnothing 6 mm



WHIRLPOOL 152834

WHIRLPOOL 483286008457

3526141 VALVE 830 TANDEM \varnothing 1/2" FF
 inlet \varnothing 1/2" F - outlet \varnothing 1/2" F
 thermocouple fitting M10x1
 maximum gas inlet pressure 60 mbar
 outlet gas pressure setting range 3 ÷ 50 mbar
 room temperature 0 ÷ 60°C
 power supply 230V 50Hz

3526142 DOUBLE COIL FOR VALVE
 220V 50Hz
 for VALVE 830 TANDEM-836 TANDEM



WHIRLPOOL 771985000067

WHIRLPOOL 102340

WHIRLPOOL 771985000089

3020083 NUT & OLIVE \varnothing 4 mm

3020084 NUT & OLIVE \varnothing 6 mm



WHIRLPOOL 152833

WHIRLPOOL 152834

WHIRLPOOL 483286008457



Suitable for:

Electrical gas valves and accessories



Suitable for:

ZANUSSI

3526270 VALVE 820 NOVA EXTENSION

D shaft \varnothing 10x8 mm
for Bratt pan gas (ZANUSSI) KBR/G2C - KBR/G2CH
KBR/G2F - KBR/G2FH - KBR/G3C - KBR/G3CH
KBR/G3F - KBR/G3FH
for Fryer gas (ZANUSSI) JFR/G2S40 - MFR/G2S40
PFR/G2S40 - RFR/G2S40 - TFR/G2S60 - XFR/G2S40



ZANUSSI 004667

3526137 BUTTON FOR ELETTROSIT VALVE



ZANUSSI 053820

ZANUSSI 053992

3526098 COIL 220V


for VALVE 820 NOVA-824 NOVASIT-822 NOVA-826 NOVA



ZANUSSI 0K3020

3526142 DOUBLE COIL FOR VALVE

220V 50Hz
for VALVE 830 TANDEM-836 TANDEM



ZANUSSI 002452

3526085 ELETTROSIT VALVE \varnothing 3/4"FF

inlet \varnothing 3/4" F - outlet \varnothing 3/4" F
thermocouple connection M9x1
maximum gas inlet pressure 50 mbar
pressure adjustment range
3 ÷ 18 mbar
ambient temperature 0 ÷ 60°C
power supply 230V 50Hz
pilot connection and LATERAL thermocouple



ZANUSSI

3526096 VALVE MICROSWITCH

maximum load 0.2 A
for VALVE ELETTROSIT-820 NOVA-824 NOVASIT



ZANUSSI 054539

ZANUSSI 056601



Electrical gas valves and accessories



Suitable for:

3526086 ELETTROSIT VALVE \varnothing 3/4"FF
inlet \varnothing 3/4" F - outlet \varnothing 3/4" F
thermocouple connection M9x1
maximum gas inlet pressure 50 mbar
pressure adjustment range
3 ÷ 18 mbar
ambient temperature 0 ÷ 60°C
power supply 230V 50Hz
pilot connection and LOWER thermocouple



ZANUSSI 0A2035

Suitable for:

3526096 VALVE MICROSWITCH
maximum load 0.2 A
for VALVE ELETTROSIT-820 NOVA-824 NOVASIT



ZANUSSI 054539

ZANUSSI 056601

3526087 ELETTROSIT VALVE \varnothing 3/4"FF
inlet \varnothing 3/4" F - outlet \varnothing 3/4" F
thermocouple connection M9x1
maximum gas inlet pressure 50 mbar
pressure adjustment range
3 ÷ 18 mbar
ambient temperature 0 ÷ 60°C
power supply 24V 50Hz
pilot connection and LOWER thermocouple



ZANUSSI 054437

3526093 EXTENSION ELETTROSIT BUTTON
for switching on/off buttons



ZANUSSI 051281

ZANUSSI 055805

3526096 VALVE MICROSWITCH
maximum load 0.2 A
for VALVE ELETTROSIT-820 NOVA-824 NOVASIT



ZANUSSI 054539

ZANUSSI 056601



Electrical gas valves and accessories



Suitable for:

Suitable for:

3526090 ELETROSIT VALVE \varnothing 3/4"FF
 inlet \varnothing 3/4" F - outlet \varnothing 3/4" F
 thermocouple connection M9x1
 maximum gas inlet pressure 50 mbar
 pressure adjustment range
 3 ÷ 18 mbar
 ambient temperature 0 ÷ 60°C
 power supply 230V 50Hz
 long buttons
 pilot connection and LATERAL thermocouple
 for Bratt pan gas (BONNET)
 for Bratt pan gas (OLIS) KBG970 - 725KBG - 94KBCM
 94KBG
 for Fryer gas (BONNET)

3526137 BUTTON FOR ELETROSIT VALVE



ZANUSSI 057543

ZANUSSI 053820

ZANUSSI 053992

3526093 EXTENSION ELETROSIT BUTTON
 for switching on/off buttons

3526136 SPRING FOR PUSH-BUTTON



ZANUSSI 051281

ZANUSSI 055805

ZANUSSI 053819

3526096 VALVE MICROSWITCH
 maximum load 0.2 A
 for VALVE ELETROSIT-820 NOVA-824 NOVASIT



ZANUSSI 054539

ZANUSSI 056601

3526093 EXTENSION ELETROSIT BUTTON
 for switching on/off buttons

3526066 HONEYWELL VALVE V4400C \varnothing 3/4" FF 220V
 inlet \varnothing 3/4" F - outlet \varnothing 3/4" F
 thermocouple connection ASA pitch
 maximum gas inlet pressure 60 mbar
 room temperature 0 ÷ 70°C
 power supply 230V 50Hz



ZANUSSI 051281

ZANUSSI 055805

ZANUSSI 057340



Electrical gas valves and accessories



Suitable for:

3526136 SPRING FOR PUSH-BUTTON



ZANUSSI 053819

Suitable for:

3440200 TWIN LEAD THERMOPILE 580 mm



ZANUSSI 002607

3526096 VALVE MICROSWITCH
maximum load 0.2 A
for VALVE ELETTROSIT-820 NOVA-824 NOVASIT



ZANUSSI 054539

ZANUSSI 056601

3526079 VALVE 820 NOVA \varnothing 1/2"FF
inlet \varnothing 1/2" F - outlet \varnothing 1/2" F
thermocouple fitting M9x1
maximum gas inlet pressure 60 mbar
outlet pressure setting range
3÷30 mbar
room temperature 0÷70°C
power supply 230V 50Hz
for Fryer gas (ANGELO PO) - Series ALPHA
Series BIFRONTI - Series DELTA - Series GAMMA
Series OMEGA
for Fryer gas (CAPIC)



ZANUSSI 055446

ZANUSSI 056514

ZANUSSI 0A2440

3526098 COIL 220V
for VALVE 820 NOVA-824 NOVASIT-822 NOVA-826 NOVA



ZANUSSI 0K3020

3526270 VALVE 820 NOVA EXTENSION
D shaft \varnothing 10x8 mm
for Bratt pan gas (ZANUSSI) KBR/G2C - KBR/G2CH
KBR/G2F - KBR/G2FH - KBR/G3C - KBR/G3CH
KBR/G3F - KBR/G3FH
for Fryer gas (ZANUSSI) JFR/G2S40 - MFR/G2S40
PFR/G2S40 - RFR/G2S40 - TFR/G2S60 - XFR/G2S40



ZANUSSI 004667

3241141 KNOB EXTENSION
D-shaped hole 10x8 mm
for gas valve
for OVEN-FRYER



ZANUSSI 058305



Suitable for:

3241142 KNOB GASKET \varnothing 44 mm



ZANUSSI 059326

3020083 NUT & OLIVE \varnothing 4 mm



ZANUSSI 052833

3526096 VALVE MICROSWITCH
maximum load 0.2 A
for VALVE ELETTROSIT-820 NOVA-824 NOVASIT



ZANUSSI 054539

3526179 VALVE 820 NOVA \varnothing 1/2"FF
inlet \varnothing 1/2" F - outlet \varnothing 1/2" F
thermocouple connection M9x1
maximum gas inlet pressure 60 mbar
outlet pressure adjustment range
5÷50 mbar
ambient temperature 0÷70°C
without slow start
power supply 220V 50Hz
for Boiling pan gas (ZANUSSI) - Series N700
Series N900
for Fryer (WHIRLPOOL) AFR/G410
for Fryer gas (ZANUSSI) - Series HD900
Series N900
for Pasta cooker gas (ZANUSSI) - Series N900



ZANUSSI 002903

Electrical gas valves and accessories



Suitable for:

3182008 MAGNETIC UNIT SIT
 \varnothing head 35 mm - \varnothing end 20 mm - length 47 mm
for valve SIT NOVASIT 820



ZANUSSI 056589

3020084 NUT & OLIVE \varnothing 6 mm



ZANUSSI 052834

3526269 VALVE 820 NOVA EXTENSION
D shaft \varnothing 10x8 mm
for Bratt pan gas (WHIRLPOOL) ABR/G810-221560
for Bratt pan gas (ZANUSSI) ABR/G800 - ABR/G805
ABR/G810 - ABR/G811 - ABR/G815 - ABR/G816
ABR/G820 - ABR/G825 - OBR/G800UK
for Fryer gas (WHIRLPOOL) XFR/G351



ZANUSSI 002790

3526270 VALVE 820 NOVA EXTENSION
D shaft \varnothing 10x8 mm
for Bratt pan gas (ZANUSSI) KBR/G2C - KBR/G2CH
KBR/G2F - KBR/G2FH - KBR/G3C - KBR/G3CH
KBR/G3F - KBR/G3FH
for Fryer gas (ZANUSSI) JFR/G2S40 - MFR/G2S40
PFR/G2S40 - RFR/G2S40 - TFR/G2S60 - XFR/G2S40



ZANUSSI 004667



Electrical gas valves and accessories



Suitable for:

3241429 BLACK KNOB \varnothing 30 mm SILK-SCREEN PRINTED



ZANUSSI 003704

3182008 MAGNETIC UNIT SIT
 \varnothing head 35 mm - \varnothing end 20 mm - length 47 mm
for valve SIT NOVASIT 820



ZANUSSI 056589

3020084 NUT & OLIVE \varnothing 6 mm



ZANUSSI 052834

40C2408 VALVE 820 NOVA \varnothing 1/2"FF
inlet \varnothing 1/2" F - outlet \varnothing 1/2" F
thermocouple connection M9x1
gas max. inlet pressure 60 mbar
outlet pressure range setting
5÷50 mbar
room temperature 0÷70°C
power supply 24V 50Hz
for Bratt pan gas (ZANUSSI) CRN15G - CRN20G
for Pasta cooker gas (ZANUSSI) CR40G - CR42G



ZANUSSI 0C2408

3182008 MAGNETIC UNIT SIT
 \varnothing head 35 mm - \varnothing end 20 mm - length 47 mm
for valve SIT NOVASIT 820



ZANUSSI 056589

Suitable for:

3526098 COIL 220V
for VALVE 820 NOVA-824 NOVASIT-822 NOVA-826 NOVA



ZANUSSI 0K3020

3020083 NUT & OLIVE \varnothing 4 mm



ZANUSSI 052833

3526096 VALVE MICROSWITCH
maximum load 0.2 A
for VALVE ELETTROSIT-820 NOVA-824 NOVASIT



ZANUSSI 054539

ZANUSSI 056601

3526098 COIL 220V
for VALVE 820 NOVA-824 NOVASIT-822 NOVA-826 NOVA



ZANUSSI 0K3020

3020083 NUT & OLIVE \varnothing 4 mm



ZANUSSI 052833



Suitable for:

Electrical gas valves and accessories



3020084 NUT & OLIVE \varnothing 6 mm



ZANUSSI 052834

Suitable for:

3526096 VALVE MICROSWITCH
maximum load 0.2 A
for VALVE ELETTROSIT-820 NOVA-824 NOVASIT



ZANUSSI 054539

ZANUSSI 056601

3526300 VALVE 820 NOVA mV \varnothing 1/2"FF
inlet \varnothing 1/2"F - outlet \varnothing 1/2"F
thermocouple fitting M9x1
maximum gas inlet pressure 60 mbar
outlet pressure range setting
outlet 5÷50 mbar
room temperature 0÷70°C
double wire thermopile power supply
(TPTH - TH terminal)
thermostat connection (TPTH - TH terminal)
suitable to replace the ITT valve
UB67 model
for Fryer gas (ELFRAMO) GSDT12 - GSDT20 - GST12
GST20 - GWDT12 - GWDT20 - GWD209T - GWM35T
GWT12 - GWT20 - GW209T



ZANUSSI 002606

3182008 MAGNETIC UNIT SIT
 \varnothing head 35 mm - \varnothing end 20 mm - length 47 mm
for valve SIT NOVASIT 820



ZANUSSI 056589

3020084 NUT & OLIVE \varnothing 6 mm



ZANUSSI 052834

3526270 VALVE 820 NOVA EXTENSION
D shaft \varnothing 10x8 mm
for Bratt pan gas (ZANUSSI) KBR/G2C - KBR/G2CH
KBR/G2F - KBR/G2FH - KBR/G3C - KBR/G3CH
KBR/G3F - KBR/G3FH
for Fryer gas (ZANUSSI) JFR/G2S40 - MFR/G2S40
PFR/G2S40 - RFR/G2S40 - TFR/G2S60 - XFR/G2S40



ZANUSSI 004667

3020083 NUT & OLIVE \varnothing 4 mm



ZANUSSI 052833

3440200 TWIN LEAD THERMOPILE 580 mm



ZANUSSI 002607



Electrical gas valves and accessories



Suitable for:

3526096 VALVE MICROSWITCH
maximum load 0.2 A
for VALVE ELETTROSIT-820 NOVA-824 NOVASIT

Suitable for:



ZANUSSI 054539

ZANUSSI 056601

3526269 VALVE 820 NOVA EXTENSION
D shaft \varnothing 10x8 mm
for Bratt pan gas (WHIRLPOOL) ABR/G810-221560
for Bratt pan gas (ZANUSSI) ABR/G800 - ABR/G805
ABR/G810 - ABR/G811 - ABR/G815 - ABR/G816
ABR/G820 - ABR/G825 - OBR/G800UK
for Fryer gas (WHIRLPOOL) XFR/G351



ZANUSSI 002790

3526361 VALVE 822 NOVA \varnothing 1/2"FF
inlet \varnothing 1/2" F - outlet \varnothing 1/2" F
thermocouple fitting M10x1
maximum gas inlet pressure 60 mbar
outlet pressure setting range
3÷30 mbar
room temperature 0÷60°C
power supply 230V 50Hz
for Bratt pan gas (ZANUSSI) - Series HD900



ZANUSSI 059473

3020083 NUT & OLIVE \varnothing 4 mm



ZANUSSI 052833

3526098 COIL 220V
for VALVE 820 NOVA-824 NOVASIT-822 NOVA-826 NOVA



ZANUSSI 0K3020

3020084 NUT & OLIVE \varnothing 6 mm



ZANUSSI 052834



Electrical gas valves and accessories



Suitable for:

3526141 VALVE 830 TANDEM \varnothing 1/2"FF
 inlet \varnothing 1/2"F - outlet \varnothing 1/2"F
 thermocouple fitting M10x1
 maximum gas inlet pressure 60 mbar
 outlet gas pressure setting range 3÷50 mbar
 room temperature 0÷60°C
 power supply 230V 50Hz



ZANUSSI 002340

ZANUSSI 005897

3020083 NUT & OLIVE \varnothing 4 mm



ZANUSSI 052833

3348041 PIPE OLIVE \varnothing 16 mm
 for model PEL 23



ZANUSSI 054817

ZANUSSI 052871

3526268 VALVE 830 TANDEM \varnothing 1/2"FF
 inlet \varnothing 1/2"F - outlet \varnothing 1/2"F
 maximum gas inlet pressure 60 mbar
 outlet pressure adjustment range
 3÷50 mbar
 power supply 24V 60Hz
 for Pasta cooker gas (ZANUSSI) CR40G - CR41G
 CR42G



ZANUSSI 005526

3020083 NUT & OLIVE \varnothing 4 mm



ZANUSSI 052833

Suitable for:

3526142 DOUBLE COIL FOR VALVE
 220V 50Hz
 for VALVE 830 TANDEM-836 TANDEM



ZANUSSI 002452

3020084 NUT & OLIVE \varnothing 6 mm



ZANUSSI 052834

3526142 DOUBLE COIL FOR VALVE
 220V 50Hz
 for VALVE 830 TANDEM-836 TANDEM



ZANUSSI 002452

3020084 NUT & OLIVE \varnothing 6 mm



ZANUSSI 052834



Electrical gas valves and accessories



Suitable for:

3348041 PIPE OLIVE \varnothing 16 mm
for model PEL 23



ZANUSSI 054817

ZANUSSI 052671

Suitable for:

3526140 VALVE 836 TANDEM \varnothing 1/2" FF
inlet \varnothing 1/2" F - outlet \varnothing 1/2" F
maximum gas inlet pressure 60 mbar
max.gas outlet pressure adjustment range 7÷50 mbar
outlet gas pressure setting range min.2÷45 mbar
room temperature 0÷60°C
power supply 230V 30A rectified
for Bratt pan gas (ZANUSSI) BR70G - BR70GZ
for Pasta cooker gas (ZANUSSI) - Series CPD



ZANUSSI 002714

3020083 NUT & OLIVE \varnothing 4 mm



ZANUSSI 052833

3348041 PIPE OLIVE \varnothing 16 mm
for model PEL 23



ZANUSSI 054817

ZANUSSI 052671

3526142 DOUBLE COIL FOR VALVE
220V 50Hz
for VALVE 830 TANDEM-836 TANDEM



ZANUSSI 002452

3020084 NUT & OLIVE \varnothing 6 mm



ZANUSSI 052834