




Spare parts for:

**Cooking equipment**



# Equipment, complete



This catalogue is automatically generated.  
Therefore, the sequence of the items might  
not be always shown at best.  
Updates will be issued in case of additions  
and/or amendments.

Rel. 2014-01151716





# Equipment, complete



Suitable for:

Suitable for:

**3235947 BAINMARIE BUILT-IN KIT**  
 2.5Kw AC 230V 50Hz  
 tank GN 1/1 530x325mm - AISI 304  
 mounting hole 575x370 mm



**3235902 CONTROL KIT FOR BOILING TOP 700-900**



**3235905 CONTROL KIT FOR FRYER HEATING ELEMENT**  
 adjusting thermostat 95°C-190°C  
 safety thermostat 230°C



**3235906 CONTROL KIT FOR PASTA COOKER ELEMENT**  
 adjusting thermostat 32°C-110°C  
 safety thermostat 150°C



**3235924 CONTROL KIT FOR SINGLE-PHASE BAIN-MARIE**  
 operating thermostat 100°C  
 safety thermostat 120°C



**3235923 CONTROL KIT FOR THREE-PHASE BAIN-MARIE**  
 operating thermostat 100°C  
 safety thermostat 120°C



**3235904 CONTROL KIT FRY-TOP**  
 adjusting thermostat 300°C  
 safety thermostat 350°C



**3235082 COOKING RANGE 2x6Kw GAS**  
 dimensions 760x460xh175 mm



**3235080 COOKING RANGE 2000+2000W 400/3+N V**  
 2 plates ø 220 mm  
 dimensions 760x440xh140 mm



**3235079 COOKING RANGE 2000W 230V**  
 plate ø 220 mm  
 dimensions 370x440xh140 mm





# Equipment, complete



Suitable for:

**3235081 COOKING RANGE 6Kw GAS**  
dimensions 370x460xh175 mm



Suitable for:

**3235085 CREPE PAN 2.4Kw 230V**  
disc ø 350 mm  
dimensions 370x440xh160 mm



**3235086 CREPE PAN 2x2.4Kw 400/3+N V**  
2 plates ø 350 mm  
dimensions 760x440xh160 mm



**3235088 CREPE PAN 2x4.5KW GAS**  
2 plates ø 350 mm  
dimensions 760x440xh160 mm



**3235087 CREPE PAN 4.5KW GAS**  
disc ø 350 mm  
dimensions 370x440xh160 mm



**3235096 DISH WARMER CABINET GN 2/3 700W 230V**  
dimensions 400x425xh970 mm



**3235074 ELECTRIC FRYER 25 L**  
9000W 400/3+N V  
dimensions 585x660+55xh280+140 mm  
with patisserie rack  
with outlet valve



**3235070 ELECTRIC FRYER 4 L 2500W 230V**  
with extractable tray  
dimensions 170x440xh210+95 mm  
rack 135x245xh105 mm



**3235071 ELECTRIC FRYER 4+4 L 2x2500W 230V**  
with extractable tray  
dimensions 380x420xh230+90 mm  
rack 135x245xh105 mm



**3235072 ELECTRIC FRYER 8 L 3000W 230V**  
with extractable tray  
dimensions 270x440+50xh265+90 mm  
rack 210x250xh110 mm  
with outlet valve





# Equipment, complete



Suitable for:

**3235073 ELECTRIC FRYER 8+8 L 3000W 230V**  
with extractable tray  
dimensions 565x440+50xh265+90 mm  
rack 210x250xh110 mm  
with outlet valve



Suitable for:

**3235062 ELECTRIC FRYER 8L 6000W 400V 3AC**  
50/60Hz  
dimensions 430x490xh350 mm



**3235106 ELECTRIC GYROS GE01 3000W 230V**  
1 cooking area  
dimensions 400x450xh580 mm  
max meat size 300xh390 mm



**3235095 ELECTRIC GYROS GE4 9000W 400V**  
6 independent cooking areas  
dimensions 500x620xh980 mm  
max meat size 370xh710 mm



**3235061 ELECTRIC PASTA COOKER 8L 3000W 230V**  
50/60Hz  
dimensions 430x490xh350 mm



**3235955 ELECTROMECHANICAL CONTROL KIT GRILL**  
operating thermostat 30°÷400°C



**3235084 FRY TOP GAS 5Kw**  
smooth plate 545x350 mm  
dimensions 550x515xh240 mm



**3235083 FRY TOP 2.7KW 230V**  
smooth plate 545x350 mm  
dimensions 550x500xh240 mm



**3235956 FRYER BUILT-IN KIT**  
15KW AC 400V 3N+E 50Hz  
tank 2/3 GN - 17 L - AISI 304  
mounting hole 575x370 mm  
with basket and false bottom net  
rotation of heating elements 95° for cleaning



**3001059 GAS IGNITER**





# Equipment, complete



Suitable for:

Suitable for:

**3235934 GLASS HORIZONTAL HOT PLATE**  
N° 1 cooking zone  
1x160W 230V 50Hz  
toughened glass heating surface  
AISI 430 stainless steel frame Scotch Brite finish  
thermostatic adjustment 30°÷90°C  
IP2X protection degree  
size 400x400xh60 mm



**3235935 GLASS HORIZONTAL HOT PLATE**  
N° 2 cooking zones  
2x160W 230V 50Hz  
toughened glass heating surface  
AISI 430 stainless steel frame Scotch Brite finish  
thermostatic adjustment 30°÷90°C  
IP2X protection degree  
size 800x400xh60 mm



**3235936 GLASS HORIZONTAL HOT PLATE**  
N° 1 cooking zone  
1x350W 230V 50Hz  
toughened glass heating surface  
AISI 430 stainless steel frame Scotch Brite finish  
thermostatic adjustment 30°÷90°C  
IP2X protection degree  
size 500x500xh60 mm



**3235937 GLASS HORIZONTAL HOT PLATE**  
N° 2 cooking zones  
2x250W 230V 50Hz  
toughened glass heating surface  
AISI 430 stainless steel frame Scotch Brite finish  
thermostatic adjustment 30°÷90°C  
IP2X protection degree  
size 1000x500xh60 mm



**3235938 GLASS SLANTED HOT PLATE**  
N° 1 cooking zone  
1x160W 230V 50Hz  
toughened glass heating surface  
AISI 430 stainless steel frame Scotch Brite finish  
thermostatic adjustment 30°÷90°C  
IP2X protection degree  
size 400x400xh60 mm



**3235939 GLASS SLANTED HOT PLATE**  
N° 2 cooking zones  
2x160W 230V 50Hz  
toughened glass heating surface  
AISI 430 stainless steel frame Scotch Brite finish  
thermostatic adjustment 30°÷90°C  
IP2X protection degree  
size 800x400xh60 mm



**3235940 GLASS SLANTED HOT PLATE**  
N° 1 cooking zone  
1x250W 230V 50Hz  
toughened glass heating surface  
AISI 430 stainless steel frame Scotch Brite finish  
thermostatic adjustment 30°÷90°C  
IP2X protection degree  
size 500x500xh60 mm



**3235941 GLASS SLANTED HOT PLATE**  
N° 2 cooking zones  
2x250W 230V 50Hz  
toughened glass heating surface  
AISI 430 stainless steel frame Scotch Brite finish  
thermostatic adjustment 30°÷90°C  
IP2X protection degree  
size 1000x500xh60 mm







# Equipment, complete



Suitable for:

Suitable for:

**3235954 GRILL BUILT-IN KIT**  
 direct cooking on the element  
 temperature 30°÷400°C  
 3x1360W (4080W) AC 400V 3N+E 50Hz  
 dimensions 582x375xh180 mm



**3235950 HEATING ELEMENT FOR FRYER KIT**  
 10500W 230V  
 immersed depth 334x228 mm  
 mounting hole ø 50 mm  
 to be mounted on the right side



**3235951 HEATING ELEMENT FOR FRYER KIT**  
 17400W 230V  
 immersed depth 504x228 mm  
 mounting hole ø 50 mm  
 to be mounted on the right side



**3235952 HEATING ELEMENT FOR PASTA COOKER KIT**  
 7800W 230V  
 immersed depth 334x228 mm  
 mounting hole ø 50 mm  
 to be mounted on the right side



**3526282 HOT CUPBOARD KIT 1000W 230V 50Hz**  
 tubular element with wings  
 thermostat 0÷90°C  
 side knob  
 flow rate 130 (m3/h)  
 dimensions 310x278x92 mm  
 distance between holes 264 mm



**3526281 HOT CUPBOARD KIT 2000W 230V 50Hz**  
 tube element with wings  
 thermostat 0÷90°C  
 side knob  
 flow rate 130 (m3/h)  
 dimensions 310x278x92 mm  
 distance between holes 264 mm



**3235050 INDUCTION TOP 1400W 230V 50/60Hz**  
 dimensions 350x350xh120 mm



**3235052 INDUCTION TOP 2x2300W 230V 50/60Hz**  
 dimensions 740x400xh120 mm





# Equipment, complete



Suitable for:

**3235051 INDUCTION TOP 2300W 230V 50/60Hz**  
dimensions 365x400xh120 mm



Suitable for:

**3526190 KIT FOR HOT CUPBOARD 2000W 220V**  
stainless steel body  
complete with:  
- fan  
- element 2000W 230V 50/60Hz  
-thermostat 30°÷90°C  
dimensions 300x190x130 mm  
hole dimensions 310x85 mm



**3526191 KIT FOR HOT CUPBOARD 2000W 230V**  
stainless steel body  
complete with  
- fan  
- element 2000W 230V 50Hz  
-thermostat 30°÷90°C  
dimensions 265x180x110 mm  
hole dimensions 285x85.5 mm



**3526192 KIT FOR HOT CUPBOARD 2000W 230V**  
stainless steel body  
complete with  
- fan  
- element 2000W 230V 50Hz  
- thermostat 30°÷90°C  
dimensions 300x190x130 mm  
hole dimensions 310x85 mm



**3235901 KIT FOR PYROCERAMIC COOKING TOP 900**  
2x3.0KW 400V 50Hz  
pyroceramic top thickness ø 6 mm  
cooking top 2x ø 270 mm  
AISI 430 steel frame  
hole 355x725 mm  
glass size 720x350x6 mm  
temperature regulation 65°÷450°C




**3235902 CONTROL KIT FOR BOILING TOP 700-900**



**3235913 KIT FOR ST/STEEL FRY TOP 900**  
3x2.5KW 400V 50Hz  
AISI 430 steel frame  
hole 390x600 mm  
size 620x390xh90 mm  
temperature regulation 65°÷300°C



**3235914 KIT FOR ST/STEEL SOLID TOP 700**  
2x2.5KW 400V 50Hz  
AISI 430 steel frame  
hole 328x548 mm  
temperature regulation 65°÷450°C





# Equipment, complete



Suitable for:

Suitable for:

**3235915 KIT FOR ST/STEEL SOLID TOP 900**  
 2x3KW 400V 50Hz  
 AISI 430 steel frame  
 hole 348x678 mm  
 temperature regulation 65°÷450°C




**3235946 PASTA COOKER BUILT-IN KIT**  
 6KW AC 400V 3N+E 50Hz  
 tank 2/3 GN - 17 L - AISI 304  
 mounting hole 575x375 mm  
 with baskets and net for false bottom  
 rotation of heating elements 95° for cleaning




**3235099 PIZZA OFEN SUPPORT**  
 dimensiones 970x1100xh1100 mm



**3235089 PIZZA OVEN 1 CHAMBER 5000W 400V**  
 for 4 pizzas ø 350 mm  
 dimensions 1130x830xh400 mm



**3235090 PIZZA OVEN 1 CHAMBER 7500W 400V**  
 for 6 pizzas ø 350 mm  
 dimensions 1130x1130xh400 mm



**3235091 PIZZA OVEN 2 CHAMBERS 10000W 400V**  
 for 4 pizzas ø 350 mm  
 dimensions 1130x830xh740 mm




**3235092 PIZZA OVEN 2 CHAMBERS 15000W 400V**  
 for 6 pizzas ø 350 mm  
 dimensions 1130x1130xh740 mm



**3235918 PLATE FOR SOLID TOP RANGE KIT S.700 1/1M**  
 size 750x570 mm



**3235917 PLATE FOR SOLID TOP RANGE KIT S.700 1/2M**  
 size 350x570 mm



**3235920 PLATE FOR SOLID TOP RANGE KIT S.900 1/1M**  
 size 750x700 mm







# Equipment, complete



Suitable for:

**3235922** **PLATE FOR SOLID TOP RANGE KIT S.900 1/1M**  
size 820x700 mm



Suitable for:

**3235919** **PLATE FOR SOLID TOP RANGE KIT S.900 1/2M**  
size 350x700 mm



**3235921** **PLATE FOR SOLID TOP RANGE KIT S.900 1/2M**  
size 370x700 mm



**3235908** **PYROCERAMIC COOKING RANGE 1/2**  
modules N. 1/2  
1x2.1KW 230V 50Hz  
ø 6 mm thick pyroceramic surface  
cooking area 1x ø 350 mm  
AISI 430 stainless steel frame  
adjustment 65°÷450°C  
protection degree IP2X  
dimensions 400x400h120 mm



**3235909** **PYROCERAMIC COOKING RANGE**  
Module N. 1/1  
1x1.7Kw + 1x1.2Kw 230V 50Hz  
pyroceramic surface thickness ø 6 mm  
cooking area 2x ø 350 mm  
st. steel frame AISI 430 - Scotch Brite finishing  
adjustment 65°÷450°C  
protection degree IP2X  
dimensions 700x400h120 mm



**3235925** **PYROCERAMIC COOKING RANGE**  
module N° 1/1  
1x1.7KW + 1x1.2KW 230V 50Hz  
pyroceramic surface ø 6 mm thick  
cooking area 2x ø 350 mm  
AISI 430 stainless steel frame  
adjustment 65°÷450°C  
protection degree IP2X  
dimensions 700x400h120 mm



**3235942** **PYROCERAMIC COOKING RANGE**  
module N° 1/2  
1x2.1KW 230V 50Hz  
pyroceramic surface ø 6 mm thick  
cooking area 1x ø 350 mm  
AISI 430 stainless steel frame Scotch Brite finish  
adjustment 65°÷450°C  
protection degree IP2X  
dimensions 400x400h120 mm



**3235059** **PYROCERAMIC COOKING WARM TOP GN 1/1**  
400W 230V 50/60Hz  
dimensions 350x545xh90 mm






# Equipment, complete



Suitable for:

Suitable for:

**3235060 PYROCERAMIC COOKING WARM TOP GN 2/1**  
400+400W 230V 50/60Hz  
dimensions 650x545x90 mm



**3235057 PYROCERAMIC FRY TOP 1500+1500W 230V**  
50/60Hz - with drip  
dimensions 540x460x170 mm



**3235058 PYROCERAMIC FRY TOP 1500+1500W 230V**  
50/60Hz - with drip  
dimensions 400x600x170 mm



**3235056 PYROCERAMIC FRY TOP 2500W 230V**  
50/60Hz - with drip tray  
dimensions 400x600x170 mm



**3235910 PYROCERAMIC FRY-TOP**  
module type 1/1  
2x1.3KW 230V 50Hz  
pyroceramic top thickness  $\varnothing$  6 mm  
cooking area 620x260 mm  
AISI 430 stainless steel frame - Scotch Brite fini  
regulation 65°÷300°C  
protection level IP2X  
size 700x410x180 mm



**3235926 PYROCERAMIC FRY-TOP**  
module type 1/1  
2x1.3KW 230V 50Hz  
pyroceramic top thickness  $\varnothing$  6 mm  
cooking area 620x260 mm  
AISI 430 stainless steel frame - Scotch Brite fini  
regulation 65°÷300°C  
protection level IP2X  
size 700x400x180 mm



**3235054 RADIANT TOP 1800+2500W 230V 50/60Hz**  
dimensions 350x600x90 mm



**3235053 RADIANT TOP 2500W 230V 50/60Hz**  
dimensions 350x350x90 mm



**3235055 RADIANT TOP 3400/1400W 230V 50/60Hz**  
dimensions 365x400x120 mm



**3235916 SOLID TOP RANGE CONTROL KIT**  
continuous regulation 65°C-450°C





# Equipment, complete



Suitable for:

Suitable for:

**3235927 STAINLESS STEEL HORIZONTAL HOT PLATE**  
N° 1 cooking zone  
1x160W 230V 50Hz  
stainless steel heating surface  
AISI 430 stainless steel frame Scotch Brite finish  
thermostatic adjustment 30°÷90°C  
IP2X protection degree  
size 400x400xh60 mm



**3235928 STAINLESS STEEL HORIZONTAL HOT PLATE**  
N° 2 cooking zones  
2x160W 230V 50Hz  
stainless steel heating surface  
AISI 430 stainless steel frame Scotch Brite finish  
thermostatic adjustment 30°÷90°C  
IP2X protection degree  
size 800x400xh60 mm



**3235929 STAINLESS STEEL HORIZONTAL HOT PLATE**  
N° 1 cooking zone  
1x250W 230V 50Hz  
stainless steel heating surface  
AISI 430 stainless steel frame Scotch Brite finish  
thermostatic adjustment 30°÷90°C  
IP2X protection degree  
size 500x500xh60 mm



**3235930 STAINLESS STEEL HORIZONTAL HOT PLATE**  
N° 2 cooking zones  
2x250W 230V 50Hz  
stainless steel heating surface  
AISI 430 stainless steel frame Scotch Brite finish  
thermostatic adjustment 30°÷90°C  
IP2X protection degree  
size 1000x500xh0 mm



**3235911 STAINLESS STEEL SLANTED HOT PLATE**  
Zones N. 1  
1x250W 230V 50Hz  
stainless steel heating surface  
steel body AISI 430 - Scotch Brite finish  
thermostatic adjustment 30°÷90°C  
protection degree IP2X  
dimensions 500x500h60 mm



**3235931 STAINLESS STEEL SLANTED HOT PLATE**  
N° 1 cooking zone  
1x160W 230V 50Hz  
stainless steel heating surface  
AISI 430 stainless steel frame Scotch Brite finish  
thermostatic adjustment 30°÷90°C  
IP2X protection degree  
size 400x400xh60 mm



**3235932 STAINLESS STEEL SLANTED HOT PLATE**  
N° 2 cooking zones  
2x160W 230V 50Hz  
stainless steel heating surface  
AISI 430 stainless steel frame Scotch Brite finish  
thermostatic adjustment 30°÷90°C  
IP2X protection degree  
size 800x400xh60 mm



**3235933 STAINLESS STEEL SLANTED HOT PLATE**  
N° 2 cooking zones  
2x250W 230V 50Hz  
stainless steel heating surface  
AISI 430 stainless steel frame Scotch Brite finish  
thermostatic adjustment 30°÷90°C  
IP2X protection degree  
size 1000x500xh60 mm





# Equipment, complete



Suitable for:

**3235075 TOASTER 1 SHELF 2200W 230V**  
with quartz heating elements  
grill 355x200 mm  
dimensions 520x300xh240 mm



Suitable for:

**3235076 TOASTER 2 SHELVES 3300W 230V**  
with quartz heating elements  
grill 355x200 mm  
dimensions 520x300xh355 mm



**3235094 WÜRSTEL WARMER 700W 230V**  
with 3 stems and pyrex box  
dimensions 467x300xh385 mm



**3235015 WOK PAN ø 360 mm - 5,2 L**  
for cooking range "WOK"



ALPENINOX 653595  
ZANUSSI 653595

EGO 7872205040-00

ELECTROLUX 653595

**4927230 1/2 M ST. STEEL CHAMBER SERIES PR700 SET**  
0.65Kw 230V 50/60Hz  
dimensions 532x282xh60 mm



ALPENINOX 927230

ELECTROLUX 927230

ZANUSSI 927230

**3235202 GAS BARBECUE G220**



CF CENEDESE G220

**3235204 LID FOR GRILL G220**



CF CENEDESE

**3235204 LID FOR GRILL G220**



CF CENEDESE

**3235953 HEATING ELEMENT FOR PASTA COOKER KIT**  
9600W 230V  
immersd depth 504x228 mm  
mounting hole ø 50 mm  
to be mounted on the right side



DESCO 60716



# Equipment, complete



Suitable for:

**3235907 KIT FOR ST/STEEL BAIN MARIE**  
1x2.5KW 230V 50Hz  
dimensions 400x260xh30 mm  
for Bain-marie (DESCO) 7BME1P1 - 7BME2AP - 9BME1AP



DESCO 60758

Suitable for:

**3235031 ADAPTER FOR FILTER HOSE**



EGO 7872349661-00

**3235030 ADAPTER FOR GENERATING HOSE**



EGO 7872349652-00

**3235029 AIR INLET FILTER**



EGO 7839290006-00

**3235027 AIR INLET HOSE  $\varnothing$  60x3000 mm**



EGO 7870000052-00

**3235023 CONTROL WITH HANDLE AND INDICATOR**  
dimensions 120x120 mm - depth 100 mm  
mounting hole 93x93 mm



EGO 7890576000-00

**3235024 DIGITAL FLEX TOUCH CONTROL**  
dimensions 160x120 mm - depth 60 mm  
mounting hole 148x108 mm



EGO 7890576001-00

**3235028 HOSE CLAMP 60-80 mm**



EGO 7870000051-00

**3235019 INDUCTION TOP 3500W 230V 50/60Hz**  
flat snap-in ATICS version  
dimensions 384x384xh138 mm  
glass size 320x320 mm  
mounting hole 332x332 mm  
cooking area  $\varnothing$  220 mm  
min  $\varnothing$  for pan 120 mm



EGO 7890976000-00

**3235021 INDUCTION TOP 3500W 230V 50/60Hz**  
WOK version  
dimensions 384x384xh138 mm  
glass size  $\varnothing$  296 mm  
mounting hole 332x332 mm  
cooking area  $\varnothing$  300 mm  
min  $\varnothing$  for pan 120 mm



EGO 7890976001-00






# Equipment, complete



Suitable for:

**3235012 INDUCTION TOP 5000W 400V 3AC 50/60 HZ**  
flat type COMFORT  
size 405x545xh115 mm  
cooking area ø 270 mm  
min ø for pan 120 mm



EGO 7890076006-00

Suitable for:

**3235015 WOK PAN ø 360 mm - 5,2 L**  
for cooking range "WOK"



ALPENINOX 653595  
ZANUSSI 653595

EGO 7872205040-00

ELECTROLUX 653595

**3235014 WOK S/STEEL BASE FOR PLATE RANGE**



EGO 7872379020-00

**3235026 INDUCTION TOP 5000W 400V 3AC 50/60 HZ**  
WOK COMFORT version  
BIG TOUCH keyboard control  
with ON/OFF push-button  
dimensions 405x545xh115 mm  
cooking area ø 300 mm  
min ø for pan 120 mm



EGO 7890076009-00

**3235015 WOK PAN ø 360 mm - 5,2 L**  
for cooking range "WOK"



ALPENINOX 653595  
ZANUSSI 653595

EGO 7872205040-00

ELECTROLUX 653595

**3235010 INDUCTION TOP 5000W 400V 3AC 50/60HZ**  
type WOK  
size 405x545xh115 mm  
cooking area ø 300 mm  
min ø for pan 120 mm



EGO 7890076008-00

**3235015 WOK PAN ø 360 mm - 5,2 L**  
for cooking range "WOK"



ALPENINOX 653595  
ZANUSSI 653595

EGO 7872205040-00

ELECTROLUX 653595



## Equipment, complete



Suitable for:

### 3235020 INDUCTION TOP 5000W 400V 50/60Hz

flat snap-in ATICS version  
dimensions 384x384xh138 mm  
glass size 320x320 mm  
mounting hole 332x332 mm  
cooking area  $\varnothing$  220 mm  
min  $\varnothing$  for pan 120 mm



EGO 7890976002-00

Suitable for:

### 3235022 INDUCTION TOP 5000W 400V 50/60Hz

WOK version  
dimensions 384x384xh138 mm  
glass size  $\varnothing$  296 mm  
mounting hole 332x332 mm  
cooking area  $\varnothing$  300 mm  
min  $\varnothing$  for pan 120 mm



EGO 7890976003-00

### 3235014 WOK S/STEEL BASE FOR PLATE RANGE



EGO 7872379020-00