



Spare parts for:

**Commercial faucets**



# Faucets and mixers



This catalogue is automatically generated.  
Therefore, the sequence of the items might  
not be always shown at best.  
Updates will be issued in case of additions  
and/or amendments.

Rel. 2014-12101301





# Faucets and mixers



Suitable for:

**3759288 AERATOR "NEOPERL CASCADE"  $\varnothing$  22x1 M**  
with descaling silicone filter



Suitable for:

**3759289 AERATOR "NEOPERL CASCADE"  $\varnothing$  24x1 M**  
with descaling silicone filter



**3759290 AERATOR "NEOPERL CASCADE"  $\varnothing$  28x1 M**  
with descaling silicone filter



**3759283 AERATOR CHROMED BRASS  $\varnothing$  22/1 F**  
NGOLA



**3759291 AERATOR CHROMED BRASS  $\varnothing$  22/1 F**  
with swiveling jet



**3759292 AERATOR CHROMED BRASS  $\varnothing$  24/1 M**  
with swiveling jet



**3759285 AERATORS "NEOPERL PERLATOR"  $\varnothing$  22/1 F**  
NEYCOMB"



**3759286 AERATORS "NEOPERL PERLATOR"  $\varnothing$  24/1 M**  
NEYCOMB"



**3759287 AERATORS "NEOPERL PERLATOR"  $\varnothing$  28/1 M**  
NEYCOMB"



**3759284 AERATORS CHROMED BRASS  $\varnothing$  24/1 M**  
NGOLA



**3359995 BLUE SHORT LEVER HANDLE**



**3759294 COMBINED TAP  $\varnothing$  1/2"**  
with connections  $\varnothing$  3/4" for washing machine  
and connection  $\varnothing$  10 mm for copper tube





Suitable for:

Suitable for:

**3759296 ECCENTRIC  $\varnothing$  1/2"-3/4" WITH WASHER**  
transfer 10 mm  
washer  $\varnothing$  70 mm heavy model

**3759297 FIXING SINGLE LEVER 1 TIE ROD**



**3759298 FIXING SINGLE LEVER 2 TIE RODS**

**3759166 HOSE  $\varnothing$  3/8" X 350 mm**



**3759293 KEYS FOR AERATORS F22/1-M24/1-M28/1**

**3359998 QUICK FITTING HEAD VALVE LH**



**3359997 QUICK FITTING HEAD VALVE RH**

**3359996 RED SHORT LEVER HANDLE**



**3759299 REINFORCEMENT UNDER-SINK FOR SINGLE-HOLE**

**3759295 UNIVERSAL SPOUT 200 mm  $\varnothing$  3/4"**  
with reversible head



**3359524 COLD WATER TAP HEADWORK**  
1/4 knob turn to the right

**3359529 COLD WATER TAP WITH SPINDLE**  
1/4" RH -  $\varnothing$  10 mm  
with handle






# Faucets and mixers



Suitable for:

**3359813 COMPLETE 1-HOLE MIXER TAP**  
length 320 mm - coupling G 1/2"  
flowrate : 28 L/minute - 3 bar



CHAVONNET 5640T3

**3359530 HOT WATER TAP WITH SPINDLE**  
1/4" LH - ø 10 mm  
with handle



CHAVONNET P271AA85

**3359814 COMPLETE 1-HOLE MIXER TAP**  
length 220 mm - coupling G 1/2"  
flowrate : 28 L/minute - 3 bar



CHAVONNET 5640T2

**3359530 HOT WATER TAP WITH SPINDLE**  
1/4" LH - ø 10 mm  
with handle



CHAVONNET P271AA85

**3359712 COMPLETE 2-HOLE MIXER TAP**  
for washing desk  
height 200 mm  
coupling 1/2" (15/21)  
distance 150 mm - height 240 mm



CHAVONNET 5641T2

Suitable for:

**3359529 COLD WATER TAP WITH SPINDLE**  
1/4" RH - ø 10 mm  
with handle



CHAVONNET P272AA85

**2103703 SPOUT 300 mm h 160 mm ø 3/4"**



CHAVONNET 963300145

**3359529 COLD WATER TAP WITH SPINDLE**  
1/4" RH - ø 10 mm  
with handle



CHAVONNET P272AA85

**3359529 COLD WATER TAP WITH SPINDLE**  
1/4" RH - ø 10 mm  
with handle



CHAVONNET P272AA85





# Faucets and mixers



Suitable for:

**3359530 HOT WATER TAP WITH SPINDLE**  
1/4" LH - ø 10 mm  
with handle



CHAVONNET P271AA85


Suitable for:

**2103704 SPOUT 300 mm h 260 mm ø 3/4"**



CHAVONNET 963300245G

**3359713 COMPLETE 2-HOLE MIXER TAP**  
for desk  
height 300 mm  
coupling 1/2" (15/21)  
distance 150 mm - height 240 mm



CHAVONNET 5641T3

**3359529 COLD WATER TAP WITH SPINDLE**  
1/4" RH - ø 10 mm  
with handle



CHAVONNET P272AA85

**3359530 HOT WATER TAP WITH SPINDLE**  
1/4" LH - ø 10 mm  
with handle



CHAVONNET P271AA85

**2103703 SPOUT 300 mm h 160 mm ø 3/4"**



CHAVONNET 963300145

**2103702 DELIVERY SPOUT 200x160 mm ø 3/4"**



CHAVONNET

**3359530 HOT WATER TAP WITH SPINDLE**  
1/4" LH - ø 10 mm  
with handle



CHAVONNET P271AA85

**3359806 SPOUT**  
coupling 1/2"  
height 275 mm - length 200 mm



CHAVONNET 1306T2

**3359807 SPOUT**  
coupling 1/2"  
height 275 mm - length 300 mm



CHAVONNET 1306T3



# Faucets and mixers



Suitable for:

**2103703 SPOUT 300 mm h 160 mm ø 3/4"**



CHAVONNET 963300145


Suitable for:

**2103704 SPOUT 300 mm h 260 mm ø 3/4"**



CHAVONNET 963300245G

**3359714 2-HOLE MIXER TAP**  
height 300 mm  
hole ø 50 mm  
flowrate 97 L/min by 3 bar  
rotary head 1/4 - height 350 mm  
pipe feeding ø 14/16



CHAVONNET 5610

**3359524 COLD WATER TAP HEADWORK**  
1/4 knob turn to the right



CHAVONNET P295AA85

**3359828 HOT WATER TAP HEADWORK**  
1/4 knob turn to the right



CHAVONNET P296AA85

**2103704 SPOUT 300 mm h 260 mm ø 3/4"**



CHAVONNET 963300245G

**3359594 COMPLETE 1-HOLE MIXER TAP**  
height 230 mm - length 250 mm  
flowrate : 43 L/minute - 3 bar



DELABIE G664401

**3359596 COMPLETE 2-HOLE MIXER TAP**  
total height 330 mm  
spout ø 3/4" x 250 mm  
coupling 1/2" (15/21)  
adjustable distance from 100 to 240 mm  
flowrate 47 l/min by 3 bar



DELABIE G66602

**3759026 DELIVERY SPOUT ø 3/4" 250 mm**  
for sink taps  
without nut



ECHTERMANN 6327.90/250

**3759039 DELIVERY SPOUT ø 3/4" 250 mm**  
for sink taps  
without nut



ECHTERMANN 6338.90/250.190



Suitable for:

**3759036 DELIVERY SPOUT  $\varnothing$  3/4" 300 mm**  
for sink taps  
without nut



ECHTERMANN 6327.90/300

Suitable for:

**3759048 DELIVERY SPOUT  $\varnothing$  3/4" 300 mm**



ECHTERMANN 6338.90/300.190

**3759037 DELIVERY SPOUT  $\varnothing$  3/4" 350 mm**  
for sink taps  
without nut



ECHTERMANN 6327.90/350

**3759049 DELIVERY SPOUT  $\varnothing$  3/4" 350 mm**  
for sink taps  
without nut



ECHTERMANN 6338.90/350.190

**3759038 DELIVERY SPOUT  $\varnothing$  3/4" 400 mm**  
for sink taps  
without nut




ECHTERMANN 6327.90/400

**3759024 EXTENSIBLE SPOUT  $\varnothing$  3/4" 400/600 mm**  
for sink taps



ECHTERMANN 6301.90/400-600

**3759092 MAXI SINGLE-HOLE TAP ECO STAR**  
spout 250 mm  
spindles  $\varnothing$  3/4"  
mounting hole 46 mm



ECHTERMANN 1020/250/140

ECHTERMANN 6927.90/250

**3759093 MAXI SINGLE-HOLE TAP ECO STAR**  
spout 300 mm  
spindles  $\varnothing$  3/4"  
mounting hole 35 mm  
upstand 400 mm



ECHTERMANN 1030/300/400

**3759062 SINGLE TAP  $\varnothing$  3/4"**  
spout 300 mm  
mounting hole 28 mm  
oil head valve



ECHTERMANN 6947.30/300.240

**3759091 SINGLE-HOLE TAP F. MIXER ECO STAR**  
bent spout 250 mm  
mounting hole 30 mm



ECHTERMANN 1000/250



# Faucets and mixers



Suitable for:

## 3759061 SINK MOUNTED SINGLE HOLE TAP

curved spout 250 mm  
mounting hole 30 mm




ECHTERMANN 6485.90

Suitable for:

## 3759063 SINK MOUNTED TWO HOLE TAP $\varnothing$ 3/4"

spout 300 mm  
distance between mounting holes 150 mm  
connections  $\varnothing$  3/4"  
ceramic head valves



ECHTERMANN 6925.32/250.230

## 3759064 SINK MOUNTED TWO HOLE TAP $\varnothing$ 3/4"


spout 250 mm  
distance between mounting holes 150 mm  
connections  $\varnothing$  3/4"  
ceramic head valves



ECHTERMANN 6922.32/250.150

## 3759094 TWO-HOLES TAP FOR MIXER ECO STAR


spout 300 mm  
distance between holes 150 mm  
connections  $\varnothing$  3/4"



ECHTERMANN 1050/300/230

## 3759095 WALL MOUNTED TWO-HOLES TAP ECO STAR


spout 250 mm  
distance between holes 150 mm  
connections  $\varnothing$  3/4"



ECHTERMANN 1060/250

## 3759096 WALL MOUNTED TWO-HOLES TAP ECO STAR


spout 300 mm  
distance between holes 150 mm  
connections  $\varnothing$  3/4"



ECHTERMANN 1070/300

## 3759065 WALL-MOUNTED TWO HOLE TAP $\varnothing$ 3/4"

spout 300 mm  
distance between mounting holes 150 mm  
connections  $\varnothing$  3/4"x3/4"



ECHTERMANN 2460.32/300

## 3359897 DISK SCREW HEAD M20x1.25

for taps  $\varnothing$  1/2"



ELECTROLUX 0KT863  
ZANUSSI 0KT863

KWC K324001931

KWC K.324001.931





Suitable for:

Suitable for:

**3359474 HORIZONTAL TAP**  
 spout  $\varnothing$  18x300 mm  
 flow rate 25L/min by 4 bar  
 connection  $\varnothing$  1/2" M




ELECTROLUX 0C3108

R.D.FRIULI 00503303

ZANUSSI 0C3108

**3359805 TAP WORM**



R.D.FRIULI 36107363

**3359356 SINGLE-HOLE LEVER MIXER**  
 with extractable shower  
 mounting hole  $\varnothing$  52 mm  
 hoses  $\varnothing$  12 mm  
 hose length 1475 mm



ELECTROLUX KL1S.2930.80.81  
 KLARCO 1S.2930.80.81

KLARCO 1S.2930.80.82  
 ZANUSSI KL1S.2930.80.81

KLARCO 9012030

**3359107 CLINICAL GRAY LEVER 220 mm**



KLARCO 0P.H002.00.00

**3359231 EXTRACTABLE SHOWER HOSE**



KLARCO 0P.F027.00.00

KLARCO 9010002V

KLARCO 9012032

**3359297 MIXER CARTRIDGE (BIG TYPE)**



KLARCO 0P.V090.00.00

KLARCO 0030112

**3359357 PULL-OUT SPRAY HEAD  $\varnothing$  1/2" M**




KLARCO 0P.C080.00.00  
 RIVER 00502000004

KLARCO 9012031  
 RIVER A800/1062B

MONOLITH 00502000004

**3359163 SINK HOLE TAP STYL-K3**  
 spout  $\varnothing$  20x300h150 mm  
 mixer connection 3/4" h 50 mm  
 power source nickel plate copper  $\varnothing$  1/2"



ELECTROLUX 0S0862  
 KLARCO 2009300

KLARCO 1S.2402.07.K33  
 KLARCO 1S.2401.67.33

KLARCO 1S.2402.07.33  
 ZANUSSI 0S0862

**3759272 HANDLE K3e CONTROL SCREWS  $\varnothing$  1/2" BLUE**  
 broach  $\varnothing$  8x20



KLARCO 0P.HK3E/B



# Faucets and mixers



Suitable for:

**3759279 HANDLE K3e CONTROL SCREWS  $\varnothing$  1/2" RED**  
broach  $\varnothing$  8x20



KLARCO 0P.HK3E/R

Suitable for:

**3359118 OIL BATH TAP WORM  $\varnothing$  1/2" BROACH 8x20**



KLARCO 0P.VOL0.00.00

KLARCO 0P.V030.00.00

**2101010 SUPPLY SPOUT  $\varnothing$  20x300 mm SCREW**



KLARCO 0P.C007.00.00

**3759244 SINK HOLE TAP STYL-K3e**  
spout  $\varnothing$  20x350h150 mm  
mixer connection 3/4" h 50 mm  
power source nickel plate copper  $\varnothing$  1/2"



ELECTROLUX LF-2111309  
KLARCO 1S.2401.49.33

KLARCO 1S.2402.09.K33  
ZANUSSI LF-2111309

KLARCO 2012000

**3759272 HANDLE K3e CONTROL SCREWS  $\varnothing$  1/2" BLUE**  
broach  $\varnothing$  8x20



KLARCO 0P.HK3E/B

**3759279 HANDLE K3e CONTROL SCREWS  $\varnothing$  1/2" RED**  
broach  $\varnothing$  8x20



KLARCO 0P.HK3E/R

**3359118 OIL BATH TAP WORM  $\varnothing$  1/2" BROACH 8x20**



KLARCO 0P.VOL0.00.00

KLARCO 0P.V030.00.00

**3759274 SCREW-IN SPOUT  $\varnothing$  20x350 mm**



KLARCO 0P.C009.00.00



Suitable for:

**3359186 TWO-HOLE STRAIGHT COUNTER STYL-K3**  
 valves  $\varnothing 3/4"$   
 spout  $\varnothing 20 \times 250$  h 120 mm  
 distance between holes 155 mm  
 connections  $\varnothing 3/4"$  h 50 mm



ELECTROLUX 033125  
 KLARCO 3010253  
 ZANUSSI 033125

ELECTROLUX 069964  
 KLARCO 1S.3002.64.23  
 ZANUSSI 069964

KLARCO 1S.3007.05.23  
 KLARCO 1S.3007.05.K23

Suitable for:

**3759273 HANDLE K3 CONTROL SCREWS  $\varnothing 3/4"$  BLUE**  
 broach  $\varnothing 8 \times 20$



KLARCO 0P.HK3/B

**3759271 HANDLE K3 CONTROL SCREWS  $\varnothing 3/4"$  RED**  
 broach  $\varnothing 8 \times 20$



KLARCO 0P.HK3/R

**3359118 OIL BATH TAP WORM  $\varnothing 1/2"$  BROACH  $8 \times 20$**



KLARCO 0P.VOL0.00.00

KLARCO 0P.V030.00.00

**3759083 SUPPLY SPOUT  $\varnothing 20 \times 250$  mm SCREW**  
 quick coupling



KLARCO 0P.C005.00.00

**3359165 WALL MOUNTED HORIZONTAL TAP**  
 spout:  $\varnothing 20 \times 300$  mm  
 connection  $\varnothing 1/2"$ M



ELECTROLUX 0S0103  
 KLARCO 1C.1001.74.K33

KLARCO 1S.1001.74.33  
 ZANUSSI 0S0103

KLARCO 1052300

**3359290 TAP KNOB BLUE OLD TYPE**  
 broach  $\varnothing 8 \times 20$



KLARCO 0P.H003.00.00/B


KLARCO 0P.H033.00.00/B

**3759269 CERAMIC SCREW RH  $3/4"$  BROACH  $\varnothing 8 \times 20$**



KLARCO 0P.V050.00.00/S

**3359231 EXTRACTABLE SHOWER HOSE**



KLARCO 0P.F027.00.00

KLARCO 9010002/V

KLARCO 9012032



# Faucets and mixers



Suitable for:

**3759257 GIANT SINGLE HOLE STYL-K3**  
 valves  $\varnothing$  3/4" high flow  
 spout  $\varnothing$  25 x 300 h 150 mm  
 mixer connection  $\varnothing$  1"1/2 h 80 mm  
 supply copper tubes  $\varnothing$  15 mm  
 connections  $\varnothing$  1/2"



KLARCO 1S.2200.39.K13

Suitable for:

**3759258 GIANT SINGLE HOLE STYL-K3**  
 valves  $\varnothing$  3/4" high flow  
 spout  $\varnothing$  25 x 300 h 250 mm  
 mixer connection  $\varnothing$  1"1/2 h 80 mm  
 supply copper tubes  $\varnothing$  15 mm  
 connections  $\varnothing$  1/2"



KLARCO 1S.2200.40.K13

**3759273 HANDLE K3 CONTROL SCREWS  $\varnothing$  3/4" BLUE**  
 broach  $\varnothing$  8x20



KLARCO 0P.HK3/B

**3759271 HANDLE K3 CONTROL SCREWS  $\varnothing$  3/4" RED**  
 broach  $\varnothing$  8x20



KLARCO 0P.HK3/R

**3759272 HANDLE K3e CONTROL SCREWS  $\varnothing$  1/2" BLUE**  
 broach  $\varnothing$  8x20



KLARCO 0P.HK3E/B

**3759279 HANDLE K3e CONTROL SCREWS  $\varnothing$  1/2" RED**  
 broach  $\varnothing$  8x20



KLARCO 0P.HK3E/R

**2102996 HANDLE K9 CONTROL SCREW  $\varnothing$  3/4" RED**  
 for tap 1S.3037.05.K59



KLARCO 0P.HK9/R

**2102995 KNOB K9 FOR VALVE 3/4 "BLUE**  
 for tap 1S.3037.05.K59



KLARCO 0P.HK9/B

**3759270 KNOB VOX FOR LARGE SCREW  $\varnothing$  1/2" RED**  
 CR ( red profile)



KLARCO 0P.HK9E/R

**3759274 SCREW-IN SPOUT  $\varnothing$  20x350 mm**




KLARCO 0P.C009.00.00



Suitable for:

**3759238 SINGLE BASIN TAP STYL-K3**  
 spout "J"  $\varnothing$  20x300h250 mm  
 valve  $\varnothing$  3/4" high capacity  
 connection  $\varnothing$  1/2"



KLARCO 1S.1014.08.K13

**3359118 OIL BATH TAP WORM  $\varnothing$  1/2" BROACH 8x20**



KLARCO 0P.VOL0.00.00

KLARCO 0P.V030.00.00

**3759240 SINGLE BASIN TAP STYL-K3**  
 spout "J"  $\varnothing$  20x250h120 with screw  
 valve  $\varnothing$  3/4" high capacity  
 connection  $\varnothing$  1/2" h 50 mm



KLARCO 1S.2006.05.K13

**3359118 OIL BATH TAP WORM  $\varnothing$  1/2" BROACH 8x20**



KLARCO 0P.VOL0.00.00

KLARCO 0P.V030.00.00

**3759241 SINGLE BASIN TAP STYL-K3**  
 spout "J"  $\varnothing$  20x300h150 with screw  
 valve  $\varnothing$  3/4" high capacity  
 connection  $\varnothing$  1/2" h 50 mm



KLARCO 1S.2006.07.K13

Suitable for:

**3759273 HANDLE K3 CONTROL SCREWS  $\varnothing$  3/4" BLUE**  
 broach  $\varnothing$  8x20



KLARCO 0P.HK3/B

**3359251 SPOUT  $\varnothing$  20x300 mm**



KLARCO 0P.C067.00.00

KLARCO 0031301

**3759273 HANDLE K3 CONTROL SCREWS  $\varnothing$  3/4" BLUE**  
 broach  $\varnothing$  8x20



KLARCO 0P.HK3/B

**3759083 SUPPLY SPOUT  $\varnothing$  20x250 mm SCREW**  
 quick coupling



KLARCO 0P.C005.00.00

**3759273 HANDLE K3 CONTROL SCREWS  $\varnothing$  3/4" BLUE**  
 broach  $\varnothing$  8x20



KLARCO 0P.HK3/B





# Faucets and mixers



Suitable for:

**3359118 OIL BATH TAP WORM  $\varnothing$  1/2" BROACH 8x20**



KLARCO 0P.VOL0.00.00

KLARCO 0P.V030.00.00

Suitable for:

**2101010 SUPPLY SPOUT  $\varnothing$  20x300 mm SCREW**



KLARCO 0P.C007.00.00

**3759242 SINGLE BASIN TAP STYL-K3**  
spout "J"  $\varnothing$  20x350h150 with screw  
valve  $\varnothing$  3/4" high capacity  
connection  $\varnothing$  1/2" h 50 mm




KLARCO 1S.2006.09.K13

**3759274 SCREW-IN SPOUT  $\varnothing$  20x350 mm**



KLARCO 0P.C009.00.00

**3759239 SINGLE WALL MOUNTED TAP STYL-K3**  
spout "S"  $\varnothing$  25x250h70 mm  
valve  $\varnothing$  3/4" high capacity  
connection  $\varnothing$  1/2"



KLARCO 1S.1014.S3.K13

**3359118 OIL BATH TAP WORM  $\varnothing$  1/2" BROACH 8x20**



KLARCO 0P.VOL0.00.00

KLARCO 0P.V030.00.00

**2111703 BRACKET FOR SHOWER BODY STYL**



KLARCO 0P.P091.00.00

**3759281 SHOWER UNIT WALL MOUNT STIL**  
O) L.115 (standard)



KLARCO 0P.P092.00.00

**3759273 HANDLE K3 CONTROL SCREWS  $\varnothing$  3/4" BLUE**  
broach  $\varnothing$  8x20



KLARCO 0P.HK3/B



Suitable for:

Suitable for:

## 3359215 SINGLE-HOLE PUSH-OUT SHOWER

mounting hole  $\varnothing$  55 mm  
connecting hoses  $\varnothing$  12 mm  
hoses length 1475 mm



KLARCO 1S.2440.80.33  
KLARCO 9012020

KLARCO 1S.2441.80.K33

KLARCO 1S.2441.80.33

## 3359231 EXTRACTABLE SHOWER HOSE



KLARCO 0P.F027.00.00

KLARCO 9010002/V

KLARCO 9012032

## 3359357 PULL-OUT SPRAY HEAD $\varnothing$ 1/2" M



KLARCO 0P.C080.00.00  
RIVER 00502000004

KLARCO 9012031  
RIVER A800/1062B

MONOLITH 00502000004

## 3759243 SINK HOLE TAP STYL-K3e

spout  $\varnothing$  20x250h120 mm  
mixer connection 3/4" h 50 mm  
power source nickel plate copper  $\varnothing$  1/2"



KLARCO 1S.2402.05.K33

## 3759272 HANDLE K3e CONTROL SCREWS $\varnothing$ 1/2" BLUE

broach  $\varnothing$  8x20



KLARCO 0P.HK3E/B

## 3759279 HANDLE K3e CONTROL SCREWS $\varnothing$ 1/2" RED

broach  $\varnothing$  8x20



KLARCO 0P.HK3E/R

## 3359118 OIL BATH TAP WORM $\varnothing$ 1/2" BROACH 8x20



KLARCO 0P.VOL0.00.00

KLARCO 0P.V030.00.00

## 3759083 SUPPLY SPOUT $\varnothing$ 20x250 mm SCREW

quick coupling



KLARCO 0P.C005.00.00



# Faucets and mixers



Suitable for:

**3759245 SINK HOLE TAP STYL-K9e**  
 ceramic disc valves  $\varnothing$  1/2" 90°  
 spout  $\varnothing$  20x250h120 mm  
 mixer connection 3/4" h 50 mm  
 Nickel-plated copper supply  $\varnothing$  1/2"



KLARCO 1S.2402.05.K49

**2111218 CERAMIC VALVE LH  $\varnothing$  1/2 "BROACH 8x20**



KLARCO 0P.V040.00.00/D

KLARCO 0030021/D

**5063825 KNOB VOX FOR VALVE  $\varnothing$  1/2 "BLUE**



KLARCO 0P.HK9E/B

**3759246 SINK HOLE TAP STYL-K9e**  
 ceramic disc valves  $\varnothing$  1/2" 90°  
 spout  $\varnothing$  20x250h150 mm  
 mixer connection 3/4" h 50 mm  
 Nickel-plated copper supply  $\varnothing$  1/2"



KLARCO 1S.2402.07.K49

**2111218 CERAMIC VALVE LH  $\varnothing$  1/2 "BROACH 8x20**



KLARCO 0P.V040.00.00/D

KLARCO 0030021/D

Suitable for:

**3759181 CERAMIC SCREW RH  $\varnothing$  1/2" BROACH  $\varnothing$  8x20**



KLARCO 0P.V040.00.00/S

**3759270 KNOB VOX FOR LARGE SCREW  $\varnothing$  1/2" RED CR ( red profile)**



KLARCO 0P.HK9E/R

**3759083 SUPPLY SPOUT  $\varnothing$  20x250 mm SCREW quick coupling**



KLARCO 0P.C005.00.00

**3759181 CERAMIC SCREW RH  $\varnothing$  1/2" BROACH  $\varnothing$  8x20**



KLARCO 0P.V040.00.00/S

**3759270 KNOB VOX FOR LARGE SCREW  $\varnothing$  1/2" RED CR ( red profile)**



KLARCO 0P.HK9E/R




# Faucets and mixers



Suitable for:

**5063825 KNOB VOX FOR VALVE  $\varnothing$  1/2" BLUE**



KLARCO 0P.HK9E/B

Suitable for:

**2101010 SUPPLY SPOUT  $\varnothing$  20x300 mm SCREW**



KLARCO 0P.C007.00.00

**3759247 SINK HOLE TAP STYL-K9e**  
ceramic disc valves  $\varnothing$  1/2" 90°  
spout  $\varnothing$  20x250h150 mm  
mixer connection 3/4" h 50 mm  
Nickel-plated copper supply  $\varnothing$  1/2"



KLARCO 1S.2402.09.K49

**3759181 CERAMIC SCREW RH  $\varnothing$  1/2" BROACH  $\varnothing$  8x20**



KLARCO 0P.V040.00.00/S

**2111218 CERAMIC VALVE LH  $\varnothing$  1/2" BROACH 8x20**



KLARCO 0P.V040.00.00/D

KLARCO 0030021/D

**3759270 KNOB VOX FOR LARGE SCREW  $\varnothing$  1/2" RED CR (red profile)**



KLARCO 0P.HK9E/R

**5063825 KNOB VOX FOR VALVE  $\varnothing$  1/2" BLUE**



KLARCO 0P.HK9E/B

**3759274 SCREW-IN SPOUT  $\varnothing$  20x350 mm**



KLARCO 0P.C009.00.00

**3359250 SPOUT  $\varnothing$  20x250 mm**



KLARCO 0P.C067.00.00

KLARCO 0P.C064.00.00

KLARCO 0031300

**3359251 SPOUT  $\varnothing$  20x300 mm**



KLARCO 0P.C067.00.00

KLARCO 0031301



# Faucets and mixers



Suitable for:

**3759083 SUPPLY SPOUT  $\varnothing$  20x250 mm SCREW**  
quick coupling



KLARCO 0P.C005.00.00

Suitable for:

**3359290 TAP KNOB BLUE OLD TYPE**  
broach  $\varnothing$  8x20



KLARCO 0P.H003.00.00/B  
KLARCO 0055216/B

KLARCO 0P.H033.00.00/B


KLARCO 0055200

**3759275 TAP KNOB RED OLD TYPE**  
broach  $\varnothing$  8x20



KLARCO 0P.H033.00.00/R

**3759250 TWO-HOLE INCLINED COUNTER STYL-K3**  
large screws  $\varnothing$  3/4"  
spout  $\varnothing$  20 x 250 h 120 mm  
distance between holes 155 mm  
connections  $\varnothing$  3/4" h 50 mm



KLARCO 1S.3011.05.K13

**3759273 HANDLE K3 CONTROL SCREWS  $\varnothing$  3/4" BLUE**  
broach  $\varnothing$  8x20



KLARCO 0P.HK3/B

**3759271 HANDLE K3 CONTROL SCREWS  $\varnothing$  3/4" RED**  
broach  $\varnothing$  8x20



KLARCO 0P.HK3/R

**3359118 OIL BATH TAP WORM  $\varnothing$  1/2" BROACH 8x20**



KLARCO 0P.VOL0.00.00

KLARCO 0P.V030.00.00

**3759083 SUPPLY SPOUT  $\varnothing$  20x250 mm SCREW**  
quick coupling



KLARCO 0P.C005.00.00






Suitable for:

**3759251 TWO-HOLE INCLINED COUNTER STYL-K3**

large screws  $\varnothing$  3/4"  
spout  $\varnothing$  20 x 300 h 150 mm  
distance between holes 155 mm  
connections  $\varnothing$  3/4" h 50 mm



KLARCO 1S.3011.07.K13

**3759271 HANDLE K3 CONTROL SCREWS  $\varnothing$  3/4" RED**

broach  $\varnothing$  8x20



KLARCO 0P.HK3/R


**2101010 SUPPLY SPOUT  $\varnothing$  20x300 mm SCREW**



KLARCO 0P.C007.00.00

**3759252 TWO-HOLE INCLINED COUNTER STYL-K3**

large screws  $\varnothing$  3/4"  
spout  $\varnothing$  20 x 350 h 150 mm  
distance between holes 155 mm  
connections  $\varnothing$  3/4" h 50 mm



KLARCO 1S.3011.09.K13

**3759271 HANDLE K3 CONTROL SCREWS  $\varnothing$  3/4" RED**

broach  $\varnothing$  8x20



KLARCO 0P.HK3/R

Suitable for:

**3759273 HANDLE K3 CONTROL SCREWS  $\varnothing$  3/4" BLUE**

broach  $\varnothing$  8x20



KLARCO 0P.HK3/B

**3359118 OIL BATH TAP WORM  $\varnothing$  1/2" BROACH 8x20**



KLARCO 0P.VOL0.00.00

KLARCO 0P.V030.00.00

**3759273 HANDLE K3 CONTROL SCREWS  $\varnothing$  3/4" BLUE**

broach  $\varnothing$  8x20



KLARCO 0P.HK3/B

**3359118 OIL BATH TAP WORM  $\varnothing$  1/2" BROACH 8x20**



KLARCO 0P.VOL0.00.00

KLARCO 0P.V030.00.00



# Faucets and mixers



Suitable for:

**3759274 SCREW-IN SPOUT  $\varnothing$  20x350 mm**



KLARCO 0P.C009.00.00

**3759249 TWO-HOLE STRAIGHT COUNTER STYL -K3**  
large screws  $\varnothing$  3/4"  
spout  $\varnothing$  20 x 350 h 150 mm  
distance between holes 155 mm  
connections  $\varnothing$  3/4" h 50 mm



KLARCO 1S.3007.09.K23

**3759271 HANDLE K3 CONTROL SCREWS  $\varnothing$  3/4" RED**  
broach  $\varnothing$  8x20



KLARCO 0P.HK3/R

**3759274 SCREW-IN SPOUT  $\varnothing$  20x350 mm**



KLARCO 0P.C009.00.00

**3759253 TWO-HOLE STRAIGHT COUNTER STYL -K3**  
with rises 40 mm  
valves  $\varnothing$  3/4"  
spout  $\varnothing$  20 x 300 h 150 mm  
distance between holes 155 mm  
connections  $\varnothing$  1/2" h 50 mm



KLARCO 1S.3045.07.K23

Suitable for:

**3759273 HANDLE K3 CONTROL SCREWS  $\varnothing$  3/4" BLUE**  
broach  $\varnothing$  8x20



KLARCO 0P.HK3/B

**3359118 OIL BATH TAP WORM  $\varnothing$  1/2" BROACH 8x20**



KLARCO 0P.VOLO.00.00

KLARCO 0P.V030.00.00

**3759273 HANDLE K3 CONTROL SCREWS  $\varnothing$  3/4" BLUE**  
broach  $\varnothing$  8x20



KLARCO 0P.HK3/B



# Faucets and mixers



Suitable for:

**3759271 HANDLE K3 CONTROL SCREWS  $\varnothing$  3/4" RED**  
broach  $\varnothing$  8x20



KLARCO 0P.HK3/R


**2101010 SUPPLY SPOUT  $\varnothing$  20x300 mm SCREW**



KLARCO 0P.C007.00.00

Suitable for:

**3359118 OIL BATH TAP WORM  $\varnothing$  1/2" BROACH 8x20**



KLARCO 0P.VOL0.00.00

KLARCO 0P.V030.00.00

**3759248 TWO-HOLE STRAIGHT COUNTER STYL-K3**  
large screws  $\varnothing$  3/4"  
spout  $\varnothing$  20 x300 h 150 mm  
distance between holes 155 mm  
connections  $\varnothing$  3/4" h 50 mm



KLARCO 1S.3007.07.K23

**3759271 HANDLE K3 CONTROL SCREWS  $\varnothing$  3/4" RED**  
broach  $\varnothing$  8x20



KLARCO 0P.HK3/R

**2101010 SUPPLY SPOUT  $\varnothing$  20x300 mm SCREW**



KLARCO 0P.C007.00.00

**3759273 HANDLE K3 CONTROL SCREWS  $\varnothing$  3/4" BLUE**  
broach  $\varnothing$  8x20



KLARCO 0P.HK3/B

**3359118 OIL BATH TAP WORM  $\varnothing$  1/2" BROACH 8x20**



KLARCO 0P.VOL0.00.00

KLARCO 0P.V030.00.00




# Faucets and mixers



Suitable for:

**3759254 WALL MOUNTED TWO-HOLE TAP STYL-K3**  
valves  $\varnothing$  3/4"  
spout  $\varnothing$  20 x 250 h120 mm with screw  
distance between holes 155 mm  
connection  $\varnothing$  1/2"



KLARCO 1S.4005.05.K23

**3759271 HANDLE K3 CONTROL SCREWS  $\varnothing$  3/4" RED**  
broach  $\varnothing$  8x20




KLARCO 0P.HK3/R

**3759083 SUPPLY SPOUT  $\varnothing$  20x250 mm SCREW**  
quick coupling



KLARCO 0P.C005.00.00

**3759255 WALL MOUNTED TWO-HOLE TAP STYL-K3**  
valves  $\varnothing$  3/4"  
spout  $\varnothing$  20 x 250 h120 mm with screw  
distance between holes 155 mm  
connection  $\varnothing$  1/2"



KLARCO 1S.4005.07.K23

**3759271 HANDLE K3 CONTROL SCREWS  $\varnothing$  3/4" RED**  
broach  $\varnothing$  8x20



KLARCO 0P.HK3/R

Suitable for:

**3759273 HANDLE K3 CONTROL SCREWS  $\varnothing$  3/4" BLUE**  
broach  $\varnothing$  8x20



KLARCO 0P.HK3/B

**3359118 OIL BATH TAP WORM  $\varnothing$  1/2" BROACH 8x20**



KLARCO 0P.VOL0.00.00

KLARCO 0P.V030.00.00

**3759273 HANDLE K3 CONTROL SCREWS  $\varnothing$  3/4" BLUE**  
broach  $\varnothing$  8x20



KLARCO 0P.HK3/B

**3359118 OIL BATH TAP WORM  $\varnothing$  1/2" BROACH 8x20**



KLARCO 0P.VOL0.00.00

KLARCO 0P.V030.00.00



# Faucets and mixers



Suitable for:

**2101010 SUPPLY SPOUT  $\varnothing$  20x300 mm SCREW**



KLARCO 0P.C007.00.00

**3759256 WALL MOUNTED TWO-HOLE TAP STYL-K3**  
valves  $\varnothing$  3/4"  
spout  $\varnothing$  25 x 300 h70 mm with screw  
distance between holes 155 mm  
attacchi  $\varnothing$  1/2"



KLARCO 1S.4006.S3.K23

**3759271 HANDLE K3 CONTROL SCREWS  $\varnothing$  3/4" RED**  
broach  $\varnothing$  8x20



KLARCO 0P.HK3/R

**3759087 BLUE KNOB FOR TAP**



KWC Z.503.009.000

**3359729 COMPLETE 2-HOLE MIXER TAP**  
length 250 mm  
coupling 1/2" (15/21)  
distance 153 mm - height 400 mm  
flowrate 42L/min by 3 bar



KWC K.24.42.K3.000C34

Suitable for:

**3759273 HANDLE K3 CONTROL SCREWS  $\varnothing$  3/4" BLUE**  
broach  $\varnothing$  8x20



KLARCO 0P.HK3/B

**3359118 OIL BATH TAP WORM  $\varnothing$  1/2" BROACH 8x20**



KLARCO 0P.VOLO.00.00

KLARCO 0P.V030.00.00

**3759087 BLUE KNOB FOR TAP**



KWC Z.503.009.000





Suitable for:

**3759084 RED KNOB FOR TAP**



KWC Z.503.008.000

**3759084 RED KNOB FOR TAP**



KWC Z.503.008.000

**3359730 2-HOLE MIXER TAP**  
length 300 mm  
mounting distance 153 mm - height 405 mm  
coupling 3/4" (20/27)  
flowrate 110L/min by 3 bar




KWC K.24.42.E2.000C35

**3759126 MAXI SINGLE-HOLE MIXER h 210 mm**



MONOLITH R0101020167

**3759128 MAXI SINGLE-HOLE MIXER h 610 mm**




MONOLITH R0101020171

# Faucets and mixers



Suitable for:

**3359979 SINGLE-HOLE MIXER KWC K24.41.24**  
spout  $\varnothing$  20 x 300mm  
flowrate 30l/minute by 3 bar  
mounting hole  $\varnothing$  35mm




KWC K.24.41.24.000C02

**5061937 "C" SPOUT 18x300 mm**




MONOLITH 00602000009

**3759127 MAXI SINGLE-HOLE MIXER h 320 mm**



MONOLITH R0101020169

**3759129 MAXI SINGLE-HOLE MIXER h 660 mm**



MONOLITH R0101020172



Suitable for:

Suitable for:

## 3759198 SINGLE LEVER MIXER FOR BASIN


ceramic disks screws 90°  
spout  $\varnothing$  18x300 mm  
mounting hole  $\varnothing$  3/4"



MONOLITH R010102013

## 3359410 SINGLE-HOLE MIXER

spout  $\varnothing$  18x250 mm  
flow rate 21 L/min by 4 bar  
connections  $\varnothing$  1/2"FF  
mounting hole min 30 max 32 mm



MONOLITH R010102017

R.D.FRIULI 00101253

## 7103024 BLUE COLD WATER TAP KNOB



R.D.FRIULI 36103642

## 3359733 HANDLE SCREW COUPLING 8x20



R.D.FRIULI 36107379

## 7103023 RED HOT WATER TAP KNOB




R.D.FRIULI 36103643

## 3183043 SWIVEL SPOUT $\varnothing$ 18x250 mm TYPE U



R.D.FRIULI 36100804

## 3359805 TAP WORM



R.D.FRIULI 36107363

## 3359046 SINGLE-HOLE TAP

U-shaped spout  $\varnothing$  18x22 mm  
mounting hole  $\varnothing$  3/4"



MONOLITH FFIG616

MONOLITH R0101020101

## 2101397 ADJUSTABLE SPOUT $\varnothing$ 18x180 mm



R.D.FRIULI 36100830



Suitable for:

**3359196 CROSS SHAPED SMALL BLUE KNOB**




MONOLITH R000000008

MONOLITH S633MAN50C/PB

MONOLITH 0020200003

**3359076 TAP WORM FOR MIXER**



MONOLITH M633VMD824

MONOLITH 00304000001

MONOLITH 633VITMON

**3759125 SPOUT MIXER**



MONOLITH R0101020166

**3359850 TWO-HOLE TAP WITH SPOUT 300 mm**  
upstand 430 mm  
fittings ø 3/4"



MONOLITH R0102020302

**3359076 TAP WORM FOR MIXER**



MONOLITH M633VMD824

MONOLITH 00304000001

MONOLITH 633VITMON

**3359859 TWO-HOLE TAP WITH SPOUT 300 mm**  
upstand 430 mm  
fittings ø 3/4"



MONOLITH R0102020305

# Faucets and mixers



Suitable for:

**3359994 CROSS SHAPED SMALL RED KNOB**



MONOLITH R000000009

**3359062 SPOUT ø 20x250 mm**



MONOLITH S633CAN606710

MONOLITH 00602000001

MONOLITH 00602000005

**3359995 BLUE SHORT LEVER HANDLE**





Suitable for:

**3359998 QUICK FITTING HEAD VALVE LH**



**3359996 RED SHORT LEVER HANDLE**



**3359862 TWO-HOLE TAP WITH SPOUT 300 mm**  
upstand 430 mm  
fittings  $\varnothing$  3/4"  
cross shaped knob



MONOLITH R0102020308

**3359994 CROSS SHAPED SMALL RED KNOB**



MONOLITH R000000009

**3359076 TAP WORM FOR MIXER**



MONOLITH M633VMD824

MONOLITH 00304000001

MONOLITH 633VITMON

## Faucets and mixers



Suitable for:

**3359997 QUICK FITTING HEAD VALVE RH**



**3359062 SPOUT  $\varnothing$  20x250 mm**



MONOLITH S633CAN606710

MONOLITH 00602000001

MONOLITH 00602000005

**3359196 CROSS SHAPED SMALL BLUE KNOB**



MONOLITH R000000008

MONOLITH S633MAN50C/PB

MONOLITH 00202000003

**3359062 SPOUT  $\varnothing$  20x250 mm**



MONOLITH S633CAN606710

MONOLITH 00602000001

MONOLITH 00602000005



# Faucets and mixers




Suitable for:

Suitable for:

**3359473 WALL MOUNTED TWO-HOLE MIXER**  
 spout  $\varnothing$  18x300 mm  
 flow rate 26 L/min by 4 bar  
 distance between holes 130/170 mm  
 connections  $\varnothing$  1/2"MM  
 washer  $\varnothing$  68 mm

**3359805 TAP WORM**



MONOLITH R0102010201

R.D.FRIULI 00401303

R.D.FRIULI 36107363

**3759178 BROACH BLUE KNOB A.F.  $\varnothing$  8x20**

**3759179 BROACH RED KNOB A.C.  $\varnothing$  8x20**



R.D.FRIULI 36103603

R.D.FRIULI 36103604

**3359119 CERAMIC DISK VALVE RH 1/4 TURN**  
 for cold water

**3359914 CERAMIC DISK VALVE SX 1/4 TURN**  
 for hot water




R.D.FRIULI 36107374

R.D.FRIULI 36107373

**3759173 EXTRACTABLE SHOWER MIXER**  
 short lever  
 flow rate 13 l/min. 3 bar  
 connections 1/2" F  
 mounting hole 32 mm

**2111836 CARTRIDGE  $\varnothing$  40 PIN 10x10.5**  
 for lever model GOAL



R.D.FRIULI 00209103

R.D.FRIULI 36100841

**3359357 PULL-OUT SPRAY HEAD  $\varnothing$  1/2" M**

**3259015 SHORT HANDLE FOR CARTRIDGE**



KLARCO 0P.C080.00.00  
RIVER 00502000004

KLARCO 9012031  
RIVER A800/1062B

MONOLITH 00502000004

R.D.FRIULI 36103372





Suitable for:

**3759174 EXTRACTABLE SHOWER MIXER**  
 long lever  
 flow rate 13 l/min. 3 bar  
 connections 1/2" F  
 mounting hole 32 mm



R.D.FRIULI 00209203

**3259016 LONG LEVER FOR CARTRIDGE**



R.D.FRIULI 36103373

Suitable for:

**2111836 CARTRIDGE  $\varnothing$  40 PIN 10x10.5**  
 for lever model GOAL



R.D.FRIULI 36100841

**3359357 PULL-OUT SPRAY HEAD  $\varnothing$  1/2" M**



KLARCO 0P.C080.00.00  
 RIVER 00502000004

KLARCO 9012031  
 RIVER A800/1062B

MONOLITH 00502000004

**3359733 HANDLE SCREW COUPLING 8x20**



R.D.FRIULI 36107379

**3359475 HORIZONTAL TAP**  
 spout  $\varnothing$  18x300 mm  
 flow rate 25L/min by 4 bar  
 connection  $\varnothing$  1/2" M




R.D.FRIULI 00504303

**3359805 TAP WORM**



R.D.FRIULI 36107363

**3359411 SINGLE-HOLE MIXER**  
 spout  $\varnothing$  18x300 mm  
 flow rate 21 L/min by 4 bar  
 connections  $\varnothing$  1/2" FF  
 mounting hole min 30 max 32 mm



R.D.FRIULI 00101303

**7103024 BLUE COLD WATER TAP KNOB**



R.D.FRIULI 36103642



# Faucets and mixers



Suitable for:

**7103023 RED HOT WATER TAP KNOB**



R.D.FRIULI 36103643

Suitable for:

**3359805 TAP WORM**



R.D.FRIULI 36107363

**3359414 SINGLE-HOLE MIXER**  
spout  $\varnothing$  18x250 mm  
flow rate 21 L/min by 4 bar  
connection  $\varnothing$  1/2" F  
mounting hole min 30 max 32 mm



R.D.FRIULI 00102253

**3183043 SWIVEL SPOUT  $\varnothing$  18x250 mm TYPE U**



R.D.FRIULI 36100804

**3359805 TAP WORM**



R.D.FRIULI 36107363

**3359415 SINGLE-HOLE MIXER**  
spout  $\varnothing$  18x300 mm  
flow rate 21 L/min by 4 bar  
connection  $\varnothing$  1/2" F  
mounting hole min 30 max 32 mm



R.D.FRIULI 00102303

**3359805 TAP WORM**



R.D.FRIULI 36107363

**3759075 SINGLE-HOLE MIXER**  
spout  $\varnothing$  18x300 mm  
flow rate 21 l/min a 4 bar  
fittings  $\varnothing$  3/8" FF  
mounting hole min.30, max 32 mm



R.D.FRIULI 00101302

**7103024 BLUE COLD WATER TAP KNOB**



R.D.FRIULI 36103642



# Faucets and mixers



Suitable for:


**7103023 RED HOT WATER TAP KNOB**



R.D.FRIULI 36103643


Suitable for:

**3359805 TAP WORM**



R.D.FRIULI 36107363

**3759171 SINGLE-HOLE MIXER ECO**  
with "U" shaped spout  $\varnothing$  18x250mm  
flow rate 17 l/min. 3 bar  
connections 1/2"F  
mounting hole 32 mm



R.D.FRIULI 00201253

**3759178 BROACH BLUE KNOB A.F.  $\varnothing$  8x20**



R.D.FRIULI 36103603

**3759179 BROACH RED KNOB A.C.  $\varnothing$  8x20**




R.D.FRIULI 36103604

**3183043 SWIVEL SPOUT  $\varnothing$  18x250 mm TYPE U**




R.D.FRIULI 36100804

**3359805 TAP WORM**



R.D.FRIULI 36107363

**3759172 SINGLE-HOLE MIXER ECO 1/4" TURN**  
with "U" shaped spout  $\varnothing$  18x250mm  
flow rate 20 l/min. 3 bar  
connections 1/2"F  
mounting hole 32 mm



R.D.FRIULI 00203253

**3359119 CERAMIC DISK VALVE RH 1/4 TURN**  
for cold water



R.D.FRIULI 36107374



# Faucets and mixers



Suitable for:

**3359914 CERAMIC DISK VALVE SX 1/4 TURN**  
for hot water



R.D.FRIULI 36107373

**3359976 SINGLE/TWO-HOLE KNOB 1/4 TURN**



R.D.FRIULI 36103616

**3359413 SINGLE-HOLE MIXER 1/4 TURN**  
spout  $\varnothing$  18x300 mm  
flow 21 L/min 4 bar  
connection  $\varnothing$  1/2" F  
mounting hole min 30 max 32 mm



R.D.FRIULI 00103303

**3359914 CERAMIC DISK VALVE SX 1/4 TURN**  
for hot water



R.D.FRIULI 36107373

**3359976 SINGLE/TWO-HOLE KNOB 1/4 TURN**



R.D.FRIULI 36103616

Suitable for:

**3359929 SINGLE/TWO-HOLE KNOB 1/4 TURN**



R.D.FRIULI 36103627

**3183043 SWIVEL SPOUT  $\varnothing$  18x250 mm TYPE U**



R.D.FRIULI 36100804

**3359119 CERAMIC DISK VALVE RH 1/4 TURN**  
for cold water



R.D.FRIULI 36107374

**3359929 SINGLE/TWO-HOLE KNOB 1/4 TURN**




R.D.FRIULI 36103627



Suitable for:

**3759170 SINGLE-HOLE MIXER 1/4 TURN**  
with "U" shaped spout  $\varnothing$  18x250mm  
flow rate 20lt min. 3 bar  
connections 1/2" F  
mounting hole 32 mm



R.D.FRIULI 00103253

**3359914 CERAMIC DISK VALVE SX 1/4 TURN**  
for hot water



R.D.FRIULI 36107373

**3359976 SINGLE/TWO-HOLE KNOB 1/4 TURN**




R.D.FRIULI 36103616

**3759169 SINGLE-HOLE MIXER 1/4" TURN**  
with "U" shaped spout  $\varnothing$  18x250mm  
flow rate 17lt min. 3 bar  
connections 1/2" F  
mounting hole 32 mm



R.D.FRIULI 00101253

**3186043 OVEN DOOR GASKET 720x640 mm**  
snap-in gasket  
made of silicone elastomer  
profile dimensions 17x17 mm  
COLOUR BLACK



ELECTROLUX 055315

ZANUSSI 055315

Suitable for:

**3359119 CERAMIC DISK VALVE RH 1/4 TURN**  
for cold water



R.D.FRIULI 36107374

**3359929 SINGLE/TWO-HOLE KNOB 1/4 TURN**



R.D.FRIULI 36103627

**3183043 SWIVEL SPOUT  $\varnothing$  18x250 mm TYPE U**



R.D.FRIULI 36100804

**7103024 BLUE COLD WATER TAP KNOB**



R.D.FRIULI 36103642

**7103023 RED HOT WATER TAP KNOB**



R.D.FRIULI 36103643



Suitable for:

**3359805 TAP WORM**



R.D.FRIULI 36107363

**3359929 SINGLE/TWO-HOLE KNOB 1/4 TURN**



R.D.FRIULI 36103627

Suitable for:

**3359976 SINGLE/TWO-HOLE KNOB 1/4 TURN**



R.D.FRIULI 36103616

**3359082 SWIVEL SPOUT  $\varnothing$  18x200 mm TYPE U**



R.D.FRIULI R802000

R.D.FRIULI 36100803

**3183043 SWIVEL SPOUT  $\varnothing$  18x250 mm TYPE U**



R.D.FRIULI 36100804

**3359805 TAP WORM**



R.D.FRIULI 36107363

**3359450 TWO-HOLE MIXER**  
spout  $\varnothing$  18x300 mm  
flow rate 26L/min by 4 bar  
distance between holes 160 mm  
connecitons  $\varnothing$  3/4"MM  
mounting hole  $\varnothing$  27 mm



R.D.FRIULI 00301304

R.D.FRIULI 00302304

R.D.FRIULI 00321304

**3359805 TAP WORM**



R.D.FRIULI 36107363

# Faucets and mixers







Suitable for:

Suitable for:

**3759076 TWO-HOLE MIXER**  
 spout  $\varnothing$  18x300 mm  
 flow rate 26 l/min a 4 bar  
 mounting distance 160 mm  
 fittings  $\varnothing$  1/2"MM  
 mounting hole min  $\varnothing$  27 mm

**7103024 BLUE COLD WATER TAP KNOB**




R.D.FRIULI 00321303

R.D.FRIULI 36103642

**7103023 RED HOT WATER TAP KNOB**

**3359805 TAP WORM**



R.D.FRIULI 36103643

R.D.FRIULI 36107363

**3359477 VERTICAL TAP**  
 spout  $\varnothing$  18x300 mm  
 flow rate 26L/min by 4 bar  
 connection  $\varnothing$  1/2"MM  
 mounting hole  $\varnothing$  27/28 mm

**3359805 TAP WORM**




R.D.FRIULI 00501303

R.D.FRIULI 00601303

R.D.FRIULI 36107363

**3759107 WALL-MOUNTED ECO TAP WITH SHOWER FITTING**  
 spout  $\varnothing$  18 x 300 mm  
 mounting distance 130/170 mm

**3359811 KNOB TYPE P  $\varnothing$  32 mm**  
 for MIXER TAP  
 with red and blue indicators



R.D.FRIULI 00407033

RIVER A800/1071

RIVER 800/1071




# Faucets and mixers



Suitable for:

**3359981 MIXER FOR CONTINUOUS WATER FLOW**  
 foot operated  
 by moving the lever cold water flows  
 then gradually mixed and hot water  
 flow rate regulator included  
 floor mounting or under the furnitures  
 flow rate 3 bar - 14 L/min  
 for mounting with all pre-wash set  
 2 special non-return valves to  
 avoid the by-pass of the plant



RIVER R844283

Suitable for:

**3359793 OIL BATH TAP WORM**  
 for type Z medium size - type P  $\varnothing$  32 mm knobs  
 ACTIVE cross type - ACTIVE lever type



RIVER A800/58

RIVER 800/58

**3759263 SINGLE HOLE MAXI MIXER  $\varnothing$  1/2"**  
 large screws with ceramic discs  $\varnothing$  1/2"  
 spout  $\varnothing$  20 x 240 mm  
 capacity 45 L/ min a 3 bar  
 flexible metal hose  $\varnothing$  1/2" x 350 mm  
 mounting hole 34 mm



RIVER 87902

**3759264 SINGLE HOLE MAXI MIXER  $\varnothing$  1/2"**  
 ceramic disc valves  $\varnothing$  1/2"  
 spout high  $\varnothing$  20 x 240 mm  
 capacity 45 L/ min a 3 bar  
 flexible metal hose  $\varnothing$  1/2" x 350 mm  
 mounting hole 34 mm



RIVER 87902/8

**3759265 SINGLE HOLE MAXI MIXER  $\varnothing$  1/2"**  
 large screws with ceramic discs  $\varnothing$  1/2"  
 spout high  $\varnothing$  20 x 240 mm  
 capacity 45 L/ min a 3 bar  
 flexible metal hose  $\varnothing$  1/2" x 350 mm  
 mounting hole 34 mm



RIVER 87903/8

**3359589 SINGLE-HOLE MIXER**  
 oil bath spindles  $\varnothing$  3/4"  
 spout  $\varnothing$  24x450 mm  
 adjustable gland  
 stainless steel AISI 303 seats  
 flowrate 3 bars 90 l/min.  
 mounting hole 43 mm



RIVER 87812

RIVER 87815

**3359794 OIL BATH TAP WORM**



RIVER A800/132

RIVER 800/132



# Faucets and mixers



Suitable for:

**3359798 SPOUT TYPE U  $\varnothing$  24x300 mm**



RIVER A800/1039

RIVER 800/1039

Suitable for:

**3359793 OIL BATH TAP WORM**  
for type Z medium size - type P  $\varnothing$  32 mm knobs  
ACTIVE cross type - ACTIVE lever type

**3359670 SINGLE-HOLE MIXER 81312**  
oil bath spindles  
spout  $\varnothing$  20x300 mm  
flow rate 36L/min by 3 bar  
with hoses  $\varnothing$  1/8"-1/2" MFx350 mm  
mounting hole  $\varnothing$  33 mm



RIVER 81312



RIVER A800/58

RIVER 800/58

**3359795 SPOUT TYPE J  $\varnothing$  20x300 mm**



**3359780 Z TYPE MIDDLE SIZE KNOB**



RIVER A800/1029

RIVER A800/1070

**3359623 SINGLE-HOLE MIXER 81313**  
oil bath spindles  
spout  $\varnothing$  20x350 mm  
flowrate 36 L/min by 3 bar  
compl.with stain.steel hoses  $\varnothing$  1/8"-1/2" MFx350 mm  
mounting hole 33 mm



**3359793 OIL BATH TAP WORM**  
for type Z medium size - type P  $\varnothing$  32 mm knobs  
ACTIVE cross type - ACTIVE lever type



RIVER 81313

RIVER A800/58

RIVER 800/58

**3359786 SPOUT TYPE J  $\varnothing$  20x350 mm**



**3359780 Z TYPE MIDDLE SIZE KNOB**



RIVER A800/1030

RIVER 800/1030

RIVER A800/1070




# Faucets and mixers



Suitable for:

**3359671 SINGLE-HOLE MIXER 81402**  
 spindles with ceramic discs  
 spout  $\varnothing$  20x300 mm  
 flow rate 36 L/min by 3 bar  
 with hoses  $\varnothing$  1/8"-1/2" M Fx350 mm  
 mounting hole  $\varnothing$  33 mm



RIVER 81402

**3459013 CERAMIC DISC VALVE  $\varnothing$  1/2" RH 90°**  
 for single hole "MAXI"  $\varnothing$  1/2"



RIVER A800/52/1

RIVER 800/52/1

**3359795 SPOUT TYPE J  $\varnothing$  20x300 mm**



RIVER A800/1029

**3359787 SPOUT TYPE J  $\varnothing$  18x300 mm**



RIVER A800/1026

RIVER 800/1026

**3359786 SPOUT TYPE J  $\varnothing$  20x350 mm**



RIVER A800/1030

RIVER 800/1030

Suitable for:

**3759267 CERAMIC DISC VALVE  $\varnothing$  1/2" LH 90°**  
 for single hole "MAXI"  $\varnothing$  1/2"



RIVER A800/52/2

RIVER 800/52/2

**3359811 KNOB TYPE P  $\varnothing$  32 mm**  
 for MIXER TAP  
 with red and blue indicators



RIVER A800/1071

RIVER 800/1071

**3359795 SPOUT TYPE J  $\varnothing$  20x300 mm**



RIVER A800/1029

**3359797 SPOUT TYPE S  $\varnothing$  20x300 mm**



RIVER A800/1022

RIVER 800/1022



Suitable for:

**3359798 SPOUT TYPE U  $\varnothing$  24x300 mm**



RIVER A800/1039

RIVER 800/1039


Suitable for:

**3759278 THERMOSTATIC MIXER  $\varnothing$  1/2" M**  
 maintains water temperature stable  
 of mixed water  
 for all hydraulic systems  
 temperature detection on handle  
 Burn preventing cartridge for incoming  
 temperatures up to 110°C and possibility to  
 adjust 25÷65°C.



RIVER R00378

**3359989 TIMED TAP MINIMAGIC**  
 no encumbrance of the spout  
 adjustable flow rate w. minimum consumption of  
 4 L/min  
 opening time approx. 10 seconds  
 with brass cartridge and stainless steel pin  
 slanted body to make the opening movement  
 easier for the hand  
 hole 22 mm



RIVER R00710/2

RIVER R00710/4

**3359991 TIMED TAP MINIMAGIC**  
 wall-mounted  
 adjustable flow rate w. minimum consumption of  
 4 L/min  
 opening time approx. 10 seconds  
 with brass cartridge and stainless steel pin  
 slanted body to make the opening movement  
 easier for the hand



RIVER R00701

RIVER R00701/2

**3359990 TIMED TAP MAGIC**  
 wall-mounted  
 adjustable opening time by key  
 from 0 to 30 seconds  
 automatic flow rate device for a  
 constant output 7 L/min from 0,5 to 9 bar  
 brass cartridge w. pin and stainless steel filters  
 and with blue and red signal



RIVER R7000

**3359988 TIMED TAP MAGIC 1/2" M**  
 adjustable opening time by key  
 from 0 to 30 seconds  
 automatic flow rate device for a  
 constant output 7 L/min from 0,5 to 9 bar  
 brass cartridge w. pin and stainless steel filters  
 and with blue and red signal



RIVER R7100

**3759276 TWO-HOLE MIXER MAXI FOR SINK**  
 ceramic discs  $\varnothing$  3/4 revolution 90°  
 spout  $\varnothing$  24 x 210 mm h 334 mm  
 capacity for 3 bar 100 litres/minute  
 distance between holes mm 155  
 mounting holes 27 mm



RIVER 88813



# Faucets and mixers



Suitable for:

**3759277 TWO-HOLE MIXER MAXI FOR SINK**  
 ceramic discs  $\varnothing$  3/4 revolution 90°  
 spout  $\varnothing$  24 x 300 mm h 340 mm  
 capacity for 3 bar 100 litres/minute  
 distance between holes mm 155  
 mounting holes 27 mm



RIVER 88811

RIVER 88814

Suitable for:

**3359794 OIL BATH TAP WORM**



RIVER A800/132

RIVER 800/132

**3359798 SPOUT TYPE U  $\varnothing$  24x300 mm**



RIVER A800/1039

RIVER 800/1039

**3359672 TWO-HOLE MIXER 82312**  
 oil bath spindles  
 spout  $\varnothing$  20x300 mm  
 flow rate 55 L/min by 3 bar  
 connections  $\varnothing$  1/2"MM  
 distance between holes 155 mm



RIVER 82312

**3359793 OIL BATH TAP WORM**  
 for type Z medium size - type P  $\varnothing$  32 mm knobs  
 ACTIVE cross type - ACTIVE lever type



RIVER A800/58

RIVER 800/58

**3359795 SPOUT TYPE J  $\varnothing$  20x300 mm**



RIVER A800/1029

**3359780 Z TYPE MIDDLE SIZE KNOB**



RIVER A800/1070

**3359673 TWO-HOLE MIXER 82312/2**  
 oil bath spindles  
 60 mm extensions  
 spout  $\varnothing$  20x300 mm  
 flow rate 55 L/min by 3 bar  
 connections  $\varnothing$  1/2" MM  
 distance between holes 155 mm



RIVER 82312/2

**3359793 OIL BATH TAP WORM**  
 for type Z medium size - type P  $\varnothing$  32 mm knobs  
 ACTIVE cross type - ACTIVE lever type



RIVER A800/58

RIVER 800/58





# Faucets and mixers



Suitable for:

**3359795 SPOUT TYPE J  $\varnothing$  20x300 mm**



RIVER A800/1029

Suitable for:

**3359780 Z TYPE MIDDLE SIZE KNOB**



RIVER A800/1070

**3359675 TWO-HOLE MIXER 82402/2**  
spindles with ceramic discs  
60 mm extension tubes  
spout  $\varnothing$  20x300 mm  
flow rate 55 L/min by 3 bar  
connections  $\varnothing$  1/2" MM  
distance between holes 155 mm



RIVER 82402/2

**3459013 CERAMIC DISC VALVE  $\varnothing$  1/2" RH 90°**  
for single hole "MAXI"  $\varnothing$  1/2"



RIVER A800/52/1

RIVER 800/52/1

**3359811 KNOB TYPE P  $\varnothing$  32 mm**  
for MIXER TAP  
with red and blue indicators



RIVER A800/1071

RIVER 800/1071

**3359795 SPOUT TYPE J  $\varnothing$  20x300 mm**



RIVER A800/1029

**3359810 TYPE P KNOB  $\varnothing$  30 mm**



RIVER A800/1069

**3359789 TYPE Z SMALL KNOB**



RIVER A800/1068

**3359678 WALL MOUNTED SINGLE TAP 840110**  
oil bath spindles  
spout  $\varnothing$  20x300 mm  
flow rate 32 L/min by 3 bar  
connection  $\varnothing$  1/2" M



RIVER 840110

**3359793 OIL BATH TAP WORM**  
for type Z medium size - type P  $\varnothing$  32 mm knobs  
ACTIVE cross type - ACTIVE lever type



RIVER A800/58

RIVER 800/58



# Faucets and mixers



Suitable for:

**3359797 SPOUT TYPE S  $\varnothing$  20x300 mm**



RIVER A800/1022

RIVER 800/1022

Suitable for:

**3359780 Z TYPE MIDDLE SIZE KNOB**



RIVER A800/1070

**3359676 WALL MOUNTED SINGLE TAP 84012**

oil bath spindles  
spout  $\varnothing$  18x300 mm  
flow rate 32 L/min by 3 bar  
connection  $\varnothing$  1/2" M



RIVER 84012

**3359787 SPOUT TYPE J  $\varnothing$  18x300 mm**



RIVER A800/1026

RIVER 800/1026

**3359793 OIL BATH TAP WORM**

for type Z medium size - type P  $\varnothing$  32 mm knobs  
ACTIVE cross type - ACTIVE lever type



RIVER A800/58

RIVER 800/58

**3359780 Z TYPE MIDDLE SIZE KNOB**



RIVER A800/1070

**3359677 WALL MOUNTED SINGLE TAP 84012**

spindles with ceramic discs  
spout  $\varnothing$  18x300 mm  
flow rate 32 L/min by 3 bar  
connection  $\varnothing$  1/2" M



RIVER 84102

**3359811 KNOB TYPE P  $\varnothing$  32 mm**  
for MIXER TAP  
with red and blue indicators



RIVER A800/1071

RIVER 800/1071

**3459013 CERAMIC DISC VALVE  $\varnothing$  1/2" RH 90°**

for single hole "MAXI"  $\varnothing$  1/2"



RIVER A800/52/1

RIVER 800/52/1

**3359787 SPOUT TYPE J  $\varnothing$  18x300 mm**



RIVER A800/1026

RIVER 800/1026



Suitable for:

**3359679 WALL MOUNTED SINGLE TAP 841010**

spindles with ceramic discs  
spout  $\varnothing$  20x300 mm  
flow rate 32 L/min by 3 bar  
connection  $\varnothing$  1/2"M



RIVER 841010

**3359811 KNOB TYPE P  $\varnothing$  32 mm**  
for MIXER TAP  
with red and blue indicators



RIVER A800/1071

RIVER 800/1071

**3359780 Z TYPE MIDDLE SIZE KNOB**



RIVER A800/1070

**3359932 CERAMIC DISC HEAD VALVE FOR HOT WATER**



T&S 013787-45

**3359967 LH COMPLETE SCREW**



T&S 002711-40

Suitable for:

**3459013 CERAMIC DISC VALVE  $\varnothing$  1/2" RH 90°**  
for single hole "MAXI"  $\varnothing$  1/2"



RIVER A800/52/1

RIVER 800/52/1

**3359797 SPOUT TYPE S  $\varnothing$  20x300 mm**



RIVER A800/1022


RIVER 800/1022

**3359933 CERAMIC DISC HEAD VALVE FOR COLD WATER**



T&S 013788-45

**3359969 COMPLETE LEVER FOR TAPS**



T&S 5-HDL-L

**3359879 MIXER WALL MOUNTED**  
adjustable fittings



T&S EB-0236



# Faucets and mixers



Suitable for:

**3359968 RH COMPLETE SCREW**



T&S 002712-40

Suitable for:

**3359930 SINGLE HOLE MIXER**  
spout 308 mm  
connection  $\varnothing$  28 mm



T&S 5F-2SLX12

**3359931 SINGLE HOLE MIXER**  
"U" shaped spout  
connection 28 mm



T&S 5F-2SLX03

**3359881 SWIVEL SPOUT 156 mm**




T&S ES-06

**3359882 SWIVEL SPOUT 207 mm**



T&S ES-08

**3359883 SWIVEL SPOUT 257 mm**



T&S ES-10

**3359884 SWIVEL SPOUT 306 mm**




T&S ES-12

**3359964 TAP OPENING LEVER**




T&S 001638-45

**3359975 WALL MOUNTED TWO-HOLE TAP**  
connections  $\varnothing$  1/2"  
mounting distance 210 mm



T&S B-0665-BSTR

**7107671 WATER STATION DOSER TAP**  
connection  $\varnothing$  1/2" npt 1.51 mm  
height from base 315 mm




















T&S B1210-01

*The data herewith contained may change without notice and LF SpA cannot be held responsible for possible errors stated or resulting by the use of this document. All rights reserved. No part of this publication may be reproduced without written permission by LF SpA.*



Distributing Components, Spare Parts & Accessories  
in original quality worldwide

- 
-  **LF SpA HEADQUARTERS**  
via Voltri, 80 - 47522 Cesena (FC) ITALY  
Tel. +39 0547 34 11 11 - Fax +39 0547 34 11 10  
[www.lfcomb724.it](http://www.lfcomb724.it) - [www.lfcomb724.mobi](http://www.lfcomb724.mobi) - [info@lfcomb.it](mailto:info@lfcomb.it)  
Export Dept.: Tel. +39 0547 34 11 50 - Fax: +39 0547 34 11 55  
[www.lfspareparts724.com](http://www.lfspareparts724.com) - [www.lfspareparts724.mobi](http://www.lfspareparts724.mobi)  
[export@lfspareparts.com](mailto:export@lfspareparts.com)
  -  **OOO LF RUSSIAN FEDERATION**  
Ul. Anatoliya Zhivova, 8 - office 1 - 123100 Moscow  
Tel. +7 499 259 85 75  
Fax +7 495 725 26 53  
[www.lfspareparts724.ru](http://www.lfspareparts724.ru)  
[www.lfspareparts724.mobi](http://www.lfspareparts724.mobi)  
[info@lfspareparts.ru](mailto:info@lfspareparts.ru)
  -  **EPGC Sas FRANCE**  
13, Rue des Forts - 59960 Neuville en Ferrain  
Tel. +33 (0)3 20 25 06 21  
Fax +33 (0)3 20 25 34 12  
[www.epgc.com](http://www.epgc.com)  
[www.epgc724.mobi](http://www.epgc724.mobi)  
[epgc@epgc.com](mailto:epgc@epgc.com)
  -  **LF Repuestos Horeca S.L.U. SPAIN**  
Calle Ciudad Real, 10 - 45517 Escalonilla - Toledo  
Tel. +34 91 477 91 00  
Fax +34 91 477 90 81  
[www.lfrepuestos-horeca724.es](http://www.lfrepuestos-horeca724.es)  
[www.lfrepuestos724.mobi](http://www.lfrepuestos724.mobi)  
[info@lfrepuestos.es](mailto:info@lfrepuestos.es)
  -  **LF GmbH GERMANY**  
Junkersstrasse, 1 - D-82178 Puchheim - München  
Tel. +49 89 89 45 78 66  
Fax +49 89 89 45 78 88  
[www.lfersatzteile724.de](http://www.lfersatzteile724.de)  
[www.lfersatzteile724.mobi](http://www.lfersatzteile724.mobi)  
[info@lfersatzteile.de](mailto:info@lfersatzteile.de)
  -  **LF SpA Cesena (IT) Swiss Branch Steinhausen SWITZERLAND**  
Sennweidstrasse, 45 - CH-6312 Steinhausen  
Tel. +41 (0)41 760 15 80-1  
Fax +41 (0)41 760 15 85  
[www.lfersatzteile724.ch](http://www.lfersatzteile724.ch)  
[www.lfersatzteile724.mobi](http://www.lfersatzteile724.mobi)  
[info@lfersatzteile.ch](mailto:info@lfersatzteile.ch)
  -  **LF China REPUBLIC OF CHINA**  
Room 403, No.2, Huadu Mansion, Lane 422, Huanghua Rd.  
Minhang Dist. - 201103 Shanghai  
Tel. +86 (0)21 33 53 66 31  
Fax +86 (0)21 33 53 66 32  
[www.lfspareparts724.com](http://www.lfspareparts724.com)  
[www.lfspareparts724.mobi](http://www.lfspareparts724.mobi)  
[china@lfspareparts.com](mailto:china@lfspareparts.com)
  -  **LF Spare Parts Ltd. UNITED KINGDOM**  
A10a Lakeside Business Park, Broadway Lane  
South Cerney, Gloucestershire GL7 5XL  
Tel. +44 (0)1285 86 16 25  
Fax +44 (0)1285 86 39 49  
[www.lfspareparts724.co.uk](http://www.lfspareparts724.co.uk)  
[www.lfspareparts724.mobi](http://www.lfspareparts724.mobi)  
[info@lfspareparts.co.uk](mailto:info@lfspareparts.co.uk)
- 
-  **AUSTRALIA AND NEW ZEALAND**  
[www.lfspareparts724.com](http://www.lfspareparts724.com)  
[andrea.calvio@lfspareparts.com](mailto:andrea.calvio@lfspareparts.com)
  -  **DENMARK**  
[www.lfspareparts724.dk](http://www.lfspareparts724.dk)  
[michael.lenth@lfspareparts.com](mailto:michael.lenth@lfspareparts.com)
  -  **AUSTRIA**  
[www.lfspareparts724.at](http://www.lfspareparts724.at)  
[ludwig.neier@lfersatzteile.at](mailto:ludwig.neier@lfersatzteile.at)
  -  **SOUTH KOREA**  
[www.lfspareparts724.com](http://www.lfspareparts724.com)  
[fabio.doni@lfspareparts.com](mailto:fabio.doni@lfspareparts.com)
  -  **BALKAN COUNTRIES**  
[www.lfspareparts724.com](http://www.lfspareparts724.com)  
[matija.ramov@lfspareparts.com](mailto:matija.ramov@lfspareparts.com)
  -  **TURKEY**  
[www.lfyedekparca724.com](http://www.lfyedekparca724.com)  
[basar.ergun@lfyedekparca.com](mailto:basar.ergun@lfyedekparca.com)
  -  **BALTIC COUNTRIES**  
[www.lfspareparts724.com](http://www.lfspareparts724.com)  
[inara.silina@lfspareparts.com](mailto:inara.silina@lfspareparts.com)
  -  **USA AND CANADA**  
[www.lfspareparts724.us](http://www.lfspareparts724.us)  
[sauro.dallaglio@lfspareparts.us](mailto:sauro.dallaglio@lfspareparts.us)  
[howard.truitt@lfspareparts.us](mailto:howard.truitt@lfspareparts.us)
  -  **CENTRAL AND EASTERN EUROPE**  
[www.lfspareparts724.cz](http://www.lfspareparts724.cz)  
[jiri.kremla@lfspareparts.cz](mailto:jiri.kremla@lfspareparts.cz)