




Spare parts for:

Commercial faucets



Lever mixers



This catalogue is automatically generated.
Therefore, the sequence of the items might
not be always shown at best.
Updates will be issued in case of additions
and/or amendments.

Rel. 2014-12101256





Lever mixers




Suitable for:

2101497 CARTRIDGE \varnothing 40x30.5 mm PIN 10x10.4 mm
for models with extractable spout



Suitable for:

3359978 SINK SINGLE-LEVER MIXER



CHAVONNET 2211

3759060 CERAMIC CARTRIDGE \varnothing 1/2" SEMI PRO



ECHTERMANN 8420.00-10

3759057 SINGLE-HOLE LEVER MIXER
spout \varnothing 24 mm - 300 mm
mounting hole 30 mm



ECHTERMANN 6460.90/300.300

3759060 CERAMIC CARTRIDGE \varnothing 1/2" SEMI PRO



ECHTERMANN 8420.00-10

3759072 SINGLE-HOLE LEVER MIXER
h 200 mm
spout \varnothing 25x300 mm
flexible hoses \varnothing 3/4" 550 mm



ECHTERMANN 6470.50

ECHTERMANN 6958.90/300.200

3759073 SINGLE-HOLE LEVER MIXER
h 500 mm
spout \varnothing 25x400 mm
flexible hoses \varnothing 3/4" 550 mm



ECHTERMANN 6958.90/400.500

3759066 SINGLE-HOLE LEVER MIXER SEMI PRO
with rinse auxiliary pipes 1 basin
ceramic cartridge
spout distance 220 mm
mounting hole 30 mm



ECHTERMANN 8424.00

3759060 CERAMIC CARTRIDGE \varnothing 1/2" SEMI PRO




ECHTERMANN 8420.00-10



Suitable for:

3759067 SINGLE-HOLE LEVER MIXER SEMI PRO

with rinse auxiliary pipes 2 basins
spout distance 220 mm
ceramic cartridge
mounting hole 30 mm



ECHTERMANN 8425.00

Suitable for:

3759060 CERAMIC CARTRIDGE Ø 1/2" SEMI PRO



ECHTERMANN 8420.00-10

3759004 SINK LEVER MIXER SEMI PRO

extractable spray
ceramic cartridge
spout distance 220 mm
mounting holes Ø 30 mm



ECHTERMANN 6450

3759060 CERAMIC CARTRIDGE Ø 1/2" SEMI PRO



ECHTERMANN 8420.00-10

3759009 SINK LEVER MIXER SEMI PRO

extractable shower
ceramic cartridge
spout distance 220 mm
mounting hole 30 mm
with non return valve
for low pressure



ECHTERMANN 6450.91


3759060 CERAMIC CARTRIDGE Ø 1/2" SEMI PRO



ECHTERMANN 8420.00-10

3759059 WALL MOUNTED SINGLE-HOLE MIXER


spout 300 mm
distance between mounting holes 150 mm
connections 3/4"x3/4"



ECHTERMANN 2465.30/300

3759058 WALL MOUNTED TWO-HOLE MIXER

spout Ø 22 mm – 250 mm
distance between mounting holes 150 mm
connections Ø 3/4" x 1/2"



ECHTERMANN 2463.20/250



Lever mixers



Suitable for:

Suitable for:

3359408 BLACK LEVER FOR MIXER

length 310 mm
connection 7x8 mm



ELECTROLUX 0S0343

R.D.FRIULI 36103374

ZANUSSI 0S0343

3359461 MIXER CARTRIDGE



ELECTROLUX 0S0346

R.D.FRIULI 36100845

R.D.FRIULI 34030830

ZANUSSI 0S0346

3359298 MIXER CARTRIDGE (SMALL TYPE)



ELECTROLUX 0S1340
KLARCO 0030110

ELECTROLUX 069958
ZANUSSI 0S1340

KLARCO 0P.V070.00.00
ZANUSSI 069958

3359237 SHOWER SPRING



ELECTROLUX 0S0349
KLARCO 0P.P005.00.00
R.D.FRIULI 36103810
ZANUSSI 069975

ELECTROLUX 0S1086
KLARCO 9000221
ZANUSSI 0S0349

ELECTROLUX 069975
KLARCO 9000226
ZANUSSI 0S1086

3259008 SINGLE LEVER MIXER

spout \varnothing 22x250 mm
flow rate 18 l/min at 3 bar
connection \varnothing 1/2" F
mounting hole 32 mm



ELECTROLUX 037616

R.D.FRIULI 00121130+36103374

ZANUSSI 037616

3359408 BLACK LEVER FOR MIXER

length 310 mm
connection 7x8 mm



ELECTROLUX 0S0343

R.D.FRIULI 36103374

ZANUSSI 0S0343

3359461 MIXER CARTRIDGE



ELECTROLUX 0S0346
ZANUSSI 0S0346

R.D.FRIULI 36100845

R.D.FRIULI 34030830

3183043 SWIVEL SPOUT \varnothing 18x250 mm TYPE U



R.D.FRIULI 36100804

3359178 SINGLE-HOLE LEVER MIXER STYL

cartridge with ceramic discs V090 \varnothing 40
gray lever 220 mm
pipe \varnothing 20 x 300 mm
power \varnothing 1/2"



ELECTROLUX 0S1244
KLARCO 1S.2960.59.91

KLARCO 1S.2960.59.92
ZANUSSI 0S1244

KLARCO 2062000

3359297 MIXER CARTRIDGE (BIG TYPE)



KLARCO 0P.V090.00.00

KLARCO 0030112



Suitable for:

3359252 SPOUT \varnothing 20x320x200 mm



KLARCO 0P.C059.00.00
KLARCO 0031306

KLARCO 0031302

KLARCO 0031302/S

Lever mixers

Suitable for:



3359823 SPOUT 250 mm



ELECTROLUX 0S0344

R.D.FRIULI 36100661

ZANUSSI 0S0344

3359269 SPOUT 270 mm FOR TWO-HOLE MIX




ELECTROLUX 0S1404
KLARCO 0031350

ELECTROLUX 069962
ZANUSSI 0S1404

KLARCO 0P.C048.00.00
ZANUSSI 069962

3359181 TWO-HOLE SINGLE LEVER MIXER
connections \varnothing 3/4"MM
distance between holes 155 mm
spout 250 mm



ELECTROLUX 0S1457
KLARCO 2075000
KLARCO 1S.3081.48.71
ZANUSSI 850021

ELECTROLUX 069965
KLARCO 1S.3020.48.71
ZANUSSI 0S1457

ELECTROLUX 850021
KLARCO 1S.3020.48.75
ZANUSSI 069965

2101796 JET BREAKER M24x1 COMPLETE WITH SIEVE



KLARCO 0P.P065.00.00

3359298 MIXER CARTRIDGE (SMALL TYPE)




ELECTROLUX 0S1340
KLARCO 0030110

ELECTROLUX 069958
ZANUSSI 0S1340

KLARCO 0P.V070.00.00
ZANUSSI 069958

3359117 MIXER CONTROL LEVER 300 mm
connection 10x10 mm



KLARCO 0P.H011.00.00

3359269 SPOUT 270 mm FOR TWO-HOLE MIX



ELECTROLUX 0S1404
KLARCO 0031350

ELECTROLUX 069962
ZANUSSI 0S1404

KLARCO 0P.C048.00.00
ZANUSSI 069962




Lever mixers



Suitable for:

Suitable for:

3359443 TWO-HOLE SINGLE LEVER MIXER
 spout 250 mm
 flow rate 22 L/min by 4 bar
 distance between holes 155 mm
 connections \varnothing 3/4"MM
 mounting hole \varnothing 27/28 mm



ELECTROLUX 0S0341 R.D.FRIULI 00351030+36103378 ZANUSSI 0S0341

3359408 BLACK LEVER FOR MIXER
 length 310 mm
 connection 7x8 mm



ELECTROLUX 0S0343 R.D.FRIULI 36103374 ZANUSSI 0S0343

3359409 BLUE LEVER FOR MIXER
 length 345 mm
 fitting 7x8 mm



R.D.FRIULI 36103378

3359461 MIXER CARTRIDGE



ELECTROLUX 0S0346 R.D.FRIULI 36100845 R.D.FRIULI 34030830
 ZANUSSI 0S0346

3359823 SPOUT 250 mm



ELECTROLUX 0S0344 R.D.FRIULI 36100661 ZANUSSI 0S0344

3359297 MIXER CARTRIDGE (BIG TYPE)



KLARCO 0P.V090.00.00 KLARCO 0030112

3359299 MIXER CARTRIDGE (SMALL TYPE)



KLARCO 0P.V080.00.00 KLARCO 0030111

3359357 PULL-OUT SPRAY HEAD \varnothing 1/2" M



KLARCO 0P.C080.00.00 RIVER 00502000004
 KLARCO 9012031 MONOLITH 00502000004
 RIVER A800/1062B



Suitable for:

Suitable for:

2101866 SINGLE LEVER MIXER STYL
cartridge with ceramic disks V090 ø 40
grey lever 220 mm
built-in spout 220 mm
power supply ø 1/2"

3359107 CLINICAL GRAY LEVER 220 mm




KLARCO 1S.2962.00.81

KLARCO 1S.2962.00.82

KLARCO 0P.H002.00.00

2101796 JET BREAKER M24x1 COMPLETE WITH SIEVE

3359299 MIXER CARTRIDGE (SMALL TYPE)



KLARCO 0P.P065.00.00

KLARCO 0P.V080.00.00

KLARCO 0030111

3259018 SINGLE-HOLE LEVER MIXER STYL
cartridge with ceramic discs V090 ø 40
gray lever 220 mm
pipe ø 25 x 250 mm
power ø 1/2"

3359107 CLINICAL GRAY LEVER 220 mm



KLARCO 1S.2960.57.92

KLARCO 0P.H002.00.00

3359297 MIXER CARTRIDGE (BIG TYPE)

3359250 SPOUT ø 20x250 mm



KLARCO 0P.V090.00.00

KLARCO 0030112


KLARCO 0P.C057.00.00

KLARCO 0P.C064.00.00

KLARCO 0031300

3259019 SINGLE-HOLE LEVER MIXER STYL
cartridge with ceramic discs V070 ø 47
high capacity
grey lever 220 mm
spout ø 25 x 225 mm
mixer connection ø 3/4" h 50 mm
power supply via copper tubes connections ø 1/2"

3359107 CLINICAL GRAY LEVER 220 mm




KLARCO 1S.2901.82.72

KLARCO 0P.H002.00.00



Suitable for:

3359298 MIXER CARTRIDGE (SMALL TYPE)



ELECTROLUX 0S1340
KLARCO 0030110

ELECTROLUX 069958
ZANUSSI 0S1340

KLARCO 0P.V070.00.00
ZANUSSI 069958

Lever mixers




Suitable for:

2101110 SPOUT "J" SHAPE ø 25 x 25 h 80 mm



KLARCO 0P.C082.00.00

3259020 SINGLE-HOLE LEVER MIXER STYL
cartridge with ceramic discs V070 ø 47
high capacity
grey lever 220 mm
spout ø 25 x 275 mm
mixer connection ø 3/4" h 50 mm
power supply via copper tubes connections ø 1/2"



KLARCO 1S.2901.87.72

3359107 CLINICAL GRAY LEVER 220 mm



KLARCO 0P.H002.00.00

3359298 MIXER CARTRIDGE (SMALL TYPE)



ELECTROLUX 0S1340
KLARCO 0030110

ELECTROLUX 069958
ZANUSSI 0S1340


KLARCO 0P.V070.00.00
ZANUSSI 069958

3259024 SPOUT J SHAPE ø 25 x 275 h 130 mm



KLARCO 0P.C087.00.00

3359182 SINGLE-HOLE LEVER MIXER STYL
cartridge with ceramic discs V090 ø 40
gray lever 220 mm
cats spout 180 mm
power ø 1/2"



KLARCO 1S.2960.45.91
KLARCO 2063000

KLARCO 1S.2960.45.92

KLARCO 1S.2965.45.92

2101796 JET BREAKER M24x1 COMPLETE WITH SIEVE



KLARCO 0P.P065.00.00

3359297 MIXER CARTRIDGE (BIG TYPE)



KLARCO 0P.V090.00.00

KLARCO 0030112

3359268 SPOUT 180 mm



KLARCO 0P.C045.00.00

KLARCO 0031356



Lever mixers



Suitable for:

3359252 SPOUT \varnothing 20x320x200 mm



KLARCO 0P.C059.00.00
KLARCO 0031306

KLARCO 0031302

KLARCO 0031302/S

Suitable for:

3259024 SPOUT J SHAPE \varnothing 25 x 275 h 130 mm



KLARCO 0P.C087.00.00

3359187 SPOUT LENGTH 300 mm



KLARCO 0P.C053.00.00

KLARCO 0031330

3359268 SPOUT 180 mm



KLARCO 0P.C045.00.00

KLARCO 0031356


3259025 SPOUT 220 mm FOR TWO-HOLE MIXER



KLARCO 0P.C049.00.00

3259021 TWO-HOLE COUNTER STYL SINGLE LEVER MIXER

cartridge with ceramic discs V070 \varnothing 47 mm
gray lever 220 mm
cast spout 220 mm
distance between holes 155 mm
connections \varnothing 1/2" h 50 mm



KLARCO 1S.3021.49.72

3359107 CLINICAL GRAY LEVER 220 mm




KLARCO 0P.H002.00.00

2101796 JET BREAKER M24x1 COMPLETE WITH SIEVE



KLARCO 0P.P065.00.00

3359298 MIXER CARTRIDGE (SMALL TYPE)



ELECTROLUX 0S1340
KLARCO 0030110

ELECTROLUX 069958
ZANUSSI 0S1340

KLARCO 0P.V070.00.00
ZANUSSI 069958



Suitable for:

3259025 SPOUT 220 mm FOR TWO-HOLE MIXER



KLARCO 0P.C049.00.00


Lever mixers



Suitable for:

3259022 TWO-HOLE COUNTER STYL SINGLE LEVER MIXER

with rises 150 mm
cartridge with ceramic discs V070 \varnothing 47
grey lever 300 mm
cast spout 270 mm
distance between holes 155 mm
connection \varnothing 1/2" h 50 mm



KLARCO 1S.3022.48.71

KLARCO 1S.3025.48.71

3359298 MIXER CARTRIDGE (SMALL TYPE)



ELECTROLUX 0S1340
KLARCO 0030110

ELECTROLUX 069958
ZANUSSI 0S1340

KLARCO 0P.V070.00.00
ZANUSSI 069958

3359269 SPOUT 270 mm FOR TWO-HOLE MIX




ELECTROLUX 0S1404
KLARCO 0031350

ELECTROLUX 069962
ZANUSSI 0S1404

KLARCO 0P.C048.00.00
ZANUSSI 069962

3259023 TWO-HOLE WALL MOUNTED SINGLE LEVER MIXER

cartridge with ceramic discs V070 \varnothing 47 mm
gray lever 220 mm
cast spout 220 mm
distance between holes 155 mm
connections \varnothing 1/2




KLARCO 1S.4021.49.72

2101796 JET BREAKER M24x1 COMPLETE WITH SIEVE




KLARCO 0P.P065.00.00

**3359117 MIXER CONTROL LEVER 300 mm
connection 10x10 mm**



KLARCO 0P.H011.00.00

3359107 CLINICAL GRAY LEVER 220 mm



KLARCO 0P.H002.00.00



Suitable for:

3359298 MIXER CARTRIDGE (SMALL TYPE)



ELECTROLUX 0S1340
KLARCO 0030110

ELECTROLUX 069958
ZANUSSI 0S1340

KLARCO 0P.V070.00.00
ZANUSSI 069958


Lever mixers

Suitable for:



3359179 TWO-HOLE WALL MOUNTED SINGLE LEVER MIXER

cartridge with ceramic discs V090 ø 40 mm
gray lever 220 mm
cast spout 200 mm
distance between holes 155 mm
connections ø 1/2



KLARCO 1S.4030.51.81
KLARCO 3061000

KLARCO 1S.4030.51.91
MONOLITH

KLARCO 1S.4030.51.92

3359107 CLINICAL GRAY LEVER 220 mm



KLARCO 0P.H002.00.00

3359299 MIXER CARTRIDGE (SMALL TYPE)



KLARCO 0P.V080.00.00

KLARCO 0030111


2100374 SUPPLY SPOUT 200 mm



KLARCO 0P.C051.00.00

3359183 WALL MOUNTED TWO-HOLE SINGLE LEVER MIXER

cermica disks cartridge V090 ø 40 mm
lever gray 220 mm
spout 300 mm
distance between holes 155 mm
connections ø 1/2"



KLARCO 1S.4030.53.81
KLARCO 3062300

KLARCO 1S.4030.53.91

KLARCO 1S.4030.53.92

3359107 CLINICAL GRAY LEVER 220 mm



KLARCO 0P.H002.00.00

3359299 MIXER CARTRIDGE (SMALL TYPE)



KLARCO 0P.V080.00.00

KLARCO 0030111

3359187 SPOUT LENGTH 300 mm



KLARCO 0P.C053.00.00

KLARCO 0031330




Suitable for:

Lever mixers



3359889 LEVER MIXER

swivel outlet 160° - 300 mm
universal KWC cartridge with ceramic disks
copper tube couplings \varnothing 10 mm
coupling fastened M33x1.5
mounting hole \varnothing 35 mm



KWC 24.501.104.000

Suitable for:

3359890 LEVER MIXER

swivel outlet 120° - 300 mm
universal KWC cartridge with ceramic disks
wall couplings 1/2"x3/4" to be tightened
L 40 eccentrics 7.5 mm



KWC K.24.62.14.000B91

3359892 LEVER MIXER

swivel outlet 360° - 300 mm
high capacity KWC cartridge with temperature
limit switch
copper tube couplings \varnothing 15 mm
coupling tightened \varnothing 1/4"
mounting hole \varnothing 42 mm
flowrate 40 L/min (3 bar)



KWC 24.501.044.000

5062365 MIXER KWC ZOE LED LUMINAQUA

lever position only right
ceramic disks cartridge S 25
extractable shower max 500 mm
hoses \varnothing 3/8"
on/off push-button deactivation in 30 minutes
including transformer 100-240v
cable 1100 mm
mounting hole 35 mm



KWC 10.201.122.127

KWC 10.201.122.127FL

3359520 BASIN SINGLE-LEVER MIXER

single-control cartridge with ceramic discs
chrome plated shockproof handle
spout 230 mm
flowrate by 3 bar 26 L /min
complete with hoses \varnothing 1/8"-1/2" MFx350 mm
mounting hole 33 mm



MONOLITH R0201020203

2101497 CARTRIDGE \varnothing 40x30.5 mm PIN 10x10.4 mm

for models with extractable spout



2101827 BLACK LEVER FOR SINGLE HOLE MIXER



MONOLITH R000000037

MONOLITH 00706000001

3359478 CARTRIDGE \varnothing 42.4x45mm PIN 10x10.4mm

for models with black clinical lever



MONOLITH 00304000014



Suitable for:

3359421 SINGLE LEVER MIXER
 18l/min at 4 bar
 hoses \varnothing 1/2"F
 mounting hole min 31 max 33 mm



MONOLITH R0201020204


Suitable for:

5031671 CARTRIDGE \varnothing 35.2x40.40mm PIN 9x9mm
 for single hole mixer with shower



MONOLITH 00304000009

3359467 SINGLE-HOLE LEVER MIXER
 spout 250 mm
 flow rate 22L/min by 4 bar
 connection \varnothing 1/2"F
 mounting hole min 30 max 32 mm



MONOLITH R0201020210

3359408 BLACK LEVER FOR MIXER
 length 310 mm
 connection 7x8 mm



ELECTROLUX 0S0343

R.D.FRIULI 36103374

ZANUSSI 0S0343

2101827 BLACK LEVER FOR SINGLE HOLE MIXER



MONOLITH R0000000037

MONOLITH 00706000001

3359478 CARTRIDGE \varnothing 42.4x45mm PIN 10x10.4mm
 for models with black clinical lever



MONOLITH 00304000014

3359286 SPOUT



MONOLITH R0000000038

MONOLITH 00605000001

3359823 SPOUT 250 mm




ELECTROLUX 0S0344

R.D.FRIULI 36100661

ZANUSSI 0S0344

3759162 SINGLE-HOLE MIXER WITH SHORT LEVER
 dual jet extractable shower
 mounting hole 33 mm



MONOLITH R0201020212

3359286 SPOUT



MONOLITH R0000000038

MONOLITH 00605000001



Suitable for:

Lever mixers



3359152 TWO-HOLE SINGLE LEVER MIXER

spout 250 mm
flow rate 22 L/min by 4 bar
distance between holes 155 mm
connections \varnothing 3/4"MM
mounting hole \varnothing 27/28 mm



MONOLITH R0102020206

3359999 CARTRIDGE \varnothing 47x29.8mm PIN 10x10.4mm

for single- and two-hole mixers
with clinical lever for shower



Suitable for:

2101827 BLACK LEVER FOR SINGLE HOLE MIXER



MONOLITH R0000000037

MONOLITH 00706000001

3359286 SPOUT



MONOLITH R0000000038

MONOLITH 00605000001

3359409 BLUE LEVER FOR MIXER

length 345 mm
fitting 7x8 mm



R.D.FRIULI 36103378

3359497 COMPLETE STAR SHOWER FASTENING BRACKET



R.D.FRIULI 36106390

3359880 HOSE \varnothing 1/2" 800 mm



R.D.FRIULI 31002313

3259016 LONG LEVER FOR CARTRIDGE



R.D.FRIULI 36106373

3259014 PONY SHOWER HEAD



R.D.FRIULI 36100264

3259013 PONY SHOWER HOSE



R.D.FRIULI 31002341



Suitable for:

3259012 PONNY SHOWER SPRING



R.D.FRIULI 36103835

Suitable for:

3259015 SHORT HANDLE FOR CARTRIDGE




R.D.FRIULI 36103372

3359496 SHOWER UNIT FIXING BRACKET
ø internal 20 mm



R.D.FRIULI 36106363

3259010 SINGLE LEVER MIXER SLIM
spout ø 22x250 mm
flow rate 18 l/min at 3 bar
connection ø 1/2" F
mounting hole 32 mm




R.D.FRIULI 00171030+36103374

3759114 SINGLE-HOLE BASIN MIXER
spout ø 22 x 200 mm
capacity 22 l/min 4 bar
connection ø 3/8" F
mounting hole ø 32 mm



R.D.FRIULI

3359466 SINGLE-HOLE LEVER MIXER
spout 200 mm
flow rate 22L/min by 4 bar
connection ø 1/2" F
mounting hole min 30 max 32 mm



R.D.FRIULI 00121020+36103378

3359408 BLACK LEVER FOR MIXER
length 310 mm
connection 7x8 mm




ELECTROLUX 0S0343

R.D.FRIULI 36103374

ZANUSSI 0S0343

3359409 BLUE LEVER FOR MIXER
length 345 mm
fitting 7x8 mm



R.D.FRIULI 36103378

3359461 MIXER CARTRIDGE



ELECTROLUX 0S0346
ZANUSSI 0S0346

R.D.FRIULI 36100845

R.D.FRIULI 34030830



Suitable for:

3359824 SPOUT 200 mm



R.D.FRIULI 36100659

Lever mixers




Suitable for:

3359486 SINGLE-HOLE LEVER MIXER
spout 225 mm
flow rate 17L/min by 4 bar
connection \varnothing 1/2" F
mounting hole min 31 max 35 mm



R.D.FRIULI 00208223

3759143 HOSE \varnothing 1/2" M10x1 L 400 mm
male long



3259016 LONG LEVER FOR CARTRIDGE



R.D.FRIULI 36103373

3359824 SPOUT 200 mm



R.D.FRIULI 36100659

2111836 CARTRIDGE \varnothing 40 PIN 10x10.5
for lever model GOAL



R.D.FRIULI 36100841

3759142 HOSE \varnothing 1/2" M10x1 400 mm
male short



3259015 SHORT HANDLE FOR CARTRIDGE



R.D.FRIULI 36103372



Suitable for:

3359426 STAINLESS STEEL HOSE \varnothing 1/2" FF 110 cm
for showers STAR
stainless steel 18/10 double braid
coated with transparent PVC
nickel-plated brass coupling \varnothing 1/2"F



R.D.FRIULI 31002310

Suitable for:

3449039 FLAT EPDM GASKET \varnothing 18x11x2 mm
for pipes \varnothing 1/2"



3259011 TWO-HOLE SINGLE LEVER MIXER
spout \varnothing 22x250 mm
flow rate 202 l/min at 3 bar
distance between holes 155 mm
connections \varnothing 3/4"mm
mounting hole \varnothing 28 mm



R.D.FRIULI 00351130+36103374

3359408 BLACK LEVER FOR MIXER
length 310 mm
connection 7x8 mm



ELECTROLUX 0S0343

R.D.FRIULI 36103374

ZANUSSI 0S0343

3359461 MIXER CARTRIDGE




ELECTROLUX 0S0346

R.D.FRIULI 36100845

R.D.FRIULI 34030830

ZANUSSI 0S0346

3359442 TWO-HOLE SINGLE LEVER MIXER
spout 200 mm
flow rate 22 L/min by 4 bar
distance between holes 155 mm
connections \varnothing 3/4"MM
mounting hole \varnothing 27/28 mm



R.D.FRIULI 00351020+36103378

3359408 BLACK LEVER FOR MIXER
length 310 mm
connection 7x8 mm



ELECTROLUX 0S0343

R.D.FRIULI 36103374


ZANUSSI 0S0343



Suitable for:

3359409 BLUE LEVER FOR MIXER

length 345 mm
fitting 7x8 mm



R.D.FRIULI 36103378

Lever mixers



Suitable for:

3359461 MIXER CARTRIDGE



ELECTROLUX 0S0346
ZANUSSI 0S0346

R.D.FRIULI 36100845

R.D.FRIULI 34030830


3359824 SPOUT 200 mm



R.D.FRIULI 36100659

3759110 WALL-MOUNTED LEVER MIXER 200 mm


with spout 200 mm
connections \varnothing 1/2"
mounting distance 130/170 mm



R.D.FRIULI 00405203

3759111 WALL-MOUNTED LEVER MIXER 200 mm


connections \varnothing 1/2"
with spout 250 mm
mounting distance 130/170 mm



R.D.FRIULI 00405253

3759112 WALL-MOUNTED LEVER MIXER 200 mm

connections \varnothing 1/2"
with spout 300 mm
mounting distance 130/170 mm



R.D.FRIULI 00405303


3359521 BASIN SINGLE-LEVER MIXER 85501/2

single-control cartridge with ceramic discs
chrome plated shockproof handle
spout 200 mm
flowrate by 3 bar 26 L /min
complete with hoses \varnothing 1/8"-3/8" MFx350 mm
mounting hole 33 mm



RIVER 85501/2

3359785 CHROME PLATED 283 LEVER



RIVER A800/1073


RIVER 800/1073



Suitable for:

3359652 MIXER CARTRIDGE

cartridge with ceramic disks
perfect tightness even with high pressures
stiffened nylon control rod
sliding rotation even with changes
of temperature
silicon compound sealing ring



RIVER A800/1080

RIVER 800/1080

Lever mixers



Suitable for:


3359522 BASIN SINGLE-LEVER MIXER 85502/2

single-control cartridge with ceramic discs
chrome plated shockproof handle
double jet chrome plated extractable shower
flowrate by 3 bar 26 L /min
complete with hoses \varnothing 1/8"-1/2"x350 mm
mounting hole 33 mm
dimensions 130 x 200 mm



RIVER 85502/2

3359785 CHROME PLATED 283 LEVER



RIVER A800/1073

RIVER 800/1073

3359652 MIXER CARTRIDGE

cartridge with ceramic disks
perfect tightness even with high pressures
stiffened nylon control rod
sliding rotation even with changes
of temperature
silicon compound sealing ring



RIVER A800/1080

RIVER 800/1080

3359357 PULL-OUT SPRAY HEAD \varnothing 1/2" M



KLARCO 0P.C080.00.00

RIVER 00502000004

KLARCO 9012031

RIVER A800/1062B

MONOLITH 00502000004

3359784 CHROME PLATED LEVER FOR ACTIVE MODEL



RIVER A800/1209

RIVER 800/1209

3359860 CHROME PLATED LEVER LUX 2 with screw and indicator



RIVER 800/1072



Suitable for:

Lever mixers



Suitable for:


3359785 CHROME PLATED 283 LEVER



RIVER A800/1073

RIVER 800/1073

3359664 COLUMN SINGLE LEVER MIXER 86701/8
 single lever cartridge with ceramic disks
 technopolymere shockproof handle
 spout \varnothing 20x250 mm
 flow rate 22L/min by 3 bar
 with hoses \varnothing 1/8"-3/8"x350 mm
 mounting hole \varnothing 33 mm



RIVER 86701/8

3359821 SPOUT TYPE U \varnothing 20x270x250 mm



RIVER A800/1035

RIVER 800/1035

3359665 COLUMN SINGLE LEVER MIXER 86702/8
 single lever cartridge with ceramic disks
 technopolymere shockproof handle
 spout \varnothing 20x300 mm
 flow rate 22L/min by 3 bar
 with hoses \varnothing 1/8"-1/2"x350 mm
 mounting hole \varnothing 33 mm



RIVER 86702/8

3359796 SPOUT TYPE U \varnothing 20x310x300 mm



RIVER A800/1036

RIVER 800/1036

3359652 MIXER CARTRIDGE
 cartridge with ceramic disks
 perfect tightness even with high pressures
 stiffened nylon control rod
 sliding rotation even with changes
 of temperature
 silicon compound sealing ring



RIVER A800/1080

RIVER 800/1080

3359861 TECHNOPOLYMER LEVER 283 190 mm



RIVER A800/1050

RIVER 800/1050

3359652 MIXER CARTRIDGE
 cartridge with ceramic disks
 perfect tightness even with high pressures
 stiffened nylon control rod
 sliding rotation even with changes
 of temperature
 silicon compound sealing ring



RIVER A800/1080

RIVER 800/1080

3359861 TECHNOPOLYMER LEVER 283 190 mm



RIVER A800/1050

RIVER 800/1050




Suitable for:

Suitable for:

3359764 COLUMN SINGLE LEVER MIXER 86901/8

chrome-plated brass
with ceramic discs cartridge
U swivel spout \varnothing 20 mm
with stainless steel hoses \varnothing 1/2"
flow rate 22 L/min by 3 bar
mounting hole \varnothing 33 mm



RIVER 86901/8

3359784 CHROME PLATED LEVER FOR ACTIVE MODEL



RIVER A800/1209

RIVER 800/1209

3359652 MIXER CARTRIDGE

cartridge with ceramic disks
perfect tightness even with high pressures
stiffened nylon control rod
sliding rotation even with changes
of temperature
silicon compound sealing ring



RIVER A800/1080

RIVER 800/1080

3359821 SPOUT TYPE U \varnothing 20x270x250 mm



RIVER A800/1035

RIVER 800/1035

3359765 COLUMN SINGLE LEVER MIXER 86902/8

chrome-plated brass
with ceramic discs cartridge
U swivel spout \varnothing 20
with stainless steel hoses \varnothing 1/2"
flow rate 22 L/min by 3 bar
mounting hole \varnothing 33 mm



RIVER 86902/8

3359784 CHROME PLATED LEVER FOR ACTIVE MODEL




RIVER A800/1209

RIVER 800/1209

3359652 MIXER CARTRIDGE

cartridge with ceramic disks
perfect tightness even with high pressures
stiffened nylon control rod
sliding rotation even with changes
of temperature
silicon compound sealing ring



RIVER A800/1080

RIVER 800/1080

3359796 SPOUT TYPE U \varnothing 20x310x300 mm



RIVER A800/1036

RIVER 800/1036



Suitable for:

Lever mixers



3359189 MIXER CARTRIDGE

cartridge with ceramic disks
perfect seal even at high pressures
control shaft made of reinforced nylon



RIVER A800/1080/3

RIVER 800/1080/3

Suitable for:

3359609 MIXER CARTRIDGE

ceramic disks cartridge
ø 40 mm
total height 76 mm
square pin 10x10xh22 mm
for wall mounted two-hole mixers



RIVER A800/1081

RIVER 800/1081

3359652 MIXER CARTRIDGE

cartridge with ceramic disks
perfect tightness even with high pressures
stiffened nylon control rod
sliding rotation even with changes
of temperature
silicon compound sealing ring



RIVER A800/1080

RIVER 800/1080

3359688 SINGLE LEVER BASIN MIXER 85202

single lever cartridge with ceramic disks
lever handle LUX-DUE
double jet chrome plated extractable shower
flow rate 26 L/min by 3 bar
with hoses ø 1/8"-3/8" Fx350 mm
mounting hole ø 33 mm
dimensions 130x200 mm



RIVER 85202


3359860 CHROME PLATED LEVER LUX 2 with screw and indicator



RIVER 800/1072

3359652 MIXER CARTRIDGE

cartridge with ceramic disks
perfect tightness even with high pressures
stiffened nylon control rod
sliding rotation even with changes
of temperature
silicon compound sealing ring



RIVER A800/1080

RIVER 800/1080

3359357 PULL-OUT SPRAY HEAD ø 1/2" M



KLARCO 0P.C080.00.00
RIVER 00602000004

KLARCO 9012031
RIVER A800/1062B

MONOLITH 00502000004



3359662 SINGLE LEVER BASIN MIXER 85501
 single lever cartridge with ceramic disks
 technopolymere shockproof handle
 spout length 200 mm
 flow rate 26 L/min by 3 bar
 with hoses \varnothing 1/8"-3/8"x350 mm
 mounting hole \varnothing 33 mm



RIVER 85501

3359653 TECHNOPOLYMER LEVER FOR MIXER
 in crushproof and shockproof technopolymere
 length 255 mm



RIVER A800/1051

3359663 SINGLE LEVER BASIN MIXER 85502
 single lever cartridge with ceramic disks
 technopolymere shockproof handle
 double jet chrome plated extractable shower
 flow rate 26 L/min by 3 bar
 with hoses \varnothing 1/8"-1/2"x350 mm
 mounting hole \varnothing 33 mm
 dimensions 130x200 mm



RIVER 85502

3359357 PULL-OUT SPRAY HEAD \varnothing 1/2" M




KLARCO 0P.C080.00.00
 RIVER 00502000004

KLARCO 9012031
 RIVER A800/1062B

MONOLITH 00502000004


3359652 MIXER CARTRIDGE
 cartridge with ceramic disks
 perfect tightness even with high pressures
 stiffened nylon control rod
 sliding rotation even with changes
 of temperature
 silicon compound sealing ring



RIVER A800/1080

RIVER 800/1080

3359652 MIXER CARTRIDGE
 cartridge with ceramic disks
 perfect tightness even with high pressures
 stiffened nylon control rod
 sliding rotation even with changes
 of temperature
 silicon compound sealing ring



RIVER A800/1080

RIVER 800/1080

3359653 TECHNOPOLYMER LEVER FOR MIXER
 in crushproof and shockproof technopolymere
 length 255 mm



RIVER A800/1051



Suitable for:

Lever mixers




3359660 SINGLE LEVER BASIN MIXER 85503
 single lever cartridge with ceramic disks
 technopolymere shockproof handle
 spout \varnothing 20x240 mm
 flow rate 26 L/min by 3 bar
 with stainless steel hoses \varnothing 1/8"-1/2"x350 mm
 mounting hole \varnothing 33 mm



RIVER 85503

3359652 MIXER CARTRIDGE
 cartridge with ceramic disks
 perfect tightness even with high pressures
 stiffened nylon control rod
 sliding rotation even with changes
 of temperature
 silicon compound sealing ring



RIVER A800/1080

RIVER 800/1080

3359799 SPOUT TYPE J \varnothing 20x200 mm



RIVER A800/1031

RIVER 800/1031

3359653 TECHNOLYMER LEVER FOR MIXER
 in crushproof and shockproof technopolymere
 length 255 mm



RIVER A800/1051

3359661 SINGLE LEVER BASIN MIXER 85604
 single lever cartridge with ceramic disks
 technopolymere shockproof handle
 spout \varnothing 20x350 mm
 flow rate 26L/min by 3 bar
 with hoses \varnothing 1/8"-3/8"x350 mm
 mounting hole \varnothing 33 mm



RIVER 85604

3359652 MIXER CARTRIDGE
 cartridge with ceramic disks
 perfect tightness even with high pressures
 stiffened nylon control rod
 sliding rotation even with changes
 of temperature
 silicon compound sealing ring



RIVER A800/1080

RIVER 800/1080


3359822 SPOUT TYPE J \varnothing 20x300 mm



RIVER A800/1032

RIVER 800/1032

3359654 TECHNOLYMER LEVER FOR MIXER
 in crushproof and shockproof technopolymere
 length 325 mm




RIVER A800/1052

RIVER 283L




3359659 SINGLE-HOLE LEVER MIXER
with ceramic disks and extractable shower
dimensions 275x120x85x170 mm




RIVER R516283

3359390 SINK SINGLE-LEVER MIXER 800/2340
single-lever cartridge with ceramic disks
chrome-plated lever handle
chrome-plated ABS extractable shower
complete with hoses
mounting hole 33 mm



RIVER 800/2340


3359189 MIXER CARTRIDGE
cartridge with ceramic disks
perfect seal even at high pressures
control shaft made of reinforced nylon



RIVER A800/1080/3

RIVER 800/1080/3

3359391 SINK SINGLE-LEVER MIXER 800/2341
single-lever cartridge with ceramic disks
chrome-plated lever handle
chrome-plated ABS extractable double jet shower
complete with hoses
mounting hole 33 mm



RIVER 800/2341


2101762 EXTRACTABLE SPRAY HEAD \varnothing 1/2"
for mod. 800/2341



RIVER A800/263

RIVER 800/263

3359189 MIXER CARTRIDGE
cartridge with ceramic disks
perfect seal even at high pressures
control shaft made of reinforced nylon



RIVER A800/1080/3

RIVER 800/1080/3



Suitable for:

Lever mixers




3359392 SINK SINGLE-LEVER MIXER 800/2342
 single-lever cartridge with ceramic disks
 chrome-plated lever handle
 chrome-plated brass extractable shower
 complete with hoses 1500 mm
 mounting hole 33 mm



RIVER 800/2342

3359189 MIXER CARTRIDGE
 cartridge with ceramic disks
 perfect seal even at high pressures
 control shaft made of reinforced nylon



RIVER A800/1080/3


RIVER 800/1080/3

3359393 SINK SINGLE-LEVER MIXER 85535
 for UNDER WINDOW mounting
 easily removable from the fastening base
 single-lever cartridge with ceramic disks
 with shockproof technopolymere handle
 spout length 235 mm
 flowrate 18 L/min
 complete with hoses
 mounting hole 35 mm



RIVER 85535

3359652 MIXER CARTRIDGE
 cartridge with ceramic disks
 perfect tightness even with high pressures
 stiffened nylon control rod
 sliding rotation even with changes
 of temperature
 silicon compound sealing ring



RIVER A800/1080


RIVER 800/1080

3359653 TECHNOPOLYMER LEVER FOR MIXER
 in crushproof and shockproof technopolymere
 length 255 mm



RIVER A800/1051

3359654 TECHNOPOLYMER LEVER FOR MIXER
 in crushproof and shockproof technopolymere
 length 325 mm



RIVER A800/1052


RIVER 283L

3359394 SINK SINGLE-LEVER MIXER 85535/2
 for UNDER WINDOW mounting
 easily removable from the fastening base
 single-lever cartridge with ceramic disks
 chrome-plated lever handle
 spout length 235 mm
 flowrate 18 L/min
 complete with hoses
 mounting hole 35 mm



RIVER 85535/2

3359652 MIXER CARTRIDGE
 cartridge with ceramic disks
 perfect tightness even with high pressures
 stiffened nylon control rod
 sliding rotation even with changes
 of temperature
 silicon compound sealing ring



RIVER A800/1080

RIVER 800/1080



Suitable for:

3359395 SINK SINGLE-LEVER MIXER 85536
 for UNDER WINDOW mounting
 easily removable from the fastening base
 single-lever cartridge with ceramic disks
 with shockproof technopolymere handle
 chrome-plated extractable double jet shower
 flowrate 10 L/min
 complete with hoses
 mounting hole 35 mm



RIVER 85536

3359653 TECHNOLYMER LEVER FOR MIXER
 in crushproof and shockproof technopolymere
 length 255 mm



RIVER A800/1051

3359396 SINK SINGLE-LEVER MIXER 85536/2
 for UNDER WINDOW mounting
 easily removable from the fastening base
 single-lever cartridge with ceramic disks
 chrome-plated lever handle
 chrome-plated extractable double jet shower
 flowrate 10 L/min
 complete with hoses
 mounting hole 35 mm



RIVER 85536/2

3359799 SPOUT TYPE J ø 20x200 mm



RIVER A800/1031

RIVER 800/1031

3359821 SPOUT TYPE U ø 20x270x250 mm



RIVER A800/1035

RIVER 800/1035

Suitable for:


3359652 MIXER CARTRIDGE
 cartridge with ceramic disks
 perfect tightness even with high pressures
 stiffened nylon control rod
 sliding rotation even with changes
 of temperature
 silicon compound sealing ring



RIVER A800/1080

RIVER 800/1080


3359654 TECHNOLYMER LEVER FOR MIXER
 in crushproof and shockproof technopolymere
 length 325 mm



RIVER A800/1052

RIVER 283L

3359652 MIXER CARTRIDGE
 cartridge with ceramic disks
 perfect tightness even with high pressures
 stiffened nylon control rod
 sliding rotation even with changes
 of temperature
 silicon compound sealing ring



RIVER A800/1080

RIVER 800/1080

3359822 SPOUT TYPE J ø 20x300 mm



RIVER A800/1032

RIVER 800/1032

3359796 SPOUT TYPE U ø 20x310x300 mm



RIVER A800/1036

RIVER 800/1036



Lever mixers




Suitable for:

Suitable for:

3359653 TECHNOPYMER LEVER FOR MIXER
in crushproof and shockproof technopolymere
length 255 mm

3359654 TECHNOPYMER LEVER FOR MIXER
in crushproof and shockproof technopolymere
length 325 mm



RIVER A800/1051

RIVER A800/1052

RIVER 283L

3359861 TECHNOPYMER LEVER 283 190 mm



RIVER A800/1050

RIVER 800/1050

3359668 TWO-HOLE SINGLE LEVER MIXER 89604
single lever cartridge with ceramic discs
connections \varnothing 1/2"MM
technopolymere crushproof handle
spout \varnothing 20x345 mm
with non-return valves
flow rate 26L/min by 3 bar
mounting hole \varnothing 22 mm
distance between holes 155 mm

3359609 MIXER CARTRIDGE
ceramic disks cartridge
 \varnothing 40 mm
total heighth 76 mm
square pin 10x10xh22 mm
for wall mounted two-hole mixers




RIVER 89604

RIVER A800/1081

RIVER 800/1081

3359822 SPOUT TYPE J \varnothing 20x300 mm

3359654 TECHNOPYMER LEVER FOR MIXER
in crushproof and shockproof technopolymere
length 325 mm



RIVER A800/1032

RIVER 800/1032

RIVER A800/1052

RIVER 283L

Lever mixers



3359669 TWO-HOLE SINGLE LEVER MIXER 89604/3

single lever cartridge with ceramic disks
connections $\varnothing 3/4"$ M
technopolymere crushproof handle
spout $\varnothing 20 \times 345$ mm
with non-return valves
flow rate 26L/min by 3 bar
mounting hole $\varnothing 22$ mm
distance between holes 155 mm



RIVER 89604/3

3359822 SPOUT TYPE J $\varnothing 20 \times 300$ mm




RIVER A800/1032

RIVER 800/1032

3359667 WALL MOUNTED SINGLE LEVER MIXER 846010

single lever cartridge with ceramic disks
technopolymere shockproof handle
spout $\varnothing 20 \times 300$ mm
flow rate 22L/min by 3 bar
connections $\varnothing 1/2"$ MM
distance between holes 125÷175 mm



RIVER 846010

3359797 SPOUT TYPE S $\varnothing 20 \times 300$ mm



RIVER A800/1022

RIVER 800/1022

Suitable for:

3359609 MIXER CARTRIDGE

ceramic disks cartridge
 $\varnothing 40$ mm
total heigth 76 mm
square pin 10x10xh22 mm
for wall mounted two-hole mixers




RIVER A800/1081

RIVER 800/1081

3359654 TECHNOPOLYMER LEVER FOR MIXER

in crushproof and shockproof technopolymere
length 325 mm



RIVER A800/1052

RIVER 283L

3359609 MIXER CARTRIDGE

ceramic disks cartridge
 $\varnothing 40$ mm
total heigth 76 mm
square pin 10x10xh22 mm
for wall mounted two-hole mixers



RIVER A800/1081

RIVER 800/1081

3359653 TECHNOPOLYMER LEVER FOR MIXER

in crushproof and shockproof technopolymere
length 255 mm



RIVER A800/1051




Suitable for:

Lever mixers



3359666 WALL MOUNTED SINGLE LEVER MIXER 84609

single lever cartridge with ceramic disks
technopolymere shockproof handle
spout \varnothing 20x240 mm
flow rate 22L/min by 3 bar
connections \varnothing 1/2" M
distance between holes 125÷175 mm



RIVER 84609

3359820 SPOUT TYPE S \varnothing 20x250 mm



RIVER A800/1021

RIVER 800/1021

3359630 WALL MOUNTED SINGLE-LEVER MIXER 89604/2

single-control cartridge with ceramic discs
crush- and shockproof technopolymere handle
spout \varnothing 20x240 mm
flowrate by 3 bar 22 L /min
connections \varnothing 1/2" M
distance between holes 125÷175 mm



RIVER 89604/2

3359799 SPOUT TYPE J \varnothing 20x200 mm




RIVER A800/1031

RIVER 800/1031

3359654 TECHNOLYMER LEVER FOR MIXER

in crushproof and shockproof technopolymere
length 325 mm



RIVER A800/1052

RIVER 283L

Suitable for:

3359609 MIXER CARTRIDGE

ceramic disks cartridge
 \varnothing 40 mm
total heigth 76 mm
square pin 10x10xh22 mm
for wall mounted two-hole mixers



RIVER A800/1081

RIVER 800/1081

3359653 TECHNOLYMER LEVER FOR MIXER

in crushproof and shockproof technopolymere
length 255 mm



RIVER A800/1051

3359609 MIXER CARTRIDGE

ceramic disks cartridge
 \varnothing 40 mm
total heigth 76 mm
square pin 10x10xh22 mm
for wall mounted two-hole mixers



RIVER A800/1081

RIVER 800/1081

3359822 SPOUT TYPE J \varnothing 20x300 mm




















RIVER A800/1032

RIVER 800/1032

The data herewith contained may change without notice and LF SpA cannot be held responsible for possible errors stated or resulting by the use of this document. All rights reserved. No part of this publication may be reproduced without written permission by LF SpA.



Distributing Components, Spare Parts & Accessories
in original quality worldwide

-
-  **LF SpA HEADQUARTERS**
via Voltri, 80 - 47522 Cesena (FC) ITALY
Tel. +39 0547 34 11 11 - Fax +39 0547 34 11 10
www.lfcomb724.it - www.lfcomb724.mobi - info@lfcomb.it
Export Dept.: Tel. +39 0547 34 11 50 - Fax: +39 0547 34 11 55
www.lfspareparts724.com - www.lfspareparts724.mobi
export@lfspareparts.com
 -  **OOO LF RUSSIAN FEDERATION**
Ul. Anatoliya Zhivova, 8 - office 1 - 123100 Moscow
Tel. +7 499 259 85 75
Fax +7 495 725 26 53
www.lfspareparts724.ru
www.lfspareparts724.mobi
info@lfspareparts.ru
 -  **EPGC Sas FRANCE**
13, Rue des Forts - 59960 Neuville en Ferrain
Tel. +33 (0)3 20 25 06 21
Fax +33 (0)3 20 25 34 12
www.epgc.com
www.epgc724.mobi
epgc@epgc.com
 -  **LF Repuestos Horeca S.L.U. SPAIN**
Calle Ciudad Real, 10 - 45517 Escalonilla - Toledo
Tel. +34 91 477 91 00
Fax +34 91 477 90 81
www.lfrepuestos-horeca724.es
www.lfrepuestos724.mobi
info@lfrepuestos.es
 -  **LF GmbH GERMANY**
Junkersstrasse, 1 - D-82178 Puchheim - München
Tel. +49 89 89 45 78 66
Fax +49 89 89 45 78 88
www.lfersatzteile724.de
www.lfersatzteile724.mobi
info@lfersatzteile.de
 -  **LF SpA Cesena (IT) Swiss Branch Steinhausen SWITZERLAND**
Sennweidstrasse, 45 - CH-6312 Steinhausen
Tel. +41 (0)41 760 15 80-1
Fax +41 (0)41 760 15 85
www.lfersatzteile724.ch
www.lfersatzteile724.mobi
info@lfersatzteile.ch
 -  **LF China REPUBLIC OF CHINA**
Room 403, No.2, Huadu Mansion, Lane 422, Huanghua Rd.
Minhang Dist. - 201103 Shanghai
Tel. +86 (0)21 33 53 66 31
Fax +86 (0)21 33 53 66 32
www.lfspareparts724.com
www.lfspareparts724.mobi
china@lfspareparts.com
 -  **LF Spare Parts Ltd. UNITED KINGDOM**
A10a Lakeside Business Park, Broadway Lane
South Cerney, Gloucestershire GL7 5XL
Tel. +44 (0)1285 86 16 25
Fax +44 (0)1285 86 39 49
www.lfspareparts724.co.uk
www.lfspareparts724.mobi
info@lfspareparts.co.uk
-
-  **AUSTRALIA AND NEW ZEALAND**
www.lfspareparts724.com
andrea.calvio@lfspareparts.com
 -  **DENMARK**
www.lfspareparts724.dk
michael.lenth@lfspareparts.com
 -  **AUSTRIA**
www.lfspareparts724.at
ludwig.neier@lfersatzteile.at
 -  **SOUTH KOREA**
www.lfspareparts724.com
fabio.doni@lfspareparts.com
 -  **BALKAN COUNTRIES**
www.lfspareparts724.com
matija.ramov@lfspareparts.com
 -  **TURKEY**
www.lfyedekparca724.com
basar.ergun@lfyedekparca.com
 -  **BALTIC COUNTRIES**
www.lfspareparts724.com
inara.silina@lfspareparts.com
 -  **USA AND CANADA**
www.lfspareparts724.us
sauro.dallaglio@lfspareparts.us
howard.truitt@lfspareparts.us
 -  **CENTRAL AND EASTERN EUROPE**
www.lfspareparts724.cz
jiri.kremla@lfspareparts.cz