

Spare parts for:

Commercial faucets



Pre-rinse units







3449260

WHITE SHOWER HOSE ø 1/2"FF 950 mm

max pressure10 bar - max temperature 70°C



Suitable for: 2102965

COMPLETE SPOUT ASSEMBLY

"New/F" single jet for shower heads produced since



DELABIE 433095

KLARCO 0P.P468.00.00

3359199 STEEL HOSE ø 1/2FF 126cm

for shower units



3759181 CERAMIC SCREW RH ø 1/2" BROACH ø 8x20



KLARCO 0P.P003.00.00

KLARCO 0P.V040.00.00/S

3759217 PRE-WASH KIT

connection conical rise ø 1/2" x 80 mm spout half tube ø 20 x 250 mm for PEDAL TAP



3759218 SINGLE BASIN PRE-WASH KIT STYL

connection ø 1/2"X h50 mm valve "EUROP" ø 3/4" high capacity



KLARCO 3S.2040.S1.K33

3759219 SINGLE BASIN PRE-WASH KIT STYL

connection ø 1/2"X h50 mm valve ø 3/4" high capacity with tap at half spout ø 20 x 250 mm



KLARCO 2S.2006.03.K13

3759220 SINGLE HOLE PRE-WASH KIT STYL

ceramic disc valves ø 1/2" 90° mixer basin connection ø 3/4" power source nickel plate copper ø 1/2" with non-return valves



KLARCO 3S.2006.S1.K13 KLARCO 2S.2403.03.K49





Suitable for:

3759221 SINGLE HOLE PRE-WASH KIT STYL

ceramic disc valves ø 1/2" 90° with tap at half spout ø 20 x 250 mm mixer basin connection ø 3/4" Nickel-plated copper supply ø 1/2" with non return valves



3759222

cartridge with ceramic discs ø 70 mm gray clinic lever 220 mm spout ø 25 x 275 mm attacchi rame nichelato ø 1/2" basin connection ø 3/4" with non-return valves

SINGLE HOLE PRE-WASH KIT STYL



KLARCO 3S.2403.S1.K49

3759223 SIGLE HOLE "LCL" PRE-WASH KIT STYL

single hole with lever connection ø 3/4"x h 50 mm cartridge with ceramic discs ø 47 mm high capacity non-return valve nickel plated copper connections ø 1/2"



KLARCO 2S.2914.03.72/C87

3759224 SIGLE HOLE "LCL" PRE-WASH KIT STYL

single hole with lever connection Ø 3/4"x h 50 mm cartridge with ceramic discs Ø 47 mm high capacity with tap at half spout Ø 20 x 250 mm with non-return valves nickel plated connections Ø 1/2"



KLARCO 2S.2945.03.73

3759225 TWO-HOLE SHORT PRE-WASH KIT STYL

mixer basin connection ø 3/4" h 50 mm distance between holes 155 mm non-return valves



KLARCO 3E.2940.59.79

KLARCO 3S.2945.S1.73

3759226 TWO-HOLE SHORT PRE-WASH KIT STYL

mixer basin connection ø 3/4" h 50 mm distance between holes155 mm with tap at half spout ø 20 x 250 mm with non-return valves



KLARCO 2S.3007.03.K23

3759227 TWO-HOLE HIGH KIT PRE WASH STYL

high mixer 100 mm slanted basin connection ø 3/4" distance between holes 155 mm with non return-valves



KLARCO 3S.3007.S1.K23

3759228 TWO-HOLE HIGH PRE-WASH KIT STYL

mixer 100 mm high inclined basin connection ø 3/4" with tap at half spout ø 20 x 250 mm distance between holes 155 mm with non-return valves



KLARCO 3S.3011.S1.K13

KLARCO 2S.3011.03.K13





3759229 TWO-HOLE HIGH PRE-WASH KIT STYL

ceramic disc valves ø 3/4" 90° mixer 100 mm high inclined basin connection ø 3/4" distance between holes 155 mm with non-return valves



3759231 TWO-HOLE PRE-WASH "MIX" KIT STYL

with pre-wash unit h 80 mm cartridge with ceramic discs gray lever 220 mm cast spout 220 mm with non-return valves connections ø 1/2" h 50 mm distance between holes 155 mm



KLARCO 2S.3029.03.72/C49

KLARCO 2S.3037.03.K59

3759233 TWO-HOLE WALL MOUNTED PRE-WASH KIT STYL

non-return valves attacchi ø 1/2" distance between holes 155 mm



KLARCO 2S.4051.03.K23

3759235 TWO-HOLE WALL MOUNTED PRE-WASH KIT STYL

diverter headwork with ceramic discs 90° spout "s" ø 20 x 250 mm with non-return valves connections ø 1/2" distance between holes 155 mm



Suitable for:

3759230 TWO-HOLE HIGH PRE-WASH KIT STYL

ceramic disc valves ø 3/4" 90° mixer 100 mm high inclined basin connection ø 3/4" distance between holes 155 mm with non-return valves



KLARCO 3E.3013.33.59

KLARCO 3S.3037.S1.K59

3759232 TWO-HOLE PRE-WASH "MIX" KIT STYL

with pre-wash unit h 150 mm cartridge with ceramic discs gray lever 300 mm cast spout 270 mm with non-return valves connections ø 3/4" h 50 mm distance between holes 155 mm



KLARCO 2S.3023.03.71/C48

3759234 TWO-HOLE WALL MOUNTED PRE-WASH KIT STYL

with tap at half pipe ø 25 x 250 mm non-return valves attacchi ø 1/2" distance between holes 155 mm



KLARCO 3S.4051.S1.K23

3759236 TWO-HOLE WALL MOUNTED SINGLE LEVER MIXER

cartridge with ceramic discs gray lever 220 mm cast spout 220 mm retention valves connections ø 1/2" h 50 mm distance between holes 155 mm



KLARCO 2S.4011.03.K13CS3 KLARCO 2S.4024.03.72/C49





Suitable for:

3759237 TWO-HOLE PRE-WASH "MIX" KIT STYL

with pre-wash unit h 300 mm cartridge with ceramic discs gray lever 300 mm cast spout 270 mm with non-return valves connections ø 1/2" h 80 mm



3759268

PRE-WASH KIT NEW MODEL

stainless steel tube graft - screw fixing



KLARCO 2S.3034.03.71/C48

3759281 SHOWER UNIT WALL MOUNT STIL

0) L.115 (standard)



KLARCO 2S.0000.03.00

3759282 SINGLE-HOLE LEVER STYL WITH SHOWER

spout 250 mm lever shower with hose 1000 mm mounting hole ø 35 mm



KLARCO 0P.P092.00.00

3759106 SHOWER Ø 1/2" FOR OVEN WASHING KIT

KLARCO 1S.2920.42.88/47B

3759168 CARTRIDGE ø 39.5x43 mm PIN 10x10.4 mm



MONOLITH 00502000005

2102948 MATIC SHOWER GROUP H1050

spout at half pipe ø 18x200 mm connection ø 3/4" flow rate 15 l/min at 3 bar



MONOLITH 00304000021

2102949 MATIC SHOWER GROUP H1050 WITH SPOUT

spout at half pipe ø 18x250 mm connection ø 3/4" flow rate 15 l/min at 3 bar



R.D.FRIULI 00919120

2111836 CARTRIDGE ø 40 PIN 10x10.5

for lever model GOAL

(a

R.D.FRIULI 00919125

3259009 MIXER FOR SHOWER GROUP

spout ø 22x250 mm flow rate 18 l/min. at 3 bar connection ø 1/2" mounting hole ø 32 mm



R.D.FRIULI 00123130+36103374

R.D.FRIULI 36100841





3359425 MIGNON PRE-WASHING KIT H600 WITH SPOUT

spout ø 18x300 mm flow rate 18 L/min at 4 bar connection 3/4"



R.D.FRIULI 00971030

Suitable for:

3759113 SINGLE-HOLE LEVER OPERATED MIXER

with pre-washing set spout ø 18x200 mm connection ø 1/2" mounting hole ø 32 mm flow rate 18 I/min 4 bar



R.D.FRIULI 00206113 R.D.FRIULI 00981125

R.D.FRIULI 00231013

R.D.FRIULI 00231013+00981125

SHOWER HEAD "SKY" ø 1/2" 3759154



MIGNON PRE-WASHING KIT H600

flow rate 17 L/min at 3 bar

connection 3/4"

R.D.FRIULI 00981000

3759176

3759175 **SHOWER PRE-WASHING KIT SKY H1000**



R.D.FRIULI 00981110

3759177 MIGNON PRE-WASHING KIT H600 WITH SPOUT

spout ø 18x200 mm



SINGLE-HOLE MIXER 81401

flow rate 36 L/min at 3 bar

mounting hole ø 33 mm

complete with hoses ø 1/8"-3/8"Fx350 mm

ceramic disks screws

spout ø 20x250 mm

flow rate 17 L/min at 3 bar connection 3/4"



R.D.FRIULI 00971000

2102476

R.D.FRIULI 00971020

3358023 **FILLING SINGLE TAP**

swivel spout ø 20 mm capacity 38 L/min 3 bar mounting hole 22 mm





RIVER 81401 RIVER 83010/3





Suitable for:

3358024 MIXER WATER LOAD

swivel spout ø 20 mm capacity 36 L / min 3 bar mounting hole 33 mm



3358026

SPOUT "BAIN MARIE" ADJUSTABLE ø 20 mm

mounting hole 27 mm washer ø 50 mm



RIVER 81310/3

3759182 PRE-WASH KIT COUNTER "EUROPA"

fastening support on counter ø 3/4" connection ø 1/2" flow rate 16 L / min at 3 bar mounting hole ø 28 mm



RIVER 80008/8

3759183 PRE-WASH KIT COUNTER "EUROPA"

with low power consumption shower 6 l/min $1 \div 8$ bar fastening support on counter top ø 3/4" connection ø 1/2" capacity 16L/min a 3 bar mounting hole ø 28 mm



RIVER 80008

RIVER 80008/2

RIVER 80008/2/6

RIVER 80008/6

3759184 PRE-WASH COUNTER KIT "EUROPA"

fastening support on counter ø 3/4" connection ø 1/2" half-tube spout ø 20 x 240 mm flow rate 16 L/min at 3 bar mounting hole ø 28 mm



3759185

PRE-WASH KIT COUNTER "EUROPA"

with low power consumption shower 6 l/min $1 \div 8$ bar fastening support on counter top ø 3/4" connection ø 1/2" canna a metà tubo ø 20×240 mm capacity 16L/ min a 3 bar mounting hole ø 28 mm



RIVER 80009

RIVER 80009/2

RIVER 80009/2/6

RIVER 80009/6

3759186 SINGLE HOLE PRE-WASH "EUROPA" KIT

ceramic disc valves rotation 90° non-return valves capacity 16 L/ min a 3 bar flexible metal hose ø 1/2" x 350 mm mounting hole ø 33 mm



3759187

SINGLE HOLE PRE-WASH "EUROPA" KIT

ceramic disc valves rotation 90° non-return valves capacity 16 L/ min a 3 bar half tube spout ø 20 x 240 mm hoses ø 1/2" 350 mm mounting hole ø 33 mm



RIVER 81408

RIVER 81409





Suitable for:

3759188 SINGLE HOLE PRE-WASH "EUROPA" KIT

ceramic disc valves rotation 90° with low power consumption shower 6 l/min $1\div 8$ bar non-return valve capacity 16L/min a 3 bar hoses ø 1/2" 350 mm mounting hole ø 33 mm



3759189 SINGLE HOLE PRE-WASH "EUROPA" KIT

ceramic disc valves rotation 90° with low power consumption shower $6 \text{ l/min } 1 \div 8 \text{ bar non-return valve}$ capacity 16 l/min a 3 bar half tube spout ø $20 \times 240 \text{ mm}$ hoses ø 1/2" 350 mm mounting hole ø 33 mm



RIVER 81408/6 RIVER 81409/6

3759190 TWO-HOLE PRE-WASH KIT "EUROPA"

ceramic disc valves 90° rotation with non-return valves capacity 16 L / min per 3 bar extension cable h 60 mm distance between holes 155 mm connections d 1/2" mountig hole ø 22 mm



3759191 TWO-HOLE PRE-WASH KIT "EUROPA"

ceramic disc valves 90° rotation with low power consumption shower 6 l/min $1 \div 8$ bar non-return valves capacity 16L/min a 3 bar connections ø 1/2" distance between holes 155 mm mountig hole ø 22 mm



RIVER 82409/2 RIVER 82409/26

3759192 TWO-HOLE PRE-WASH KIT "EUROPA"

ceramic disc valves 90° rotation with low power consumption shower 6 l/min 1÷8 bar non-return valves capacity 16L/min a 3 bar half tube spout ø 20 x 240 mm connections d 1/2" distance between holes 155 mm mounting hole ø 22 mm



3759193 TWO-HOLE WALL MOUNTED PRE-WASH KIT "EUR

ceramic disc valves 90° rotation with low power consumption shower 6 l/min $1 \div 8$ bar non-return valves capacity 16L/min a 3 bar connections ø 1/2 distance between holes 155 mm mountig hole ø 22 mm



RIVER 824010/6 RIVER 824011/6





Suitable for:

3759194 TWO-HOLE WITH PRE-WASHING KIT "EUROPA"

connections ø 1/2" ceramic disc valves revolution 90° with low power consumption shower 6 L/min 1÷8 bar spout at half pipe ø 20 x 240 mm with non-return valves capacity 16 L/min per 3 bar distance between holes 155 mm extension h 60 mm mounting hole ø 22 mm



TWO-HOLE WALL MOUNTED PRE-WASH KIT "EUR 3759195

connections ø 1/2" ceramic disc valves rotation 90° with low power consumption shower 6 l/min 1÷8 bar with non-return valves half tube spout ø 20 x 240 mm capacity 16L / min per 3 bar distance between holes 155 mm mounting hole ø 22 mm



RIVER 824010/26

RIVER 824011/26

PRE-WASH" EUROPA" SET SINGLE LEVER 3759196

lever control with ceramic discs with low power consumption shower 6 l/min 1÷8 bar non-return valve capacity 16L / min per 3 bar hoses ø 1/2" 350 mm mounting hole ø 33 mm



PRE-WASH" EUROPA" SET SINGLE LEVER 3759197

lever control with ceramic discs with low power consumption shower 6 l/min 1÷8 bar non-return valve capacity 16L/min per 3 bar with half tube spout ø 20 x 240 mm hoses ø 1/2" 350 mm mounting hole ø 33 mm



RIVER 86708/6

PRE-WASH" EUROPA" SET SINGLE LEVER 3759199

with low power consumption shower 6 l/min 1÷8 bar cartridge and ceramic disc valves supplying spout ø 20x240 mm with non-return valve complete with hoses ø 1/2"x 350 mm mounting hole ø 33 mm



RIVER 86709/6

RIVER 85608/6

PRE-WASH" EUROPA" SET SINGLE LEVER 3759200

with low power consumption shower 6 l/min 1÷8 bar cartridge and ceramic disc valves shockproof technopolymer handle supply spout ø 20x300 mm with non-return valves capacity 16L/ min complete with hoses ø 1/2"x 350 mm mounting hole ø 33 mm



RIVER 85508/6





Suitable for:

3759201 PRE-WASH "EUROPA" WALL MOUNTED SINGLE LE

with low power consumption shower 6 l/min $1 \div 8$ bar cartridge and ceramic disc valves connection ø 3/4"M shockproof nondeformable handle supply spout ø 20x200 mm with non-return valves shower capacity 16 L/ min a 3 bar mixer capacity 26 Lt/min a 3 bar distance between holes $130 \div 180$ mm



3759202 PRE-WASH "EUROPA" WALL MOUNTED SINGLE LE

with low power consumption shower 6 l/min $1 \div 8$ bar cartridge and ceramic disc valves connection ø 3/4"M shockproof nondeformable handle supply spout ø 20x300 mm with non-return valves shower capacity 16 L/ min a 3 bar mixer capacity 26 Lt/min a 3 bar distance between holes $130 \div 180$ mm



RIVER 895011/6

3759203 SHOWER PRE-WASH "EUROPE" KIT

flowrate 16 L / min built-in flow regulator soft bumpers suitable for contact with food patented model-deposited connections ø 1/2" suitable for all kinds of prewash kits



RIVER 895011/26

3759204 SHOWER PRE-WASH "EUROPE" KIT

constant and powerful supply of 6 L / min water saving of up to 600L/hour built-in flow regulator shock absorbers suitable for contact with food patented model-deposited connection Ø 1/2" suitable for all kinds of prewash kits



RIVER 800/2014

3759205 SINGLE HOLE MAXI PRE-WASH "EUROPA" KIT

valves ø 1/2" with ceramic discs 90° non-return valves shower capacity 16 L/ min a 3 bar mounting hole 33mm



RIVER 800/2014/6

3759206 SINGLE HOLE MAXI PRE-WASH "EUROPA" KIT

valves ø 1/2" with ceramic discs 90° non-return valves with low power consumption shower 6 l/min $1\div 8$ bar mounting hole 33mm



3759207

SINGLE HOLE MAXI PRE-WASH "EUROPA" KIT

valves ø 1/2" with ceramic discs 90° non-return valves shower capacity 16 L/ min a 3 bar tap capacity 45L/min a 3 bar half tube spout ø 20 x 240 mm mounting hole ø 33 mm



RIVER 87905/6

3759208 SINGLE HOLE MAXI PRE-WASH "EUROPA" KIT

valves ø 1/2" with ceramic discs 90° non-return valves with low power consumption shower 6 l/min $1 \div 8$ bar tap capacity 45L/min a 3 bar half tube spout ø 20 x 240 mm mounting hole ø 33 mm



RIVER 87906/1 RIVER 87906/16





Suitable for: 3759210

3759209 PRE-WASH SPECIAL SET SINGLE LEVER

shower mod. "ACTIVE" cartridge with ceramic discs diverter headwork with ceramic discs 90° half tube spout ø 20 x 240 mm non-return valves mixer capacity 22 L/min per 3 bar shower capacity 16 L/ min a 3 bar mounting hole ø 33 mm



shower mod. "EUROPA" cartridge with ceramic discs diverter headwork with ceramic discs 90° half tube spout ø 20 x 240 mm non-return valves mixer capacity 22 L/min per 3 bar shower capacity 16 L/ min a 3 bar mounting hole ø 33 mm

PRE-WASH SPECIAL SET SINGLE LEVER



RIVER R1008/2

1111000/2

3759211 PRE-WASH SPECIAL SET SINGLE LEVER

cartridge with ceramic discs deviator large screw with ceramic disc 90° flexible stainless steel coated 1100 mm non-return valves mixer capacity 22L/min a 3 bar shower EUROPA low consumption constant capacity 16 L/ min mounting hole ø 33 mm



RIVER R1008/35

3759212 SINGLE HOLE SPECIAL PRE-WASH KIT

shower mod. "EUROPA" ceramic disc valves 90° hal tube spout ø 20 x 240 mm non-return valves mixer capacity 22L / min per 3 bar shower capacity 16 L / min per 3 bar mounting hole ø 33 mm



RIVER R1008/36

3759213 SINGLE HOLE SPECIAL PRE-WASH KIT

shower mod. "EUROPA" ceramic disc valves 90° hal tube spout ø 20 x 240 mm non-return valves mixer capacity 22L / min per 3 bar shower low consumption constant capacity 6 L/ min



RIVER R1022

3759214

SPECIAL PRE-WASH KIT COUNTER "EUROPA"

shower mod. "ACTIV 3" fastening support on counter top ø 50 mm connection ø 1/2" mounting hole ø 28 mm mounting hole ø 28 mm



RIVER R1022/6

RIVER R1020





Suitable for:

3759215 SPECIAL PRE-WASH KIT COUNTER "EUROPA"

shower mod. "ACTIV 3" fastening support on counter top ø 50 mm connection ø 1/2" shower capacity 16L/min a 3 bar ceramic disk valve 90° shower capacity 16 L/min per 3 bar tap capacity 32L/ min a 3 bar mounting hole ø 28 mm



3759216 SINGLE HOLE SPECIAL PRE-WASH KIT

shower mod. "ACTIV 3" ceramic disc valves 90° hal tube spout ø 20 x 240 mm flexible stainless steel coated 1100 mm non-return valves mixer capacity 22L / min per 3 bar shower capacity 16 L/ min a 3 bar mounting hole ø 33 mm



RIVER R1021

3759259 PRE-WASH "EUROPA" SET SINGLE LEVER

cartridge and large screw with ceramic discs supplying spout ø 20x250 mm non-return valve shock absorbent lever 283 mm shower capacity 16L / min per 3 bar complete with hoses ø 1/2"x 350 mm mounting hole ø 33 mm



RIVER R1024

3759260 PRE-WASH" EUROPA8" SET SINGLE LEVER

cartridge and control screw with ceramic discs supplying spout ø 20x300 mm non-return valve shockproof lever 283 mm shower capacity 16L / min per 3 bar complete with hoses ø 1/2"x 350 mm



RIVER 85508 3759261

PRE-WASH "EUROPA" SET SINGLE LEVER

cartridge with ceramic discs non-return valve shockproof lever 283 190 mm shower capacity 16L/min a 3 bar complete with hoses ø 1/2"x 350 mm



RIVER 85608

3759262 PRE-WASH "EUROPA" SET SINGLE LEVER

cartridge and control screw with ceramic discs supplying spout ø 20x240 mm non-return valve shockproof lever 283 190 mm shower capacity 16L / min per 3 bar complete with hoses ø 1/2"x 350 mm



RIVER 86708 RIVER 86709





Suitable for:

3759266 SINGLE HOLE SPECIAL PRE-WASH KIT

shower mod. "ACTIV 3" single lever cartridge with ceramic discs diverter headwork with ceramic discs chrome-plated lever handle supply spout ø 20x240 mm with non-return valves capacity 26 L/ min a 3 bar mounting hole ø 33 mm



RIVER R1012

The data herewith contained may change without notice and LF SpA cannot be held responsible for possible errors stated or resulting by the use of this document. All rights reserved. No part of this publication may be reproduced without written permission by LF SpA.



Distributing Components, Spare Parts & Accessories in original quality worldwide

LF SpA HEADQUARTERS

via Voltri, 80 - 47522 Cesena (FC) ITALY
Tel. +39 0547 34 11 11 - Fax +39 0547 34 11 10
www.lfricambi724.it- www.lfricambi724.mobi - info@lfricambi.it
Export Dept.: Tel. +39 0547 34 11 50 - Fax: +39 0547 34 11 55
www.lfspareparts724.com - www.lfspareparts724.mobi
export@lfspareparts.com

EPGC Sas FRANCE
13, Rue des Forts - 59960 Neuville en Ferrain
Tel. +33 (0)3 20 25 06 21
Fax +33 (0)3 20 25 34 12
www.epgc.com
www.epgc724.mobi
epgc@epgc.com

LF GmbH GERMANY
Junkersstrasse, 1 - D-82178 Puchheim - München
Tel. +49 89 89 45 78 66
Fax +49 89 89 45 78 88
www.lfersatzteile724.de
www.lfersatzteile724.mobi
info@lfersatzteile.de

LF China REPUBLIC OF CHINA
Room 403, No.2, Huadu Mansion, Lane 422, Huanghua Rd.
Minhang Dist. - 201103 Shanghai
Tel. +86 (0)21 33 53 66 31
Fax +86 (0)21 33 53 66 32
www.lfspareparts724.com
www.lfspareparts724.mobi
china@lfspareparts.com

OOO LF RUSSIAN FEDERATION
UI. Anatoliya Zhivova, 8 - office 1 - 123100 Moscow
Tel. +7 499 259 85 75
Fax +7 495 725 26 53
www.lfspareparts724.ru
www.lfspareparts724.mobi
info@lfspareparts.ru

LF Repuestos Horeca S.L.U. SPAIN
Calle Ciudad Real, 10 - 45517 Escalonilla - Toledo
Tel. +34 91 477 91 00
Fax +34 91 477 90 81
www.lfrepuestos-horeca724.es
www.lfrepuestos724.mobi
info@lfrepuestos.es

LF SpA Cesena (IT) Swiss Branch Steinhausen SWITZERLAND Sennweidstrasse, 45 - CH-6312 Steinhausen Tel. +41 (0)41 760 15 80-1 Fax +41 (0)41 760 15 85 www.lfersatzteile724.ch www.lfersatzteilech724.mobi info@lfersatzteile.ch

LF Spare Parts Ltd. UNITED KINGDOM
A10a Lakeside Business Park, Broadway Lane
South Cerney, Gloucestershire GL7 5XL
Tel. +44 (0)1285 86 16 25
Fax +44 (0)1285 86 39 49
www.lfspareparts724.co.uk
www.lfspareparts724.mobi
info@lfspareparts.co.uk

AUSTRALIA AND NEW ZEALAND www.lfspareparts724.com andrea.calvio@lfspareparts.com

AUSTRIA
www.lfspareparts724.at
ludwig.neier@lferstazteile.at

BALKAN COUNTRIES
www.lfspareparts724.com
matija.ramov@lfspareparts.com

BALTIC COUNTRIES
www.lfspareparts724.com
inara.silina@lfspareparts.com

CENTRAL AND EASTERN EUROPE www.lfspareparts724.cz jiri.kremla@lfspareparts.cz DENMARK www.lfspareparts724.dk michael.leth@lfspareparts.com

SOUTH KOREA
www.lfspareparts724.com
fabio.doni@lfspareparts.com

TURKEY www.lfyedekparca724.com basar.ergun@lfyedekparca.com

USA AND CANADA
www.lfspareparts724.us
sauro.dallaglio@lfspareparts.us
howard.truitt@lfspareparts.us