



Spare parts for:

Commercial refrigeration




Handles

- Handle springs
- Automatic door handles



This catalogue is automatically generated.
Therefore, the sequence of the items might
not be always shown at best.
Updates will be issued in case of additions
and/or amendments.

Rel. 2014-04230911






Suitable for:

Handles



3242185 RH/LH LOCKING HANDLE WITHOUT KEY LOCK


straight handle
base length 147x32 mm
distance between holes 118-134 mm
adjustable catch



Suitable for:

3242962 ADDITIONAL RELEASE

109x70xh72 mm



3242965 ADDITIONAL RELEASE

100x54xh55 mm




3242541 BALL CATCH WITH KEY LOCK

with internal safety handle
door thickness 50 to 140 mm
rh/lh reversible



3242540 BUMP PLATE 71-85 mm



3242309 CATCH ERGO 6190 W/CHROME PL.LOCK

base length 185.5x23.5x75h mm
mounting distance 150 mm
RAHRBACH



3242308 CATCH ERGO 6190 WO/CHROME PL.LOCK

base length 185.5x23.5x75h mm
mounting distance 150 mm
RAHRBACH




3242325 CATCH RH-LH WITH KEY LOCK

distance between holes 118 mm
size 137x28x31.5 mm
STUV



3242333 CATCH RH-LH WITH KEY LOCK

distance between holes 118 mm
size 137x28x81 mm
STUV



3242335 CATCH RH-LH WITH KEY LOCK

distance between holes 118 mm
size 190x28x81 mm
STUV






Suitable for:

Handles



3242329 CATCH RH-LH WITHOUT KEY LOCK

distance between holes 118 mm
size 137x28x31.5 mm
STUV



3242332 CATCH RH-LH WITHOUT KEY LOCK

distance between holes 118 mm
size 137x28x81 mm
STUV



3242339 CATCH RH-LH WITHOUT KEY LOCK

distance between holes 118 mm
size 190x28x81 mm
STUV



3242510 CATCH RH-LH WITHOUT KEY LOCK 533D

straight handle
base length 133x25xh48 mm
distance between holes 95-117 mm
adjustable catch mounting distance 40 mm



3242388 CATCH WITH KEY LOCK 56

length 280 mm
mounting distance 86-54-63.5 mm



3242389 CLOSING CATCH 56

adjustable height from 23 to 44 mm
mounting distance 58-65-23 mm



3242390 CLOSING CATCH 56

adjustable height from 48 to 70 mm
mounting distance 58-65-23 mm



3242387 INTERNAL OPENING PUSH BUTTON 481

for handle 56-58



3242391 CATCH WITH KEY LOCK 58

length 262 mm
mounting distance 78-52.4 mm



3242392 CLOSING CATCH 58

adjustable height from 26 to 40 mm
mounting distance 56-29 mm





Suitable for:

3242400 CLOSING CATCH 58
adjustable height from 40 to 60 mm
mounting distance 56-29 mm



Handles



Suitable for:


3242387 INTERNAL OPENING PUSH BUTTON 481
for handle 56-58



3242330 CATCH 15°
STUV



3242350 CATCH 22°



3242334 CATCH 33°
STUV




3242394 CATCH 55 WITHOUT LOCK
complete with internal handle and fastening
length 245 mm
handle mounting distance 74-80-86 mm
catch mounting distance 32-86 mm
internal handle mounting distance 51-65 mm



3242295 CATCH 5660 WITH KEY LOCK
door thickness 80/90 mm



3242297 CATCH 5660 WITH KEY LOCK
door thickness 60/70 mm



3242294 CATCH 5660 WITHOUT KEY LOCK
for door thickness 80/90 mm




3242296 CATCH 5660 WITHOUT KEY LOCK
door thickness 60/70 mm



3242303 CATCH 6195 49 mm - 28.5 mm
mounting distance 41 mm - 20 mm
RAHRBACH




3242299 CATCH 6195 59 mm - 37 mm
mounting distance 50 mm - 28 mm
RAHRBACH





Suitable for:

3242298 CATCH 6195 69 mm - 42 mm
mounting distance 57 mm - 30 mm
RAHRBACH



Handles



Suitable for:

3242747 BLACK SPACER 42x12 mm
height 6 mm - distance between holes 30 mm



3242393 CATCH 930 WITH FASTENING HOOK A
length 150xh52 mm
handle mounting distance 38-34-21 mm
catch mounting distance 38-12 mm



3242402 CATCH 931 WITH FASTENING HOOK
length 150xh60 mm
mounting distance for handle 44-41-25 mm
catch mounting distance 38-22 mm



3242264 CHROME PLATED DOOR HANDLE
complete w/lock - mounting distance 46-15 mm
handle mounting distance 41x45x46 mm




3242265 CHROME PLATED DOOR HANDLE
complete w/lock - mounting distance 41-18 mm
handle mounting distance 41x28 mm



3786039 O-RING 2.21x16.36x20.78 mm



3242263 CHROMIUM PLATED HANDLE FOR DOORS
complete with lock
handle distance between holes 36-41 mm



3242389 CLOSING CATCH 56
adjustable height from 23 to 44 mm
mounting distance 58-65-23 mm





Suitable for:

Handles



3242390 CLOSING CATCH 56
adjustable height from 48 to 70 mm
mounting distance 58-65-23 mm



3242392 CLOSING CATCH 58
adjustable height from 26 to 40 mm
mounting distance 56-29 mm




3242400 CLOSING CATCH 58
adjustable height from 40 to 60 mm
mounting distance 56-29 mm



3242996 COMPLETE DOOR HANDLE KIT 265 mm
with pin for opening from inside
for 60÷70 mm thick COLD ROOM doors




3242917 COMPLETE HANDLE ASSEMBLY KIT
with mushroom pin for opening from inside
for COLD ROOMS doors 80÷90 mm thick



3242918 COMPLETE HANDLE ASSEMBLY KIT
with mushroom-shape pin for opening from inside
for COLD ROOMS doors 100÷110 mm thick



3242268 COMPLETE LOCKING WITH KEY LOCK 265 mm
complete with internal handle with button
distance between locking holes 55-30 mm
external handle hole distance 52-78 mm



3242315 DOOR CATCH TH.100 mm RIGHTHAND STUV



3242321 DOOR CATCH TH.120 mm RIGHTHAND STUV



3242313 DOOR CATCH TH.80 mm RIGHTHAND STUV



3242314 DOOR CATCH TH.90 mm RIGHTHAND STUV



3242382 DOOR HANDLE WITH INSERT 190xh35 mm
mounting distance 154 mm





Handles




Suitable for:

3242383 DOOR HANDLE WITH INSERT 300xh35 mm
mounting distance 244-270 mm



Suitable for:


3242975 FIXING PLATE
dimension 109x56x7 mm



3242259 HANDGRIP PROFILE 600 mm




3242963 HANDLE FIXING PLATE
dimension 99x47x7 mm



3242890 HANDLE JUMBO WITH KEY
length 300 mm



3242540 BUMP PLATE 71-85 mm



3242894 INTERNAL BUTTON 108-124 mm



3242891 INTERNAL BUTTON 60-76 mm.




3242892 INTERNAL BUTTON 76-92 mm




3242893 INTERNAL BUTTON 92-108 mm



3242096 PLATE FOR DOOR STRIKE PIN 30-43 mm



3242097 PLATE FOR DOOR STRIKE PIN 51-65 mm



3242439 ROLL FOR JUMBO



3242098 SEAL 7.5 mm





Suitable for:

3242095 UPPER GRIPPING ASSEMBLY




Handles




Suitable for:

3242385 HYDRAULIC CATCH 1092
length 35x35xh115 mm
mounting distance 15-20 mm



3242322 INNER HANDLE FIXING PLATE
STUV



3242894 INTERNAL BUTTON 108-124 mm



3242891 INTERNAL BUTTON 60-76 mm .



3242892 INTERNAL BUTTON 76-92 mm




3242893 INTERNAL BUTTON 92-108 mm



3242387 INTERNAL OPENING PUSH BUTTON 481
for handle 56-58



3242961 LEFTHAND DOOR HANDLE COLD ROOM 420 mm
for more than 100 mm thick panels
fixing plate 160x70x120 mm



3242962 ADDITIONAL RELEASE
109x70xh72 mm





Suitable for:

3242975 FIXING PLATE
dimension 109x56x7 mm




Handles




Suitable for:


3242964 LEFTHAND DOOR HANDLE F/COLD ROOM 300 mm
for more than 100 mm thick panels
fixing plate 150x48x120 mm




3242965 ADDITIONAL RELEASE
100x54xh55 mm



3242963 HANDLE FIXING PLATE
dimension 99x47x7 mm



3242188 LH-RH CATCH WITHOUT LOCK
straight handgrip
base length 138x28x32h mm
mounting distance 118 mm
adjustable catch mounting distance 30 mm



3242307 LOCKING HANDLE ERGO 6188 W.CHROME PL. LO
straight handle
base length 185.5x23.5x33.2h mm
distance between holes 150 mm
RAHRBACH



3242221 CHROME-PLATED ADJUSTABLE DOOR STRIKE
base length 38x18x31 mm
fixing distance 26 mm
RAHRBACH



BONNET S486P51
LAINOX R69010500

BONNET 679486
LAINOX 50103020

LAINOX R50103020




Suitable for:

Handles




3242096 PLATE FOR DOOR STRIKE PIN 30-43 mm




Suitable for:


3242097 PLATE FOR DOOR STRIKE PIN 51-65 mm




3242951 RH-LH LOCK.HAND.W/OUT KEY LOCK 5240/3L
straight handle
length 205x28 mm
distance between holes 104 mm




3242950 RH-LH LOCKING HAND.W/OUT KEYLOCK 5244L
dimension 248x28 mm
distance between holes 112 mm
nylon catch



3242952 RH-LH LOCKING HANDLE W.KEY LOCK 5240/3CL
straight handle
base length 205x28 mm
distance between holes 104 mm



3242953 RH-LH LOCKING HANDLE W/OUT KEYLOCK 5241L
curved handle
base length 205x28 mm
distance between holes 104 mm



3242170 RH-LH LOCKING HANDLE WITH KEY LOCK
chrome plated metal
base length 185x24x76h mm
distance between holes 150 mm
adjustable catch mounting distance 26 mm



3242244 RH-LH LOCKING HANDLE WITH KEY LOCK
base length 138x28x80h mm
mounting distance 118 mm
adjustable catch mounting distance 26 mm



3242405 RH-LH LOCKING HANDLE WITH KEY LOCK
base length 185x24x76h mm
mounting distance 150 mm
adjustable catch mounting distance 26 mm



3242169 RH-LH LOCKING HANDLE WITHOUT KEY LOCK
chrome plated metal
base length 185x24x76h mm
distance between holes 150 mm
adjustable catch mounting distance 26 mm





Suitable for:

Handles



3242256 RH-LH LOCKING HANDLE WITHOUT KEY LOCK

base length 138x28x80h mm
mounting distance 118 mm
adjustable catch mounting distance 26 mm




3242406 RH-LH LOCKING HANDLE WITHOUT KEY LOCK

base length 185x24x76h mm
mounting distance 150 mm
adjustable catch mounting distance 26 mm




3242384 RH/LH LOCKING HANDLE W/KEY LOCK 174 CR

curved handle
length 267x25 mm
distance between holes 118-134 mm
adjustable catch




3242403 RH/LH LOCKING HANDLE W/OUT KEY LOCK L520

length 215x28 mm
distance between holes 120 mm




3242401 RH/LH LOCKING HANDLE W/OUT LOCK 174 CR

curved handle
length 267x25 mm
distance between holes 118-134 mm
adjustable hook




3242155 RH/LH LOCKING HANDLE WITH KEY LOCK

in chrome plated metal
base length 185x24x33h mm
distance between holes 150 mm
adjustable catch 26 mm




3242156 RH/LH LOCKING HANDLE WITH KEY LOCK

in black metal
base length 185x24x33h mm
distance between holes 150 mm
adjustable catch 26 mm




3242171 RH/LH LOCKING HANDLE WITH KEY LOCK

grey metal
base length 185x24x33h mm
distance between holes 150 mm
adjustable catch 26 mm




3242180 RH/LH LOCKING HANDLE WITH KEY LOCK

straight handle
base length 135x27 mm
distance between holes 120 mm
adjustable catch



3242184 RH/LH LOCKING HANDLE WITH KEY LOCK

curved handle
base length 135x27 mm
distance between holes 120 mm
adjustable catch






Suitable for:

Handles




3242187 RH/LH LOCKING HANDLE WITH KEY LOCK

straight handle
base length 147x32 mm
distance between holes 118-134 mm
adjustable catch



3242194 RH/LH LOCKING HANDLE WITH KEY LOCK

straight handle
base length 138x28 mm
distance between holes 118 mm
adjustable catch



3242199 RH/LH LOCKING HANDLE WITH KEY LOCK

base length 138x28x80h mm
distance between holes 118 mm
adjustable catch 26 mm




3242542 RH/LH LOCKING HANDLE WITH KEY LOCK

with internal safety handle
door thickness 50 to 140 mm
rh/lh reversible



3242157 RH/LH LOCKING HANDLE WITHOUT KEY LOCK

in chrome plated metal
base length 185x24x33h mm
distance between holes 150 mm
adjustable catch 26 mm




3242158 RH/LH LOCKING HANDLE WITHOUT KEY LOCK

in black metal
base length 185x24x33h mm
distance between holes 150 mm
adjustable catch 26 mm




3242172 RH/LH LOCKING HANDLE WITHOUT KEY LOCK

grey metal
base length 185x24x33h mm
distance between holes 150 mm
adjustable catch 26 mm




3242178 RH/LH LOCKING HANDLE WITHOUT KEY LOCK

straight handle
base length 135x27 mm
distance between holes 120 mm
adjustable catch




3242179 RH/LH LOCKING HANDLE WITHOUT KEY LOCK

curved handle
base length 135x27 mm
distance between holes 120 mm
adjustable catch



3242239 RH/LH LOCKING HANDLE WITHOUT KEY LOCK

base length 138x28x80h mm
distance between holes 118 mm
adjustable catch 26 mm






Handles



Suitable for:

3242966 RIGHTHAND DOOR HANDLE COLD ROOM 420 mm


for more than 100 mm thick panels
fixing plate 160x70x120 mm



Suitable for:


3242962 ADDITIONAL RELEASE

109x70xh72 mm




3242975 FIXING PLATE

dimension 109x56x7 mm



3242968 RIGHTHAND DOOR HANDLE F/COLD ROOM 300 mm


for more than 100 mm thick panels
fixing plate 150x48x120 mm



Suitable for:


3242965 ADDITIONAL RELEASE

100x54xh55 mm



3242963 HANDLE FIXING PLATE

dimension 99x47x7 mm



3242439 ROLL FOR JUMBO



Suitable for:

3242970 SAFETY DOOR HANDLE FIXING PLATE



3242967 SAFETY DOOR HANDLE 300 mm

distance between holes 41x65 mm



Suitable for:

3242970 SAFETY DOOR HANDLE FIXING PLATE





Suitable for:

3242098 SEAL 7.5 mm




Handles




Suitable for:

3242323 SHIM 11 mm
STUV



3242324 SHIM 18 mm
STUV



3242306 SHIM 5 mm
RAHRBACH



3242990 UNIVERSAL DOOR HANDLE 250xh40 mm
distance between holes 225 mm
in brown plastics



3242991 UNIVERSAL DOOR HANDLE 290xh45 mm
distance between holes 265 mm



3242993 UNIVERSAL DOOR HANDLE 380xh45 mm
distance between holes 355 mm
in chrome plated metal with black cover




3242095 UPPER GRIPPING ASSEMBLY



3242543 YORK HANDLE 350xh45 mm
distance between holes 275 mm



3242923 BLACK DOOR HANDLE 8730 276x28xh40 mm
distance between holes 226 mm
insert in aluminium



ALPENINOX 031529

ELECTROLUX 031529

INFRICO 506X34

INTERTECNICA R015417+R015418

ZANUSSI 031529

3242907 DOOR HANDLE \varnothing 24x204 mm



ALPENINOX 081728

ELECTROLUX 081728

ZANUSSI 081728



Handles



Suitable for:

Suitable for:

3242906 DOOR HANDLE BASE 315x175 mm

3242907 DOOR HANDLE \varnothing 24x204 mm



ALPENINOX 054261

ELECTROLUX 054261

ZANUSSI 054261

ALPENINOX 081728

ELECTROLUX 081728

ZANUSSI 081728

3242914 DOOR HANDLE WITH INSERT 5210-25
distance between fixing holes 222 mm

3242916 DOOR HANDLE WITH INSERT 5210-40
distance between holes 376 mm



ALPENINOX 081838
ELECTROLUX 081846

ALPENINOX 081846
ZANUSSI 081838

ELECTROLUX 081838
ZANUSSI 081846

ALPENINOX 081906+082448
FRIULINOX 935507
WHIRLPOOL 771985008758

ELECTROLUX 081906+082448
IRF 97310111
WHIRLPOOL 181906

FOSTER 15230221
WHIRLPOOL 182448
ZANUSSI 081906+082448

3242910 GREEN DOOR HANDLE \varnothing 24x203 mm

3242061 HANDLE CAP



ALPENINOX 081726

ELECTROLUX 081726

ZANUSSI 081726

ALPENINOX 081727
WHIRLPOOL 181727

ELECTROLUX 081727
ZANUSSI 081727

WHIRLPOOL 771985004707

3242061 HANDLE CAP

3242133 LEFT PLASTIC HEAD



ALPENINOX 081727
WHIRLPOOL 181727

ELECTROLUX 081727
ZANUSSI 081727

WHIRLPOOL 771985004707


ALPENINOX 082728

ELECTROLUX 082728

ZANUSSI 082728

3242579 LH-RH CATCH WITHOUT LOCK 570 CR
straight handgrip
base length 150x23x31h mm
mounting distance 110 mm
catch height 16.5 mm

3242922 STRIKE FOR DOOR CATCH



ALPENINOX 032156
FERMOD 570.21

ELECTROLUX 032156
ROSINOX RX94026184

FERMOD 005702114
ZANUSSI 032156

ANGELO PO 36M0480
SAGI 36M0480

FERMOD 60761

ROSINOX



Suitable for:

3242220 LOCKING WITHOUT CHROM.KEY LOCK ERGO 6188
RAHRBACH - distance between holes 150 mm
base lenght 185.5x23.5x33.2h mm



ALPENINOX 002278
ELECTROLUX 002278
LAINOX R50103010
WHIRLPOOL 771985013041
ZANUSSI 055510
ALPENINOX 055510
ELECTROLUX 055510
LAINOX R69010030
WHIRLPOOL 483286008196
ZANUSSI 056459

3242306 SHIM 5 mm
RAHRBACH



3242131 PLASTIC HANDLE
length 430 mm
for REFRIGERATED TABLE



ALPENINOX 082726
ELECTROLUX 082726
ZANUSSI 082726

3242132 RIGHT PLASTIC HEAD



ALPENINOX 082727
ELECTROLUX 082727
ZANUSSI 082727

3242132 RIGHT PLASTIC HEAD



ALPENINOX 082727
ELECTROLUX 082727
ZANUSSI 082727

Handles



Suitable for:

3242221 CHROME-PLATED ADJUSTABLE DOOR STRIKE
base length 38x18x31 mm
fixing distance 26 mm
RAHRBACH



BONNET S486P51
LAINOX R69010500

BONNET 679486
LAINOX 50103020


LAINOX R50103020

3242133 LEFT PLASTIC HEAD



ALPENINOX 082728
ELECTROLUX 082728
ZANUSSI 082728

3242924 BLACK DOOR HANDLE 8745 426x28x40 mm
distance between holes 376 mm
insert in aluminium



ANGELO PO 36M4040
INTERTECNICA R015419+R015420

EMMEPI 8C0920
MONDIAL ELITE 2121009

EVERLASTING 21635
SAGI 36M4040



Handles




Suitable for:

Suitable for:

3242921 LH-RH CATCH WITHOUT LOCK 560 CR

straight handgrip
base length 150x23x30h mm
mounting distance 110 mm



ANGELO PO 36M0470
FERMOD 560.21

EMMEPI 8C2082
SAGI 36M0470

FERMOD 005602114

3242922 STRIKE FOR DOOR CATCH



ANGELO PO 36M0480
SAGI 36M0480

FERMOD 60761

ROSINOX

3242922 STRIKE FOR DOOR CATCH



ANGELO PO 36M0480
SAGI 36M0480

FERMOD 60761

ROSINOX

3242221 CHROME-PLATED ADJUSTABLE DOOR STRIKE

base length 38x18x31 mm
fixing distance 26 mm
RAHRBACH




BONNET S486P51
LAINOX R69010500

BONNET 679486
LAINOX 50103020

LAINOX R50103020

3242948 LH-RH CATCH WITH LOCK 795 CR

straight handgrip
base length 150x30x40.5h mm
mounting distance 133 mm
adjustable catch between 9 and 22 mm




BONNET 74441
INTERTECNICA R011408

DEXION 795CR-R

FERMOD 79501

3242583 LH-RH CATCH WITH LOCK 885 CR

straight handgrip
base length 122x28x35h mm
mounting distance 104 mm
adjustable catch mounting distance 31 mm




BONNET 906392
FERMOD 885.01

CORECO 6033010007
FERMOD 0088501

FAGOR 6033010007
INTERTECNICA R017403

3242349 LOCKING HANDLE 621 WITH KEY LOCK

213x104xh50 mm



BONNET 21273E
FERMOD 0062102120

FERMOD 621.02

FERMOD 62102080

3242560 CLOSING STRIKE 620/621



FERMOD 6358602

3242396 SHIM 15 mm for door thickness 42/57 mm



FERMOD CALE-15.02

FERMOD SHIM15.02

3242397 SHIM 30 mm for door thickness 57/72 mm



FERMOD CALE-30.02

FERMOD SHIM30.02

FERMOD 6119602



Suitable for:

3242398 SHIM 40 mm
for door thickness 67/80 mm



FERMOD CALE-40.02

FERMOD SHIM40.02


FERMOD 6119702

Handles



Suitable for:

3242947 RH/LH LOCKING HANDLE WITHOUT LOCK 791 CR
curved handle
length 254x30 mm - mounting distance 133 mm
adjustable catch between 9 and 22 mm



BONNET 71261E

FERMOD 791.01

FERMOD 0079101

INTERTECNICA R018802

MARENO 5129900

MARENO 2872000

3242718 DOOR HANDLE STRIKE
for high temperatures
mounting distance 43 mm
for OVEN



BONNET LF-3242042

EMMEPI 8C0315

EMMEPI 809875

FERMOD 6107701LAI

INTERTECNICA R007418

MARENO LF-3242042

3242042 STRIKE FOR DOOR HANDLE
distance between mounting holes 45 mm



FERMOD 6008723

FERMOD 6008723-13

3242960 RH-LH DOOR HANDLE W/OUT KEY LOCK 1825
distance between holes 158 mm
plate dimensions 181x33 mm



DEXION 1825-R

FERMOD 01825

FRIULINOX 945028

INTERTECNICA R017480

3242544 BUILT-IN HANDLE 149x49 mm 352N



EMMEPI 827831

3242545 CATCH WITHOUT STRIKE 921HP



FERMOD 70921HP120

FERMOD 921.HP

3242546 SEAL FOR LOCK 50 mm



FERMOD CALE50.02

FERMOD SHIM50.02

FERMOD 6127991



Suitable for:

3242547 SEAL FOR LOCK 80 mm



FERMOD CALE80.02

FERMOD SHIM80.02

FERMOD 6128191

3242548 STRIKE HP FOR DOOR THICKNESS 42/57 mm
for 921HP



FERMOD 6407800

3242708 STRIKE HP FOR DOOR THICKNESS 52/72 mm
for 921 HP



FERMOD 6407700

3242570 STRIKE HP FOR DOOR THICKNESS 86/106 mm
for 921HP



FERMOD 6671900

FERMOD 6676400

3242564 CATCH 129
complete with strike



FERMOD 00129XX

FERMOD 129

Handles



Suitable for:

3242568 STRIKE HP FOR DOOR THICKNESS 27/42 mm
for 921HP



FERMOD 6407200

3242561 STRIKE HP FOR DOOR THICKNESS 52/72 mm
for 921HP
with micro switch in the strike
allowing to control:
open/closed door indicator
opening/closing operation count
alarm disconnection
evaporators and ventilators stop
Operating voltages 12 V (10 A) - 24 V (5A)
with cable 1500 mm



FERMOD 6407700CAP

3242569 STRIKE HP FOR DOOR THICKNESS 69/89 mm
for 921HP



FERMOD 6676300

3242558 CATCH 158
complete with strike and cap



FERMOD 00158XX

FERMOD 158



Handles



Suitable for:

3242750 CATCH 431 WITH LOCK
with internal safety handle
door thickness from 40 to 66 mm



FERMOD 00431XX066

Suitable for:

3242751 CATCH 431 WITH LOCK
with internal safety handle
door thickness from 67 to 115 mm



FERMOD 00431XX115

3242752 CATCH 431 WITH LOCK
with internal safety handle
door thickness from 116 to 165 mm



FERMOD 00431XX165

3242585 CLOSING CATCH
mounting distance 31 mm
adjustable from 18 to 30 mm



FERMOD 6001801

3242595 CLOSING CATCH
mounting distance 43 mm
adjustable from 14 to 30 mm



FERMOD 6001301

3242578 CLOSING STRIKE



FERMOD 6192623

3242560 CLOSING STRIKE 620/621



FERMOD 6358602

3242395 DOOR SHIM FITTING 27/42 mm



FERMOD 6407203

3242399 DOOR SHIM FITTING 42/57 mm



FERMOD 6407803

3242359 DOOR SHIM FITTING 52/72 mm
for lock 920/921



FERMOD 6407703

FRIGINOX FX95040010



Handles



Suitable for:

3242360 DOOR SHIM FITTING 69/89 mm
for lock 920/921



FERMOD 6671803

FERMOD 6676303

Suitable for:

3242362 GREEN CAP



FERMOD 15618V-EX

3242369 HANDLE 651
complete with fastening - distance 44-16.5 mm
handle mounting distance 35-44-45.5 mm



FERMOD 0065101

3242585 CLOSING CATCH
mounting distance 31 mm
adjustable from 18 to 30 mm



FERMOD 6001801

3242595 CLOSING CATCH
mounting distance 43 mm
adjustable from 14 to 30 mm



FERMOD 6001301

3242370 HANDLE 652
complete with fastening - distance 42-14.5 mm
handle mounting distance 31-35-36 mm



FERMOD 0065201


FERMOD 652.01

3242361 INTERNAL RELEASE PUSH-BUTTON
for lock 620/621/920/921



FERMOD 6384200120

3242356 LH LOCK 1220 WITH 3 POINTS
1 external handle
2 locks and 2 lock clamps



FERMOD 1220.02

3242554 SUPPLEMENTARY LOCK 90x52 mm



FERMOD 64136

FERMOD 64136-14



Handles




Suitable for:

Suitable for:

3242945 LH-RH CATCH WITH LOCK 571 CR
 straight handgrip
 base length 150x23x30h mm
 mounting distance 110 mm
 for Refrigerated cupboard (FRIGINOX) AMF18

3242922 STRIKE FOR DOOR CATCH



FERMOD 005712114
ROSINOX

FERMOD 571.21

FRIGINOX FX95040124


ANGELO PO 36M0480
SAGI 36M0480

FERMOD 60761

ROSINOX

3242949 LH-RH CATCH WITH LOCK 796 CR
 curved handgrip
 base length 150x30x40.5h mm
 mounting distance 133 mm
 adjustable catch between 9 and 22 mm

3242584 LH-RH CATCH WITH LOCK 885 CR HP
 straight handgrip
 base length 122x28x35h mm
 mounting distance 104 mm
 adjustable catch mounting distance 31 mm



FERMOD 0079601


FERMOD 796.01

INTERTECNICA R011537

FERMOD 885.HP

3242582 LH-RH CATCH WITH LOCK 885 PV
 black plastic straight handgrip
 base length 122x28x35h mm
 mounting distance 104 mm
 adjustable catch mounting distance 31 mm

3242386 LH-RH CATCH WITHOUT LOCK 880 CR
 straight handgrip
 base length 120x28x39h mm
 mounting distance 104 mm
 adjustable catch mounting distance 31 mm



FERMOD 00885.PV

FERMOD 885.PV

INTERTECNICA R017404

FERMOD 0088001

FERMOD 880.01

3242571 LH-RH CELL HANDLE 1225
 mounting distance 168-19 mm
 sizes 190x36x45 mm

3242578 CLOSING STRIKE



FERMOD 1225.01

FERMOD 122501CHR

FERMOD 6192623



Handles



Suitable for:

3242358 LOCKING HANDLE WITHOUT CLAMP 921
with key lock
245x108xh52 mm



FERMOD 70921XX120

FERMOD 921

Suitable for:

3242395 DOOR SHIM FITTING 27/42 mm



FERMOD 6407203

3242399 DOOR SHIM FITTING 42/57 mm



FERMOD 6407803

3242360 DOOR SHIM FITTING 69/89 mm
for lock 920/921



FERMOD 6671803

FERMOD 6676303

3242359 DOOR SHIM FITTING 52/72 mm
for lock 920/921



FERMOD 6407703

FRIGINOX FX95040010

3242563 LOCK ASSEMBLY
for 921HP



FERMOD 1273608

FERMOD 1273808

3242357 LOCKING HANDLE WITHOUT CLAMP 920
without key lock
245x108xh52 mm



FERMOD 70920XX120

FERMOD 920

FRIGINOX FX95039996

3242395 DOOR SHIM FITTING 27/42 mm



FERMOD 6407203

3242399 DOOR SHIM FITTING 42/57 mm



FERMOD 6407803

3242359 DOOR SHIM FITTING 52/72 mm
for lock 920/921



FERMOD 6407703

FRIGINOX FX95040010



Suitable for:

3242360 DOOR SHIM FITTING 69/89 mm
for lock 920/921



FERMOD 6671803

FERMOD 6676303

Handles



Suitable for:

3242348 LOCKING HANDLE 620
without key lock
213x104xh50 mm



FERMOD 0062002120

FERMOD 620.02

3242560 CLOSING STRIKE 620/621



FERMOD 6358602

3242396 SHIM 15 mm
for door thickness 42/57 mm



FERMOD CALE-15.02

FERMOD SHIM15.02

3242397 SHIM 30 mm
for door thickness 57/72 mm



FERMOD CALE-30.02

FERMOD SHIM30.02

FERMOD 6119602

3242398 SHIM 40 mm
for door thickness 67/80 mm




FERMOD CALE-40.02

FERMOD SHIM40.02


FERMOD 6119702

3242554 SUPPLEMENTARY LOCK 90x52 mm

3242355 RH LOCK 1220 WITH 3 POINTS
1 external handle
2 locks and 2 lock clamps



FERMOD 1220.02



FERMOD 64136

FERMOD 64136-14



Handles





Suitable for:

Suitable for:

3242581 RH-LH CATCH WITHOUT LOCK 880 PV
 black plastic straight handgrip
 base length 122x28x35h mm
 mounting distance 104 mm
 adjustable catch mounting distance 31 mm

3242946 RH/LH LOCKING HANDLE W/OUT KEYLOCK 790CR
 straight handle
 base length 254x30 mm
 distance between holes 133 mm
 adjustable catch between 9 and 22 mm



FERMOD 00880PV

FERMOD 880.PV

INTERTECNICA R017402

FERMOD 0079001

FERMOD 790.01

INTERTECNICA R011407

3242546 SEAL FOR LOCK 50 mm

3242547 SEAL FOR LOCK 80 mm



FERMOD CALE50.02

FERMOD SHIM50.02

FERMOD 6127991

FERMOD CALE80.02

FERMOD SHIM80.02

FERMOD 6128191

3242396 SHIM 15 mm
 for door thickness 42/57 mm

3242397 SHIM 30 mm
 for door thickness 57/72 mm



FERMOD CALE-15.02

FERMOD SHIM15.02

FERMOD 6119502

FERMOD CALE-30.02

FERMOD SHIM30.02

FERMOD 6119602

3242398 SHIM 40 mm
 for door thickness 67/80 mm

3242557 STRIKE



FERMOD CALE-40.02

FERMOD SHIM40.02

FERMOD 6119702

FERMOD 6033402

3242042 STRIKE FOR DOOR HANDLE
 distance between mounting holes 45 mm

3242562 STRIKE FOR SUPPLEMENTARY LOCK



FERMOD 6008723

FERMOD 6008723-13

FERMOD 10335

FERMOD 1033602



Suitable for:

Handles



3242568 STRIKE HP FOR DOOR THICKNESS 27/42 mm
for 921HP



FERMOD 6407200

Suitable for:

3242573 STRIKE HP FOR DOOR THICKNESS 27/43 mm



FERMOD 6677100

FERMOD 6677100-10

3242548 STRIKE HP FOR DOOR THICKNESS 42/57 mm
for 921HP



FERMOD 6407800

3242574 STRIKE HP FOR DOOR THICKNESS 44/60 mm



FERMOD 6677200

FERMOD 6677200-10

3242561 STRIKE HP FOR DOOR THICKNESS 52/72 mm
for 921HP
with micro switch in the strike
allowing to control:
open/closed door indicator
opening/closing operation count
alarm disconnection
evaporators and ventilators stop
Operating voltages 12 V (10 A) - 24 V (5A)
with cable 1500 mm



FERMOD 6407700CAP

3242708 STRIKE HP FOR DOOR THICKNESS 52/72 mm
for 921 HP



FERMOD 6407700

3242575 STRIKE HP FOR DOOR THICKNESS 61/77 mm



FERMOD 6677300

3242569 STRIKE HP FOR DOOR THICKNESS 69/89 mm
for 921HP




FERMOD 6676300

3242576 STRIKE HP FOR DOOR THICKNESS 78/94 mm



FERMOD 6677400

3242570 STRIKE HP FOR DOOR THICKNESS 86/106 mm
for 921HP



FERMOD 6671900

FERMOD 6676400



Handles



Suitable for:

3242577 STRIKE HP FOR DOOR THICKNESS 95/111 mm




FERMOD 6677500

FERMOD 6677500-10


Suitable for:

3242551 SUPPLEMENTARY LOCK
mounting distance 121-136 mm



FERMOD 6303602

3242554 SUPPLEMENTARY LOCK 90x52 mm



FERMOD 64136

FERMOD 64136-14

FERMOD 6413802

3242550 3-POINT LH CATCH 1926 WITH KEY

including:
1 external handle
2 blocks
2 strike blocks
1 internal hooking button



FERMOD 0192602G


FERMOD 6926.02.G

3242557 STRIKE



FERMOD 6033402

3242551 SUPPLEMENTARY LOCK
mounting distance 121-136 mm



FERMOD 6303602

3242553 3-POINT RH CATCH 1221 WITH KEY

including:
1 external handle
2 blocks
2 strike blocks
1 internal hooking button



FERMOD 1221.02

3242562 STRIKE FOR SUPPLEMENTARY LOCK



FERMOD 10335

FERMOD 1033602



Suitable for:

3242554 SUPPLEMENTARY LOCK 90x52 mm



FERMOD 64136

FERMOD 64136-14

Handles



Suitable for:

3242549 3-POINT RH CATCH 1926 WITH KEY

including:
1 external handle
2 blocks
2 strike blocks
1 internal hooking button

3242557 STRIKE



FERMOD 1926.02.D

FERMOD 6926.02.D

FERMOD 6033402

3242589 RH-LH CATCH WITHOUT LOCK

straight handgrip
black plastic
length 254 mm
distance between the holes 133 mm




FRIGINOX FX95017950

3242740 CATCH 7225 WITH LOCK

with internal safety push-button
complete with strike hook 27/42 mm

3242741 STRIKE SHIM 42/57 mm



FRIULINOX 945624

INTERTECNICA R020544

INTERTECNICA R020320

3242742 STRIKE SHIM 57/72 mm

3242743 STRIKE SHIM 72/87 mm



INTERTECNICA R020321

INTERTECNICA R020322



Suitable for:

3242744 STRIKE SHIM 87/102 mm




INTERTECNICA R020323

3242931 HANDLE INSERT 280 mm




ICEMATIC 28040018

3242930 HANDLE 325 mm
distance between holes 255 mm




ICEMATIC 28190005

3242532 CHROMEPLATED KNOB 340 mm
distance between holes 270 mm



ILSA 32387

3242982 ADDITIONAL RELEASE 075
122x44x59 mm



INTERTECNICA R018862

Handles



Suitable for:

3242931 HANDLE INSERT 280 mm



ICEMATIC 28040018

3242759 HANDLE 560x40x45 mm
mounting distance 51.7 mm
for Refrigerated cupboard (INOMAK) - Series CA
Series CB - Series CE - Series CF



INOMAK 34000094000003

3242959 ADDITIONAL RELEASE 1875
distance between holes 158 mm
dimensions 181x33 mm



INTERTECNICA R017529




Handles



Suitable for:

3242983 ADJUSTABLE CLAMP



INTERTECNICA R019020

Suitable for:

3242530 CATCH WITH LOCK 2225 RH/LH
with internal hinge
with lock release device



INTERTECNICA R018868

3242720 DOOR CATCH 4225 RIGHTHAND



INTERTECNICA R019386

3242721 DOOR SHIM KIT 60/80 mm



INTERTECNICA R019378

3242723 DOOR SHIM KIT 101/120 mm



INTERTECNICA R019380

3242721 DOOR SHIM KIT 60/80 mm



INTERTECNICA R019378

3242539 DOOR SHIM KIT 81/100 mm



INTERTECNICA R020501

3242723 DOOR SHIM KIT 101/120 mm



INTERTECNICA R019380

3242722 DOOR SHIM KIT 81/100 mm



INTERTECNICA R019379

3242537 DOOR SHIM KIT 50/60 mm



INTERTECNICA R020497

3242538 DOOR SHIM KIT 61/80 mm



INTERTECNICA R020499

3242722 DOOR SHIM KIT 81/100 mm



INTERTECNICA R019379



Handles



Suitable for:

Suitable for:

3242281 INTERNAL SECURITY HANDLE 2700
length 300 mm
distance between holes 65x35 mm



INTERTECNICA R018865

3242536 LOCKING HANDLE 5325AB
dimensions 195.5x147.3xh39 mm



INTERTECNICA R020496

3242537 DOOR SHIM KIT 50/60 mm



INTERTECNICA R020497

3242538 DOOR SHIM KIT 61/80 mm



INTERTECNICA R020499

3242539 DOOR SHIM KIT 81/100 mm




INTERTECNICA R020501

3242731 RH-LH CELL HANDLE WITHOUT LOCK 3025
dimensions 200x39x59 mm



INTERTECNICA R020269

3242981 RH-LH HANDLE FOR COLD R. W/OUT LOCK 2025
Plate dimensions 197x44x59 mm



INTERTECNICA R018866

3242741 STRIKE SHIM 42/57 mm



INTERTECNICA R020320

3242742 STRIKE SHIM 57/72 mm



INTERTECNICA R020321

3242743 STRIKE SHIM 72/87 mm



INTERTECNICA R020322

3242744 STRIKE SHIM 87/102 mm



INTERTECNICA R020323



Handles



Suitable for:

3242706 WHITE ABS HANDLE
horizontal and vertical application
external mounting
dimensions 160x60 mm
distance between mounting holes 133 mm



INTERTECNICA R018515

Suitable for:

3242941 DOOR HANDLE RAL 9005
length 155 mm
height 90 mm



IRF 74311008

3242757 ART-MPA GREY HANDLE 320xh43 mm
mounting distance 270 mm
with white insert
for Refrigerated cupboard (ISA - TASSELLI)
Series TORNADO



ISA - TASSELLI 491094841000

3242756 DICE HANDLE BASE



ISA - TASSELLI 442200560000

ISA - TASSELLI 442200560100

3242927 SPACING BAR FOR DOOR HANDLE



MARENO MA4621400

3242659 BLACK PLASTIC HANDLE 140 mm
distance between holes 80 mm



MONDIAL ELITE 1721039

3242971 GRAY HANDLE 300 mm
distance between holes 217 mm



MONDIAL ELITE 1721369

3242972 GREY HANDLE INSERT



MONDIAL ELITE 1721370

3242972 GREY HANDLE INSERT



MONDIAL ELITE 1721370

3242658 PLASTIC BUILT-IN HANDLE 180 mm
for Refrigerated cupboard (MONDIAL ELITE)
Series KIC



MONDIAL ELITE 1721666



Handles



Suitable for:

3242657 PLASTIC BUILT-IN HANDLE 250 mm



MONDIAL ELITE 1721373

Suitable for:

3242974 WHITE HANDLE INSERT



MONDIAL ELITE 1721345

3242661 WHITE HANDLE WITH LOCK 300 mm
distance between holes 217 mm



MONDIAL ELITE 1721349

3242973 WHITE HANDLE 300 mm
distance between holes 217 mm




MONDIAL ELITE 1721343

3242974 WHITE HANDLE INSERT




MONDIAL ELITE 1721345

3242660 WHITE PLASTIC HANDLE 120 mm
for sliding glass door
distance between holes 70 mm



MONDIAL ELITE 1721067G


3242703 COMPLETE 480TN EXTERNAL HANDLE
handle length 555 mm
for COLD ROOMS model 480TN-480LWT-480GV-480BIN.INT



MTH 13SEF041-13055

MTH 13SEF048-00000


3242702 EXTERNAL HANDLE 500TN
without lock
200x110x50 mm



MTH 13CES001-13021

MTH 13CES002-13019

3242559 EXTERNAL MULTIFIX HANDLE WITH KEY LOCK
120x110x50 mm



MTH 13MEX001-00000



Handles



Suitable for:

3242701 INTERNAL HANDLE CSI 500TN
79x145 mm
distance between fixing holes 110 mm



MTH 13CIN001-13023

Suitable for:


3250226 SPRING FOR INTERNAL CATCH



MTH 13CSC604-00000

MTH 13CSC605-00000

3242700 OUTER HANDLE WITH KEY-LOCK 500TN
200x110xh50 mm



MTH 13CEC001-13022

MTH 13CEC002-13020

3242704 RIGHTHAND NEW TYPE 480TN INTERNAL HANDLE
length 765 mm
mounting bracket 165x60 mm
for COLD ROOMS model 480TN-480LWT-480GV-480BIN.INT



MTH 13SIF001-13050

3242488 HANDLE SERIES 3000



PRIOLINOX LMANIGL3000

3242936 COMPLETE DOOR HANDLE 120x50 mm
for BAR DOOR RONDA new type



RONDA

3242903 HANDLE KNOCK BOX DRAWER ASSY G53 RONDA



RONDA