




Spare parts for:  
**Cooking equipment**



# Thermostats



This catalogue is automatically generated.  
Therefore, the sequence of the items might  
not be always shown at best.  
Updates will be issued in case of additions  
and/or amendments.

Rel. 2014-01161753






# Thermostats



## SINGLE-PHASE REGULATION AND SAFETY THERMOSTATS IMIT



| Photo | LF Code | Temperature °C | Capillary Length mm | Bulb ø mm | Bulb Length mm | (Z) Stuffing gland | EGO Code No |
|-------|---------|----------------|---------------------|-----------|----------------|--------------------|-------------|
| A     | 3444004 | 0-90           | 1500                | 6,5       | 95             | no                 |             |
| A     | 3444005 | 0-120          | 1500                | 6,5       | 95             | no                 |             |
| A     | 3444347 | 0-195          | 1000                | 5         | 120            | no                 |             |
| A     | 3444006 | 0-210          | 1000                | 5         | 140            | no                 |             |
| A     | 3444335 | 0-250          | 940                 | 3         | 190            | no                 |             |
| A     | 3444007 | 0-300          | 1500                | 3,5       | 190            | no                 |             |
| B     | 3444169 | 220            | 1500                | 5         | 125            | no                 |             |
| B     | 3444348 | 235            | 1000                | 5         | 100            | no                 |             |

## SINGLE-PHASE REGULATION THERMOSTATS



| Photo | LF Code | Temperature °C | Capillary Length mm | Bulb ø mm | Bulb Length mm | (Z) Stuffing gland | EGO Code No |
|-------|---------|----------------|---------------------|-----------|----------------|--------------------|-------------|
| A     | 3744011 | 10-280         | 1600                | 4         | 225            | yes                | 5519054201  |
| A     | 3744045 | 30-90          | 900                 | 6         | 130            | no                 | 5519012805  |
| A     | 3444346 | 30-90          | 900                 | 6         | 130            | yes                | 5519012801  |
| A     | 3444019 | 30-90          | 1000                | 6         | 130            | no                 | 5519012800  |
| A     | 3744069 | 30-90          | 2000                | 6         | 130            | no                 | 5519019822  |
| A     | 1444012 | 30-95          | 850                 | 6         | 140            | yes                | 5519212020  |
| A     | 3444510 | 30-110         | 850                 | 6         | 138            | yes                | 5519022819  |
| A     | 3444489 | 30-110         | 900                 | 6         | 125            | no                 | 5519022809  |
| A     | 3744010 | 30-110         | 1800                | 6         | 135            | yes                | 5519025201  |
| A     | 3744094 | 30-150         | 1600                | 3         | 145            | no                 | 5519029806  |
| A     | 3444344 | 30-300         | 1200                | 4         | 120            | no                 | 5519059030  |
| A     | 3444391 | 45-170         | 870                 | 3         | 220            | no                 | 5519032850  |
| A     | 3444627 | 45-255         | 900                 | 6         | 74             | no                 | 5519252807  |
| A     | 3444774 | 45-295         | 900                 | 4         | 95             | no                 | 5519052840  |
| A     | 3444388 | 50-190         | 600                 | 6         | 75             | no                 | 5519039822  |
| A     | 3444642 | 50-190         | 850                 | 4         | 230            | no                 | 5519032840  |
| A     | 3744099 | 50-270         | 800                 | 3         | 230            | no                 | 5519052846  |
| A     | 3444043 | 50-270         | 1300                | 3         | 220            | no                 | 5519259811  |
| A     | 3444289 | 50-270         | 3000                | 3         | 210            | yes                | 5519256800  |
| A     | 3444176 | 50-270         | 1300                | 4         | 120            | no                 | 5519059803  |
| A     | 3444648 | 50-295         | 1300                | 3         | 220            | no                 | 5519053807  |
| A     | 3444174 | 50-300         | 900                 | 3         | 220            | no                 | 5519062800  |
| A     | 3444145 | 50-310         | 1600                | 4         | 120            | no                 | 5519064800  |
| A     | 3444369 | 50-320         | 900                 | 3         | 220            | no                 | 5519062802  |
| A     | 3444893 | 55-180         | 1500                | 4         | 90             | no                 | 5519034809  |




# Thermostats



| Photo | LF Code | Temperature °C | Capillary Length mm | Bulb ø mm | Bulb Length mm | (Z) Stuffing gland | EGO Code No |
|-------|---------|----------------|---------------------|-----------|----------------|--------------------|-------------|
| A     | 3444701 | 55-250         | 1170                | 3         | 226            | yes                | 5519243010  |
| A     | 3444643 | 60-150         | 900                 | 3         | 220            | no                 | 5519022813  |
| A     | 3444397 | 60-180         | 1200                | 6         | 135            | no                 | 5519033010  |
| A     | 3444387 | 60-180         | 3000                | 6         | 130            | yes                | 5519036801  |
| A     | 3744068 | 60-200         | 900                 | 6         | 80             | yes                | 5519032827  |
| A     | 3444070 | 60-200         | 1500                | 6         | 80             | no                 | 5519234800  |
| A     | 3444586 | 75-450         | 900                 | 4         | 228            | no                 | 5519082805  |
| A     | 3444423 | 85-170         | 900                 | 4         | 231            | yes                | 5519032808  |
| A     | 3444623 | 85-170         | 900                 | 6         | 160            | no                 | 5519032838  |
| A     | 3444900 | 85-175         | 900                 | 6         | 130            | yes                | 5519035201  |
| A     | 3444380 | 90-180         | 900                 | 6         | 135            | yes                | 5519032813  |
| A     | 3444384 | 90-180         | 900                 | 4         | 95             | no                 | 5519039805  |
| A     | 3444384 | 90-180         | 900                 | 4         | 95             | no                 | 5519039805  |
| A     | 3444438 | 90-180         | 1300                | 4         | 230            | no                 | 5519039010  |
| A     | 3444032 | 90-185         | 1300                | 4         | 230            | no                 | 5519039800  |
| A     | 3444784 | 100-175        | 2400                | 6         | 130            | no                 | 5519034800  |
| A     | 3744008 | 100-180        | 900                 | 6         | 130            | yes                | 5519032203  |
| A     | 3744008 | 100-180        | 900                 | 6         | 130            | yes                | 5519032203  |
| A     | 3444482 | 100-185        | 1800                | 4         | 230            | yes                | 5519035802  |
| A     | 3444652 | 100-190        | 870                 | 4         | 235            | no                 | 5519032807  |
| A     | 3444111 | 100-190        | 900                 | 6         | 130            | yes                | 5519032805  |
| A     | 3444233 | 100-190        | 1750                | 6         | 133            | yes                | 5519035800  |
| A     | 3744096 | 100-300        | 900                 | 6         | 74             | no                 | 5519052802  |
| A     | 3444568 | 105-185        | 900                 | 6         | 130            | yes                | 5519032831  |
| A     | 3744004 | 150-200        | 2000                | 6         | 135            | no                 | 5519039201  |
| B     | 3444000 | 90-185         | 900                 | 14        | 10             | no                 | 5519032825  |

## SINGLE-PHASE REGULATION THERMOSTATS WITH SELECTOR SWITCH




| Photo | LF Code | Temperature °C | Capillary Length mm | Bulb ø mm | Bulb Length mm | (Z) Stuffing gland | EGO Code No |
|-------|---------|----------------|---------------------|-----------|----------------|--------------------|-------------|
| A     | 3444018 | 30-90          | 1000                | 6         | 175            | no                 | 5519619030  |
| A     | 3444477 | 50-260         | 1270                | 4         | 120            | no                 | 5519659010  |
| A     | 3444885 | 53-180         | 1100                | 6         | 140            | no                 | 5519639020  |
| A     | 3444031 | 90-185         | 2500                | 4         | 230            | no                 | 5519639800  |
| B     | 3444137 | 20-120         | 900                 | 14        | 9              | no                 | 5519639800  |
| B     | 3444062 | 50-320         | 900                 | 3         | 220            | no                 | 5519962809  |
| B     | 3444550 | 50-320         | 900                 | 3         | 225            | no                 | 5519062845  |
| B     | 3444262 | 100-180        | 850                 | 11        | 10             | no                 | 5519062845  |
| B     | 3444358 | 105-185        | 900                 | 6         | 135            | yes                | 5519932802  |



# Thermostats



## SINGLE-PHASE REGULATION THERMOSTATS WITH SELECTOR SWITCH 2



| Photo | LF Code | Temperature °C | Capillary Length mm | Bulb ø mm | Bulb Length mm | (Z) Stuffing gland | EGO Code No |
|-------|---------|----------------|---------------------|-----------|----------------|--------------------|-------------|
| A     | 3444313 | 30-110         | 900                 | 6         | 120            | no                 | 5141918050  |
| A     | 3444051 | 45-250         | 900                 | 3         | 220            | no                 | 5143918410  |

## SINGLE-PHASE REGULATION THERMOSTATS WITH SELECTOR SWITCH 3



| Photo | LF Code | Temperature °C | Capillary Length mm | Bulb ø mm | Bulb Length mm | (Z) Stuffing gland | EGO Code No |
|-------|---------|----------------|---------------------|-----------|----------------|--------------------|-------------|
| A     | 3444674 | 30-90          | 2400                | 6         | 100            | yes                | 5513619210  |
| A     | 3444473 | 30-110         | 870                 | 6         | 130            | no                 | 5513622100  |
| A     | 3444664 | 30-110         | 1470                | 6         | 113            | yes                | 5513624060  |
| A     | 3444672 | 30-110         | 2400                | 6         | 110            | yes                | 5513629050  |
| A     | 3444668 | 50-320         | 3100                | 3         | 160            | no                 | 5513669050  |
| A     | 3444492 | 90-185         | 2410                | 6         | 130            | no                 | 5513639010  |
| A     | 3444666 | 100-185        | 2400                | 6         | 90             | yes                | 5513639030  |
| A     | 3444494 | 130-400        | 800                 | 4         | 165            | no                 | 5513672020  |
| A     | 3444665 | 140-195        | 880                 | 6         | 77             | yes                | 5513632030  |

## SINGLE-PHASE REGULATION THERMOSTATS 2



| Photo | LF Code | Temperature °C | Capillary Length mm | Bulb ø mm | Bulb Length mm | (Z) Stuffing gland | EGO Code No |
|-------|---------|----------------|---------------------|-----------|----------------|--------------------|-------------|
| A     | 3444074 | 45-265         | 2000                | 3         | 220            | no                 | 5103998400  |
| A     | 3444063 | 50-320         | 900                 | 3         | 220            | no                 | 5103915020  |
| A     | 3444029 | 90-185         | 900                 | 4         | 230            | no                 | 5102918080  |
| A     | 3444101 | 90-220         | 900                 | 4         | 229            | yes                | 5102918040  |
| A     | 3444376 | 95-190         | 900                 | 6         | 135            | yes                | 5102918320  |



## SINGLE-PHASE REGULATION THERMOSTATS 3



| Photo | LF Code | Temperature °C | Capillary Length mm | Bulb ø mm | Bulb Length mm | (Z) Stuffing gland | EGO Code No |
|-------|---------|----------------|---------------------|-----------|----------------|--------------------|-------------|
| A     | 3444913 | 30-85          | 900                 | 6         | 100            | yes                | 5513012060  |
| A     | 3444669 | 30-90          | 2450                | 6         | 100            | yes                | 5513219440  |
| A     | 3444422 | 30-110         | 830                 | 6         | 113            | no                 | 5513222010  |
| A     | 3444698 | 30-110         | 870                 | 6         | 113            | yes                | 5513022370  |
| A     | 3444746 | 30-110         | 3000                | 3         | 197            | no                 | 5513229030  |
| A     | 3444421 | 30-115         | 1770                | 4         | 120            | no                 | 5513025040  |
| A     | 3444980 | 30-120         | 870                 | 6         | 100            | yes                | 5513022310  |
| A     | 3444743 | 30-125         | 2200                | 3         | 160            | no                 | 5513229050  |
| A     | 3444569 | 50-120         | 3000                | 6         | 85             | no                 | 5513026050  |
| A     | 3444659 | 50-175         | 680                 | 4         | 155            | no                 | 5513039070  |
| A     | 3444663 | 50-195         | 2300                | 4         | 160            | no                 | 5513039110  |
| A     | 3444699 | 50-200         | 870                 | 6         | 80             | yes                | 5513032430  |
| A     | 3444633 | 50-205         | 870                 | 6         | 77             | no                 | 5513042310  |
| A     | 3444258 | 50-215         | 850                 | 3         | 200            | yes                | 5513042290  |
| A     | 3444647 | 50-215         | 2300                | 6         | 78             | no                 | 5513039120  |
| A     | 3444973 | 50-250         | 1100                | 3,1       | 205            | no                 | 5513043060  |
| A     | 3444747 | 50-250         | 1150                | 3         | 195            | no                 | 5513042010  |
| A     | 3444414 | 50-250         | 1430                | 3         | 160            | yes                | 5513244010  |
| A     | 3444744 | 50-280         | 1270                | 3         | 160            | no                 | 5513059020  |
| A     | 3444361 | 50-300         | 950                 | 3         | 160            | no                 | 5513069500  |
| A     | 3444697 | 50-320         | 2300                | 3         | 160            | no                 | 5513069020  |
| A     | 3444675 | 50-320         | 3150                | 3         | 160            | no                 | 5513069540  |
| A     | 3744104 | 97-190         | 1500                | 9         | 90             | yes                | 5513034120  |
| A     | 3444938 | 100-175        | 900                 | 6         | 100            | no                 | 5513032370  |
| B     | 3444523 | 50-85          | 2000                | 6         | 115            | no                 | 5518019130  |
| B     | 3444526 | 50-95          | 1450                | 6         | 110            | no                 | 5518014020  |
| B     | 3444524 | 50-116         | 1750                | 6         | 110            | no                 | 5518025010  |
| B     | 3444766 | 50-190         | 400                 | 6         | 120            | no                 | 5518031010  |
| B     | 3444766 | 50-190         | 400                 | 6         | 120            | no                 | 5518031010  |
| B     | 3444257 | 50-324         | 850                 | 3         | 160            | no                 | 5518062170  |
| B     | 2111771 | 130-190        | 870                 | 6         | 117            | no                 | 5518032020  |



# Thermostats




## SINGLE-PHASE SAFETY THERMOSTATS



| Photo | LF Code | Temperature °C | Capillary Length mm | Bulb ø mm | Bulb Length mm | (Z) Stuffing gland | EGO Code No |
|-------|---------|----------------|---------------------|-----------|----------------|--------------------|-------------|
| A     | 3444352 | 130            | 870                 | 6         | 129            | no                 | 5519522020  |
| A     | 3444564 | 140            | 870                 | 3         | 226            | no                 | 5519522030  |
| A     | 3444772 | 140            | 900                 | 6         | 130            | no                 | 5519522010  |
| A     | 3444485 | 150            | 900                 | 3         | 220            | no                 | 5519522080  |
| A     | 3444649 | 200            | 870                 | 6         | 133            | no                 | 5519532010  |
| A     | 3444064 | 220            | 790                 | 3         | 178            | no                 | 5519549040  |
| A     | 3444107 | 220            | 870                 | 6         | 142            | yes                | 5519542010  |
| A     | 3444026 | 220            | 900                 | 6         | 80             | no                 | 5519542200  |
| A     | 3444080 | 220            | 2000                | 6         | 133            | no                 | 5519549020  |
| A     | 3444629 | 220            | 2000                | 6         | 87             | no                 | 5519549030  |
| A     | 3444199 | 230            | 850                 | 4         | 120            | yes                | 5519542140  |
| A     | 3444071 | 230            | 870                 | 6         | 77             | no                 | 5519542130  |
| A     | 3444654 | 230            | 870                 | 6         | 77             | no                 | 5519542070  |
| A     | 3444654 | 230            | 870                 | 6         | 77             | no                 | 5519542070  |
| A     | 3444239 | 230            | 1000                | 6         | 130            | yes                | 5519542040  |
| A     | 3444690 | 230            | 1480                | 4         | 125            | no                 | 5519549050  |
| A     | 3444367 | 235            | 870                 | 6         | 133            | no                 | 5519542090  |
| A     | 3444624 | 235            | 870                 | 6         | 133            | no                 | 5519542080  |
| A     | 3744065 | 240            | 2000                | 6         | 135            | no                 | 5519549010  |
| A     | 3444372 | 245            | 1170                | 6         | 133            | no                 | 5519543010  |
| A     | 3444687 | 300            | 900                 | 6         | 74             | no                 | 5519552020  |
| A     | 3444120 | 320            | 900                 | 6         | 80             | no                 | 5519562020  |
| A     | 3444686 | 350            | 900                 | 6         | 80             | no                 | 5519562090  |
| A     | 3444209 | 355            | 880                 | 4         | 124            | no                 | 5519572010  |
| A     | 3444278 | 360            | 890                 | 3         | 200            | no                 | 5519572020  |
| B     | 3444312 | 360            | 1500                | 4         | 110            | no                 | 5532574800  |
| C     | 3444138 | 230            | 850                 | 14        | 10             | no                 | 5519542190  |
| C     | 3444238 | 230            | 850                 | 14        | 26             | no                 | 5519542030  |
| C     | 3444637 | 230            | 850                 | 11        | 18             | no                 | 5519542170  |
| C     | 3444266 | 338            | 830                 | 14        | 10             | no                 | 5532562816  |
| D     | 3444753 | 55             | 900                 | 3         | 230            | no                 | 5519312801  |
| D     | 3444964 | 60             | 1800                | 6         | 135            | no                 | 5510312201  |
| D     | 3444545 | 140            | 900                 | 4         | 158            | no                 | 5519322801  |
| D     | 3444319 | 150            | 900                 | 6         | 70             | no                 | 5519122803  |
| D     | 3444350 | 150            | 1000                | 6         | 86             | no                 | 5519129010  |
| D     | 3444558 | 238            | 1250                | 6         | 74             | no                 | 5519143010  |
| E     | 3444389 | 230            | 600                 | 6         | 83             | no                 | 5514549804  |
| E     | 3444377 | 240            | 1300                | 6         | 80             | yes                | 5514549826  |
| E     | 3444417 | 340            | 900                 | 3         | 145            | yes                | 5514562803  |



## SINGLE-PHASE SAFETY THERMOSTATS 2



| Photo | LF Code | Temperature °C | Capillary Length mm | Bulb ø mm | Bulb Length mm | (Z) Stuffing gland | EGO Code No |
|-------|---------|----------------|---------------------|-----------|----------------|--------------------|-------------|
| A     | 3444736 | 130            | 850                 | 6         | 130            | no                 | 5513522090  |
| A     | 3444782 | 132            | 850                 | 3         | 250            | yes                | 5513522020  |
| A     | 3444783 | 135            | 900                 | 6         | 80             | no                 | 5513529140  |
| A     | 3444899 | 135            | 1500                | 6         | 80             | no                 | 5513524070  |
| A     | 3444763 | 140            | 1550                | 6         | 77             | no                 | 5513529170  |
| A     | 3444670 | 190            | 350                 | 3         | 178            | yes                | 5513531010  |
| A     | 3444908 | 210            | 900                 | 6         | 80             | yes                | 5513532020  |
| A     | 3444903 | 220            | 900                 | 6         | 80             | yes                | 5513542200  |
| A     | 3444922 | 225            | 900                 | 6         | 90             | no                 | 5513542140  |
| A     | 3444696 | 230            | 850                 | 6         | 80             | yes                | 5513542270  |
| A     | 3444789 | 230            | 1050                | 6         | 96             | yes                | 5513549030  |
| A     | 3444259 | 245            | 850                 | 3         | 200            | yes                | 5513542280  |
| A     | 3444646 | 245            | 870                 | 14        | 10             | no                 | 5513542110  |
| A     | 3444732 | 246            | 900                 | 6         | 80             | yes                | 5513542100  |
| A     | 3444656 | 285            | 730                 | 4         | 112            | no                 | 5513559010  |
| A     | 3444673 | 330            | 900                 | 3         | 140            | no                 | 5513562060  |
| A     | 3444689 | 340            | 870                 | 3         | 160            | no                 | 5513562170  |
| A     | 3444671 | 340            | 1170                | 3         | 200            | no                 | 5513563020  |
| A     | 3444831 | 360            | 900                 | 3         | 145            | no                 | 5513562900  |
| A     | 3444256 | 420            | 1100                | 4         | 230            | no                 | 5513583010  |
| B     | 3444539 | 80             | 1500                | 6         | 90             | no                 | 5513114020  |
| B     | 3744061 | 125            | 900                 | 3         | 150            | no                 | 5513322020  |
| B     | 3444929 | 140            | 900                 | 6         | 90             | no                 | 5513122110  |

## THREE-PHASE REGULATION THERMOSTATS



| Photo | LF Code | Temperature °C | Capillary Length mm | Bulb ø mm | Bulb Length mm | (Z) Stuffing gland | EGO Code No |
|-------|---------|----------------|---------------------|-----------|----------------|--------------------|-------------|
| A     | 3444468 | 30-85          | 1500                | 6         | 138            | yes                | 5534014150  |
| A     | 3444812 | 30-90          | 870                 | 6         | 130            | no                 | 5534012800  |
| A     | 3744064 | 30-90          | 900                 | 6         | 130            | no                 | 5534012030  |
| A     | 3444364 | 30-90          | 900                 | 6         | 135            | yes                | 5534012859  |
| A     | 3444067 | 30-90          | 1000                | 6         | 130            | no                 | 5534019805  |
| A     | 3444088 | 30-110         | 900                 | 6         | 130            | yes                | 5534022802  |
| A     | 3444076 | 30-110         | 1200                | 6         | 130            | no                 | 5534023815  |
| A     | 3444711 | 30-110         | 1500                | 6         | 130            | no                 | 5534024805  |
| A     | 3444190 | 30-110         | 3000                | 6         | 135            | yes                | 5534226040  |
| A     | 3444713 | 40-320         | 900                 | 3         | 220            | no                 | 5534062801  |
| A     | 3444620 | 45-120         | 870                 | 6         | 140            | no                 | 5534222807  |



# Thermostats




| Photo | LF Code | Temperature °C | Capillary Length mm | Bulb ø mm | Bulb Length mm | (Z) Stuffing gland | EGO Code No |
|-------|---------|----------------|---------------------|-----------|----------------|--------------------|-------------|
| A     | 3444630 | 50-270         | 900                 | 3         | 220            | no                 | 5534052831  |
| A     | 3444894 | 50-275         | 900                 | 3         | 220            | no                 | 5534052809  |
| A     | 3444790 | 50-300         | 800                 | 4         | 120            | no                 | 5534062819  |
| A     | 3444349 | 50-300         | 860                 | 4         | 240            | no                 | 5534062826  |
| A     | 3444469 | 50-300         | 880                 | 3         | 226            | no                 | 5534052150  |
| A     | 3444504 | 50-300         | 880                 | 4         | 128            | no                 | 5534052020  |
| A     | 3444694 | 50-300         | 880                 | 6         | 77             | no                 | 5534052010  |
| A     | 3444619 | 50-300         | 900                 | 3         | 220            | no                 | 5534052812  |
| A     | 3444251 | 50-300         | 1100                | 3         | 220            | no                 | 5534059801  |
| A     | 3444435 | 50-300         | 1150                | 3         | 330            | no                 | 5534059824  |
| A     | 3444505 | 50-300         | 1440                | 4         | 290            | no                 | 5534054060  |
| A     | 3444561 | 50-300         | 1740                | 6         | 80             | no                 | 5534055020  |
| A     | 3444168 | 50-310         | 900                 | 4         | 220            | no                 | 5540062030  |
| A     | 3444052 | 50-320         | 900                 | 3         | 230            | no                 | 5534062807  |
| A     | 3444103 | 50-320         | 900                 | 3         | 220            | no                 | 5534062800  |
| A     | 3444778 | 55-240         | 900                 | 4         | 95             | no                 | 5534042805  |
| A     | 3444033 | 60-165         | 900                 | 8         | 115            | yes                | 5534039811  |
| A     | 3444559 | 60-185         | 1200                | 4         | 229            | no                 | 5534033801  |
| A     | 3444102 | 60-200         | 900                 | 6         | 80             | no                 | 5534032030  |
| A     | 3444503 | 60-200         | 900                 | 6         | 80             | yes                | 5534032160  |
| A     | 3444044 | 60-260         | 1300                | 4         | 130            | no                 | 5534059805  |
| A     | 3444038 | 60-320         | 1300                | 4         | 130            | no                 | 5534069804  |
| A     | 3444425 | 65-125         | 900                 | 6         | 70             | no                 | 5534022813  |
| A     | 3444594 | 65-200         | 880                 | 6         | 77             | yes                | 5534032060  |
| A     | 3444371 | 70-195         | 1500                | 6         | 135            | no                 | 5534034845  |
| A     | 3444779 | 75-295         | 900                 | 4         | 92             | no                 | 5534052811  |
| A     | 3444366 | 90-180         | 900                 | 6         | 135            | yes                | 5534032858  |
| A     | 3444420 | 90-185         | 1600                | 3         | 240            | no                 | 5534034210  |
| A     | 3744007 | 90-195         | 900                 | 6         | 135            | no                 | 5534032090  |
| A     | 3744098 | 95-180         | 1800                | 6         | 130            | no                 | 5534035130  |
| A     | 3444166 | 95-180         | 1800                | 6         | 135            | yes                | 5534035080  |
| A     | 3744055 | 95-185         | 1480                | 6         | 120            | no                 | 5534034010  |
| A     | 3444745 | 95-185         | 2420                | 6         | 133            | yes                | 5534039020  |
| A     | 3444491 | 95-220         | 1480                | 6         | 120            | yes                | 5534044020  |
| A     | 3444570 | 95-230         | 1250                | 4         | 128            | no                 | 5534043800  |
| A     | 3444078 | 100-175        | 2000                | 6         | 130            | no                 | 5534039837  |
| A     | 3444234 | 100-180        | 1450                | 6         | 134            | no                 | 5534034801  |
| A     | 3444198 | 100-180        | 2000                | 6         | 130            | no                 | 5534039800  |
| A     | 3444040 | 100-300        | 1150                | 6         | 80             | no                 | 5534059806  |
| A     | 3444638 | 100-330        | 900                 | 6         | 75             | no                 | 5534062803  |
| A     | 3744062 | 100-350        | 1470                | 6         | 75             | no                 | 5534064010  |
| A     | 3444562 | 100-350        | 1800                | 6         | 80             | no                 | 5534069030  |
| A     | 3744110 | 100-350        | 1800                | 6         | 80             | no                 | 5534065010  |
| A     | 3444490 | 100-470        | 1000                | 4         | 165            | no                 | 5540083010  |
| A     | 3444028 | 105-185        | 2800                | 4         | 235            | no                 | 5534039807  |
| A     | 3444086 | 108-192        | 900                 | 7         | 200            | no                 | 5534032800  |
| A     | 3444443 | 115-300        | 1150                | 3         | 144            | no                 | 5534059812  |
| A     | 2101663 | 118-190        | 880                 | 6         | 135            | no                 | 5534232030  |
| B     | 3444546 | 30-120         | 900                 | 11        | 28             | no                 | 5534022829  |





## THREE-PHASE REGULATION THERMOSTATS WITH SELECTOR SWITCHES



| Photo | LF Code | Temperature °C | Capillary Length mm | Bulb ø mm | Bulb Length mm | (Z) Stuffing gland | EGO Code No |
|-------|---------|----------------|---------------------|-----------|----------------|--------------------|-------------|
| A     | 3444357 | 50-150         | 1100                | 6         | 120            | no                 | 5534023801  |
| A     | 3444359 | 60-320         | 1400                | 4         | 123            | no                 | 5534964800  |
| A     | 3444311 | 100-260        | 1100                | 6         | 70             | no                 | 5534959801  |
| B     | 3444146 | 100-300        | 1250                | 6         | 78             | no                 | 5534959800  |
| C     | 3444148 | 50-300         | 850                 | 6         | 78             | no                 | 5534952803  |
| C     | 3444147 | 50-320         | 1400                | 3         | 220            | no                 | 5534063816  |
| D     | 3444749 | 50-300         | 1500                | 6         | 80             | no                 | 5540654010  |
| D     | 3444748 | 60-180         | 1800                | 6         | 133            | yes                | 5534635010  |
| D     | 3444702 | 3444702        | 720                 | 3         | 300            | no                 | 5534639010  |

## THREE-PHASE SAFETY THERMOSTATS



| Photo | LF Code | Temperature °C | Capillary Length mm | Bulb ø mm | Bulb Length mm | (Z) Stuffing gland | EGO Code No |
|-------|---------|----------------|---------------------|-----------|----------------|--------------------|-------------|
| A     | 3444734 | 135            | 1470                | 6         | 175            | yes                | 5531524030  |
| A     | 3444024 | 160            | 900                 | 6         | 175            | no                 | 5531532050  |
| A     | 3444323 | 225            | 950                 | 6         | 155            | no                 | 5531549050  |
| A     | 3444090 | 230            | 900                 | 6         | 240            | yes                | 5531542050  |
| A     | 3444390 | 230            | 900                 | 6         | 230            | no                 | 5531542140  |
| A     | 3444472 | 230            | 1700                | 6         | 220            | no                 | 5531545020  |
| A     | 3444221 | 240            | 1000                | 6         | 175            | no                 | 5531532060  |
| A     | 3444737 | 240            | 1430                | 6         | 177            | yes                | 5531544050  |
| A     | 3444035 | 240            | 2600                | 6         | 240            | no                 | 5531546020  |
| A     | 3444738 | 240            | 2600                | 6         | 177            | yes                | 5531549010  |
| A     | 3444036 | 245            | 1200                | 6         | 160            | no                 | 5531559420  |
| A     | 3444575 | 285            | 940                 | 6         | 157            | no                 | 5531559020  |
| A     | 3444707 | 320            | 1450                | 6         | 176            | yes                | 5531554020  |
| A     | 3444025 | 350            | 1200                | 6         | 160            | no                 | 5531569010  |
| B     | 3444479 | 120            | 900                 | 6         | 100            | no                 | 5532522861  |
| B     | 3443072 | 130            | 1000                | 6         | 80             | yes                | 5532522861  |
| B     | 3444618 | 135            | 890                 | 3         | 225            | no                 | 5532522814  |
| B     | 3444644 | 135            | 900                 | 6         | 89             | no                 | 5532522825  |
| B     | 3444567 | 145            | 1750                | 3         | 180            | yes                | 5532525060  |
| B     | 3444471 | 150            | 900                 | 3         | 230            | no                 | 5532522827  |
| B     | 3444565 | 150            | 900                 | 6         | 80             | no                 | 5532522853  |
| B     | 3444770 | 150            | 900                 | 6         | 80             | no                 | 5532522811  |
| B     | 3444775 | 150            | 1100                | 3         | 185            | no                 | 5532529810  |
| B     | 3444142 | 150            | 1500                | 6         | 90             | yes                | 5532524030  |



# Thermostats



| Photo | LF Code | Temperature °C | Capillary Length mm | Bulb ø mm | Bulb Length mm | (Z) Stuffing gland | EGO Code No |
|-------|---------|----------------|---------------------|-----------|----------------|--------------------|-------------|
| B     | 3744046 | 156            | 1500                | 6         | 90             | no                 | 5532524802  |
| B     | 3444424 | 160            | 900                 | 6         | 90             | no                 | 5532532805  |
| B     | 3444442 | 170            | 880                 | 6         | 88             | no                 | 5532532824  |
| B     | 3444556 | 170            | 900                 | 6         | 87             | no                 | 5532532820  |
| B     | 3444939 | 220            | 900                 | 6         | 110            | no                 | 5533542040  |
| B     | 3444959 | 220            | 1000                | 6         | 90             | no                 | 5532542010  |
| B     | 3444079 | 220            | 2000                | 6         | 130            | no                 | 5532549060  |
| B     | 3444375 | 225            | 900                 | 6         | 90             | yes                | 5532542835  |
| B     | 3444307 | 230            | 900                 | 6         | 100            | yes                | 5532542857  |
| B     | 3444625 | 230            | 900                 | 6         | 79             | no                 | 5532542850  |
| B     | 3444631 | 230            | 1700                | 6         | 80             | no                 | 5532549812  |
| B     | 3444368 | 235            | 900                 | 6         | 80             | no                 | 5532542842  |
| B     | 3444204 | 235            | 1700                | 4         | 120            | yes                | 5532545802  |
| B     | 3444506 | 240            | 900                 | 4         | 150            | no                 | 5532542230  |
| B     | 3444143 | 240            | 1600                | 6         | 85             | no                 | 5532549827  |
| B     | 3444972 | 240            | 2300                | 6         | 88             | no                 | 5532549050  |
| B     | 3444439 | 245            | 900                 | 6         | 80             | no                 | 5532549814  |
| B     | 3443075 | 245            | 900                 | 6         | 80             | yes                | 5532549814  |
| B     | 3444653 | 245            | 1750                | 4         | 120            | no                 | 5532545800  |
| B     | 3444436 | 245            | 2700                | 6         | 90             | no                 | 5532549811  |
| B     | 3444444 | 250            | 900                 | 6         | 90             | no                 | 5532542859  |
| B     | 3444706 | 255            | 730                 | 3         | 307            | no                 | 5532559010  |
| B     | 3444557 | 270            | 870                 | 6         | 78             | no                 | 5532552814  |
| B     | 3444317 | 270            | 2000                | 6         | 70             | no                 | 5532559814  |
| B     | 3444776 | 280            | 900                 | 4         | 125            | no                 | 5532552808  |
| B     | 3444703 | 315            | 1500                | 6         | 80             | yes                | 5532564010  |
| B     | 3444592 | 340            | 1190                | 4         | 128            | no                 | 5532563010  |
| B     | 3444354 | 350            | 1120                | 3         | 190            | no                 | 5532562808  |
| B     | 3444356 | 350            | 1300                | 4         | 120            | no                 | 5532569814  |
| B     | 3444704 | 350            | 1500                | 6         | 80             | no                 | 5532564040  |
| B     | 3444370 | 350            | 3000                | 6         | 90             | no                 | 5532566806  |
| B     | 3444632 | 350            | 3000                | 6         | 90             | no                 | 5532566808  |
| B     | 3444306 | 360            | 900                 | 4         | 120            | no                 | 5532562806  |
| B     | 3444574 | 360            | 1200                | 6         | 79             | no                 | 5532573801  |
| B     | 3444484 | 360            | 1300                | 4         | 120            | no                 | 5532563800  |
| B     | 3444493 | 360            | 1500                | 4         | 120            | no                 | 5532574010  |
| B     | 3444832 | 360            | 1500                | 4         | 170            | no                 | 5532574020  |
| B     | 3444904 | 370            | 1500                | 6         | 77             | no                 | 5532574050  |
| B     | 3444363 | 420            | 900                 | 4         | 310            | no                 | 5532582804  |
| C     | 3444315 | 135            | 1000                | 14        | 20             | no                 | 5532529812  |
| D     | 3444318 | 160            | 850                 | 6         | 70             | no                 | 5534122801  |
| D     | 3444445 | 350            | 900                 | 3         | 190            | no                 | 5534162800  |
| E     | 3444769 | 132            | 900                 | 6         | 80             | yes                | 5532522843  |
| E     | 3444925 | 140            | 900                 | 6         | 80             | no                 | 5534122070  |
| E     | 3444342 | 230            | 1200                | 6         | 75             | yes                | 5532543803  |
| E     | 3444600 | 325            | 900                 | 3         | 185            | no                 | 5532562828  |
| E     | 3444382 | 360            | 600                 | 6         | 80             | no                 | 5532562822  |



# Thermostats



Suitable for:

Suitable for:

## 3744011 SINGLE-PHASE THERMOSTAT 10-280°C

D-shaped pin  $\varnothing$  6x4.6 mm  
capillary length 1600 mm  
bulb  $\varnothing$  4x226 mm



CAPIC E401082

EGO 5519054201

## 3744045 SINGLE-PHASE THERMOSTAT 30-90°C

D-shaped pin  $\varnothing$  6x4.6 mm  
covered capillary length 900 mm  
bulb  $\varnothing$  6x130 mm  
for Bain-marie (GICO) - Series 110 - Series 39  
Series 500 - Series 64 - Series 700 - Series 900  
Series 920  
for Hot cupboard (GICO) - Series 370 - Series 96  
for Potato heater (GICO) - Series 64 - Series 700  
for Self service counter (GICO) - Series 39



DESCO EL0125

EGO 5519012805

GICO 53401003090

## 3444346 SINGLE-PHASE THERMOSTAT 30-90°C

D-shaped pin  $\varnothing$  6x4.6 mm  
covered capillary length 900 mm - 16A 250V  
bulb  $\varnothing$  6x130 mm - with stuffing gland fitting M9x1



EBERHARDT 213943

LOTUS 537001500

SILKO 0101403

EGO 5519012801

ROSINOX RX94805249

SILKO 10140

LOTUS 507001500

SILKO MA7800300

## 3444019 SINGLE-PHASE THERMOSTAT 30-90°C

D-shaped pin  $\varnothing$  6x4.6 mm  
capillary length 1000 mm - 16A 250V  
bulb  $\varnothing$  6x130 mm  
for Bain-marie (ZANUSSI)



ALPENINOX 003262

ART SERF 34440001

ELECTROLUX 051920

MARENO MA7800300

SMEG 818731106

WHIRLPOOL 771985000321

ALPENINOX 051920

EGO 5519012800

FAGOR AS34440001

MARENO 7800300

WHIRLPOOL 103262

ZANUSSI 003262

ART SERF 3410030

ELECTROLUX 003262

FAGOR AS3410030

MBM 023168-00

WHIRLPOOL 151920

ZANUSSI 051920

## 3744069 SINGLE-PHASE THERMOSTAT 30-90°C

D-shaped pin  $\varnothing$  6x4.6 mm  
covered capillary length 2000 mm - 16A 250V  
bulb  $\varnothing$  6x130 mm  
for Hot cupboard (OLIS) - Series 700



BARON BN6A046050

METOS 6A046050

OLIS 6A046050

BARON 6A046050

METOS BN6A046050

EGO 5519019822

OLIS BN6A046050

## 1444012 SINGLE-PHASE THERMOSTAT 30-95°C

D-shaped pin  $\varnothing$  6x4.6 mm  
capillary 850 mm - 16A 250V  
bulb  $\varnothing$  6x140 mm - adapter nipple bland M9x1



ANIMO 03090

EGO 5510212100

BONNET 1244788

EGO 5519212020

BONNET 905838



# Thermostats



Suitable for:

Suitable for:

**3444510 SINGLE-PHASE THERMOSTAT 30-110°C**  
 D-shaped pin  $\varnothing$  6x4.6 mm  
 capillary 850 mm - 16A 250V  
 bulb  $\varnothing$  6x138 mm - with adapter nipple bland M9x1

**3444489 SINGLE-PHASE THERMOSTAT 30-110°C**  
 D-shaped pin  $\varnothing$  6x4.6 mm  
 capillary length 1500 mm - 16A 250V  
 bulb  $\varnothing$  6x125 mm



BONNET 24650      CB 09010015      EGO 5510022010  
 EGO 5510022910      EGO 5519022804      EGO 5519022819  
 LOTUS 537012200      MKN 203498      MODULAR 661.004.00  
 MORICE TH1081      UNOX

COLUSSI 054010660      EBERHARDT 213924      EGO 5519022809  
 EGO 5519224801      EMMEPI 828838      SILKO 0101383

**3744010 SINGLE-PHASE THERMOSTAT 30-110°C**  
 D-shaped pin  $\varnothing$  6x4.6 mm  
 capillary length 1800 mm  
 bulb  $\varnothing$  6x135 mm - with adapter nipple bland M9x1  
 for Bain-marie (THIRODE) - Series 700 - Series 900  
 for Boiling pan (THIRODE) - Series 700  
 Series 900

**3744094 SINGLE-PHASE THERMOSTAT 30-150°C**  
 D-shaped pin  $\varnothing$  6x4.6 mm  
 covered capillary length 1600 mm  
 bulb  $\varnothing$  3x145 mm  
 for Boiling pan (GIGA) - Series 700 - Series 900



EGO 5519025201      THIRODE

BERTO'S 35301000      EGO 5519029806      GIGA E10600  
 METOS BN6A001414      OLIS BN6A001414      WHIRLPOOL 483286009432

**3444344 SINGLE-PHASE THERMOSTAT 25-300°C**  
 D-shaped pin  $\varnothing$  6x4.6 mm  
 covered capillary length 1600 mm - 29A 250V  
 bulb  $\varnothing$  4x103 mm  
 for Bratt pan (AMBACH) - Series 700 - Series 900

**3444391 SINGLE-PHASE THERMOSTAT 45-170°C**  
 D-shaped pin  $\varnothing$  6x4.6 mm  
 covered capillary length 870 mm  
 bulb  $\varnothing$  3x220 mm  
 for Hot cupboard (ZANUSSI)  
 for Warm table (ZANUSSI)



AMBACH 5061613760      AMBACH 5061618076      AMBACH 5061619760  
 AMBACH 5061633536      EGO 5513059280

ALPENINOX 031480      EGO 5519032850      ELECTROLUX 031480  
 ZANUSSI 031480



# Thermostats



Suitable for:

## 3444627 SINGLE-PHASE THERMOSTAT 45-255°C

D-shaped pin  $\varnothing$  6x4.6 mm  
covered capillary length 900 mm  
bulb  $\varnothing$  6x74 mm  
for Fry top (EMMEPI) - Series 650 - Series 700  
Series 750 - Series 900  
for Oven under cooktop (EMMEPI) - Series 650  
Series 700 - Series 750 - Series 900  
for Rotisserie (CB)



CB 09010014

EGO 5519252807

EMMEPI C00545

Suitable for:

## 3444774 SINGLE-PHASE THERMOSTAT 45-295°C

D-shaped pin  $\varnothing$  6x4.6 mm  
covered capillary length 900 mm - 16A 230V  
bulb  $\varnothing$  4x95 mm



EBERHARDT 213919

EGO 5519052840

EGO 5519052843

ROSINOX RX94812577

SILKO 0101377

## 3444388 SINGLE-PHASE THERMOSTAT 50-190°C

D-shaped pin  $\varnothing$  6x4.6 mm  
capillary 600 mm - 16A 250V  
bulb  $\varnothing$  6x75 mm  
for Fryer electric (BERTO'S) ELT10 - ELT4 - ELT8  
E9F18-8M



BERTO'S 33065600

BERTO'S 33065700

EGO 5519039822

## 3444642 SINGLE-PHASE THERMOSTAT 50-190°C

D-shaped pin  $\varnothing$  6x4.6 mm  
covered capillary length 850 mm  
bulb  $\varnothing$  3x180 mm  
for Fryer (CF CENEDESE)



CF CENEDESE 63.7.0642

LOTUS 402502000

LOTUS \_402502000

## 3744099 SINGLE-PHASE THERMOSTAT 50-270°C

D-shaped pin  $\varnothing$  6x4.6 mm  
covered capillary length 800 mm  
bulb  $\varnothing$  3x230 mm  
for Oven under cooktop (MBM) - Series MINIMA



EGO 5519052846

MBM RTCU600186

## 3444043 SINGLE-PHASE THERMOSTAT 50-270°C

D-shaped pin  $\varnothing$  6x4.6 mm  
covered capillary length 1300 mm - 16A 250V  
bulb  $\varnothing$  3x220 mm



ALPENINOX 029918

ALPENINOX 057937

ANGELO PO 3220610

BERTO'S 23063300

BERTO'S 24063323

EBERHARDT 215377

EGO 5519259811

EGO 5519059805

EGO 5519059808

EMMEPI 808672

ERRE 2 63401005270

ERRE 2 53401005270

GICO 63401005270

GICO 53401005270

GIGA 5010087

GIGA R31400

GIGA R65070210

GIGA X43600

MARENO 2709714

MARENO 2709700

MODULAR 661.073.00

REPAGAS 1230017

WHIRLPOOL 157937

ZANUSSI 029918

ZANUSSI 057937



# Thermostats



Suitable for:

**3444289 SINGLE-PHASE THERMOSTAT 50-270°C**  
D-shaped pin  $\varnothing$  6x4.6 mm  
covered capillary length 3000 mm - 16A 250V  
bulb  $\varnothing$  3x210 mm - with adapter nipple band M9x1



EGO 5519052832  
MODULAR RRC2190-00  
WHIRLPOOL 771985010201

EGO 5519256800  
WHIRLPOOL F50003

MARENO 2992900  
WHIRLPOOL 483286008211

Suitable for:

**3444176 SINGLE-PHASE THERMOSTAT 50-270°C**  
D-shaped pin  $\varnothing$  6x4.6 mm  
covered capillary length 1300 mm - 16A 250V  
bulb  $\varnothing$  4x120 mm  
for Bratt pan (ZANUSSI) - Series H900



ALPENINOX 051360  
WHIRLPOOL 771985002380

EGO 5519059803  
WHIRLPOOL 151360

ELECTROLUX 051360  
ZANUSSI 051360

**3444648 SINGLE-PHASE THERMOSTAT 50-295°C**  
D-shaped pin  $\varnothing$  6x4.6 mm  
covered capillary length 1300 mm  
bulb  $\varnothing$  3x220 mm  
for Bratt pan (OLIS) - Series 900



BARON BN6A049200  
EGO 5519053807  
OLIS BN6A049200

BARON 6A049200  
METOS BN6A049200  
OLIS 6A049200

EGO 5513069150  
METOS 6A049200

**3444174 SINGLE-PHASE THERMOSTAT 50-320°C**  
D-shaped pin  $\varnothing$  6x4.6 mm  
capillary length 900 mm - 16A 250V  
bulb  $\varnothing$  3x220 mm



ALPENINOX 005421  
BOURGEOIS THER001  
EBERHARDT 249022  
EMMEPI 908326  
GIGA X68205  
MARENO 1037102300  
METOS 6A048800  
UNOX  
WHIRLPOOL 481227118051

BERTO'S 23063600  
CB 09010021  
EGO 5519062800  
FIMAR CO1941  
HOBART  
MBM RTCU700455  
REPAGAS 1270013  
WHIRLPOOL 481927128269

BONNET 7471032  
DIHR 9010  
ELETTRORAR 924024  
FORVED GRILLTERMOS  
MARENO MA1037102300  
METOS 9010  
TECNOINOX RC00569000  
WHIRLPOOL 483286000407

**3444145 SINGLE-PHASE THERMOSTAT 50-310°C**  
D-shaped pin  $\varnothing$  6x4.6 mm  
capillary length 1600 mm - 16A 250V  
bulb  $\varnothing$  4x120 mm  
for oven  
for Crêpe pan (FIMAR) CRP4 - CRP42  
for Crêpe pan electric (FIMAR) CRP - CRP2



ANGELO PO 32Z0210  
FIMAR CO1941

EGO 5519064010

EGO 5519064800

**3444369 SINGLE-PHASE THERMOSTAT 50-320°C**  
D-shaped pin  $\varnothing$  6x4.6 mm  
covered capillary length 900 mm - 16A 250V  
bulb  $\varnothing$  3x220 mm  
for Bain-marie (GICO) 110 - Series 700  
Series 900 - Series 920  
for Bratt pan (GICO) - Series 700 - Series 900  
Series 920  
for Bratt pan (LOTUS) - Series 700  
for Bratt pan (MBM)  
for Fry top (LOTUS) - Series 600 - Series 650  
for Oven under cooktop (MBM)



CF CENESESE 63.7.0635  
EMMEPI 806188  
MBM RTCU700085

EGO 5519062806  
GICO 53401005320  
WHIRLPOOL 178160

EGO 5519062802  
LOTUS 537001600



# Thermostats



Suitable for:

Suitable for:

**3444893 SINGLE-PHASE THERMOSTAT 55-195°C**  
 D-shaped pin  $\varnothing$  6x4.6 mm  
 capillary length 1500 mm  
 bulb  $\varnothing$  4x90 mm  
 for Fryer gas (ELFRAMO) GSDT12 - GSDT20 - GST12  
 GST20 - GWDT12 - GWDT20 - GWM35T - GWT12  
 GWT20

**3444701 SINGLE-PHASE THERMOSTAT 55-250°C**  
 D-shaped pin  $\varnothing$  6x4.6 mm  
 covered capillary length 1170 mm - 16A 250V  
 bulb  $\varnothing$  3.1x226 mm - with stuffing gland M9x1



EGO 5519034060  
 KOMEL 22140002

EGO 5519034809

ELFRAMO 22140002

EGO 5510243010  
 ELOMA 234007  
 PALUX 091634

EGO 5519243010  
 ELOMA E0268  
 WHIRLPOOL 481227118027

ELOMA 091634  
 ELOMA E334007

**3444643 SINGLE-PHASE THERMOSTAT 60-150°C**  
 D-shaped pin  $\varnothing$  6x4.6 mm  
 covered capillary length 900 mm  
 bulb  $\varnothing$  3x219 mm  
 for Boiling pan (SILKO) - Series 900  
 for Pasta cooker (SILKO) - Series 900

**3444397 SINGLE-PHASE THERMOSTAT 60-180°C**  
 D-shaped pin  $\varnothing$  6x4.6 mm  
 covered capillary length 1200 mm - 16A 250V  
 bulb  $\varnothing$  6x135 mm  
 for Fryer (MARENO)



COLUSSI R54010660  
 EGO 5519022813

COLUSSI 54010670  
 EMMEPI 809036

EBERHARDT 214195  
 SILKO 0102492

EGO 5510033800  
 MARENO 1873500

EGO 5519033010

MARENO MA1873500

**3444387 SINGLE-PHASE THERMOSTAT 60-180°C**  
 D-shaped pin  $\varnothing$  6x4.6 mm  
 covered capillary 3000 mm - 16A 250V  
 bulb  $\varnothing$  6x130 mm  
 with adapter nipple band M9x1  
 for Fryer electric (MARENO) FQE-41 - FQE-61



EGO 5510936801  
 MARENO MA1981900

EGO 5519036800  
 MARENO 1568600

EGO 5519036801  
 MARENO 1981900



# Thermostats



Suitable for:

## 3744068 SINGLE-PHASE THERMOSTAT 60-200°C

D-shaped pin  $\varnothing$  6x4.6 mm  
capillary length 900 mm  
bulb  $\varnothing$  6x80 mm - with adapter nipple band M9x1  
with complete tank joint M12x1  
for Fryer (MORICE)  
for Fryer (SOLYMAC)



BONNET 2020062  
MORICE FT4040

EGO 5510032020

EGO 5519032827

Suitable for:

## 3241637 BLACK KNOB $\varnothing$ 50 mm 60°-200°C

D shaft hole 6x4.6 mm  
for EGO thermostat



AMBASSADE 6527735  
REPAGAS 57103027

CAPIC E401265  
SOLYMAC P80A

EGO 524806  
THIRODE 308066

## 3241870 RING NUT $\varnothing$ 52 mm chrome plated metal for EGO thermostate knob



CAPIC E401313  
EGO 6762105000  
FRIMA  
METOS  
SOLYMAC P79A

DELRUE NEP1400  
EGO 6762108  
JEMI  
MORICE

EGO 6762105  
EGO 6762000020  
LOWERATOR 105121  
SILKO 0101211

## 3444070 SINGLE-PHASE THERMOSTAT 60-200°C

D-shaped pin  $\varnothing$  6x4.6 mm  
capillary length 1500 mm - 16A 250V  
bulb  $\varnothing$  6x80 mm  
for Fryer (FOEMM)



EGO 5519232801  
UNIVERSAL

EGO 5519234800

FOEMM 305000087150

## 3444586 SINGLE-PHASE THERMOSTAT 75-450°C

D-shaped pin  $\varnothing$  6x4.6 mm  
covered capillary length 900 mm - 16A 250V  
bulb  $\varnothing$  4x228 mm



CB 09010027  
FB FABA PR13012

EGO 5519082805

EMMEPI 8C0363

## 3444423 SINGLE-PHASE THERMOSTAT 85-170°C

D-shaped pin  $\varnothing$  6x4.6 mm  
covered capillary length 900 mm - 16A 250V  
bulb  $\varnothing$  4x231 mm - with adapter nipple band M9x1  
for Fryer (OLIS) - Series 900



BARTSCHER 020491  
METOS 9000216

EGO 5519032808  
OLIS 9000216

METOS BN9000216  
OLIS BN9000216

## 3444623 SINGLE-PHASE THERMOSTAT 85-182°C

D-shaped pin  $\varnothing$  6x4.6 mm  
covered capillary length 900 mm  
bulb  $\varnothing$  6x135 mm - with stuffing gland fitting M9x1  
for Fryer (BARON) - Series 600



BARON BN41826630372  
BARON 826630370

BARON 41826630371  
EGO 5519032070

BARON 41826630372





# Thermostats



Suitable for:

Suitable for:

**3444900 SINGLE-PHASE THERMOSTAT 85-175°C**  
 D-shaped pin  $\varnothing$  6x4.6 mm  
 covered capillary length 900 mm  
 bulb  $\varnothing$  6x130 mm - with adapter nipple band  
 for Fryer electric (MORICE) FT4040

**3444380 SINGLE-PHASE THERMOSTAT 90-180°C**  
 D-shaped pin  $\varnothing$  6x4.6 mm  
 capillary length 900 mm - 16A 250V  
 bulb  $\varnothing$  6x135 mm - with adapter nipple band M9x1  
 for Fryer (LOTUS) - Series 600 - Series 650  
 Series 700 - Series 900  
 for Fryer electric (ANGELO PO) 0M0FR1E - 1M0FR2E  
 for Fryer electric (MARENO) FQE-4 - FQE-6  
 FQE-6+6



EGO 5510035201      EGO 5519035201      MORICE TH1112  
 MORICE TH112

ANGELO PO 32V4540      EGO 5519032813      LOTUS 53700600  
 MARENO MA1037035800      MARENO 1037035800      WHIRLPOOL 481281719379

**3444384 SINGLE-PHASE THERMOSTAT 90-180°C**  
 D shaft  $\varnothing$  6x4.6 mm  
 capillary length 900 mm - 16A 250V  
 bulb  $\varnothing$  4x95 mm  
 for Fryer electric (ELFRAMO) EB12 - EB18 - EB6  
 for Fryer electric (FRI FRI) FRITA+6 - FRITA+8  
 FT10 - FT4 - FT4+4 - FT6 - FT8

**3444438 SINGLE-PHASE THERMOSTAT 90-180°C**  
 D-shaped pin  $\varnothing$  6x4.6 mm  
 covered capillary length 1300 mm - 0.5A 12V  
 bulb  $\varnothing$  4x230 mm  
 for Bratt pan (ZANUSSI) - Series HD900  
 for Fryer (ZANUSSI) - Series PR700



EGO 5519039805      ELFRAMO 00033230      ELFRAMO 22140001  
 FRI FRI 401364      FRI FRI 400625      KOMEL 22140001  
 KOMEL 00033230      REPAGAS 8500014

ALPENINOX 0G2351      ALPENINOX 002602      EGO 5510039802  
 EGO 5519039010      ELECTROLUX 0G2351      ELECTROLUX 002602  
 ZANUSSI 0G2351      ZANUSSI 002602

**3444032 SINGLE-PHASE THERMOSTAT 90-185°C**  
 D-shaped pin  $\varnothing$  6x4.6 mm  
 covered capillary length 1300 mm - 16A 250V  
 bulb  $\varnothing$  4x230 mm  
 for Bratt pan (ZANUSSI) - Series H900  
 for Fryer (ZANUSSI) - Series R700

**3444784 SINGLE-PHASE THERMOSTAT 100-175°C**  
 D-shaped pin  $\varnothing$  6x4.6 mm  
 covered capillary length 1470 mm - 16A 230V  
 bulb  $\varnothing$  6x130 mm



ALPENINOX 050412      EGO 5519039800      EGO 5510039807  
 ELECTROLUX 050412      WHIRLPOOL 150412      ZANUSSI 050412

EGO 5519034800      TECNOINOX RC00038000



# Thermostats



Suitable for:

## 3744008 SINGLE-PHASE THERMOSTAT 100-180°C

D-shaped pin  $\varnothing$  6x4.6 mm  
capillary length 900 mm  
bulb  $\varnothing$  6x130 mm - with adapter nipple bland M9x1  
with complete tank joint M12x1  
for Bain-marie (BONNET) - Series GRANDE CARTE  
for Fryer (BONNET) - Series GRANDE CARTE  
for Fryer (CAPIC) R10  
for Fryer gas (CAPIC) AB20 - A20 - CA10 - CTI  
CTIB - C10 - 2045 - 3085



BONNET 7471024

CAPIC E401075

EGO 5519032203

Suitable for:

## 3444482 SINGLE-PHASE THERMOSTAT 100-185°C

D-shaped pin  $\varnothing$  6x4.6 mm  
capillary length 1800 mm  
bulb  $\varnothing$  4x230 mm - with adapter nipple bland M9x1  
for Fryer electric (AMBACH) EY/40M - FE/40M



AMBACH 5061610987

AMBACH 5061611125

AMBACH 5061633535

EGO 5519035802

## 3444652 SINGLE-PHASE THERMOSTAT 100-190°C

D-shaped pin  $\varnothing$  6x4.6 mm  
capillary length 870 mm  
bulb  $\varnothing$  4x235 mm  
for Fryer (OLIS) - Series 700



BARON BN6A049100

BARON 6A049100

EBERHARDT 201165

EGO 5519032807

METOS 6A049100

METOS 9000525

METOS BN6A049100

OLIS BN6A049100

OLIS 6A049100

OLIS 9000525

## 3444111 SINGLE-PHASE THERMOSTAT 100-190°C

D-shaped pin  $\varnothing$  6x4.6 mm  
covered capillary length 900 mm - 16A 250V  
bulb  $\varnothing$  6x130 mm - with adapter nipple bland M9x1  
for Fryer (MARENO)



EGO 5519032805

FIMAR C01111

MARENO 1450200

MARENO 1450900

MARENO 1450914

## 3444233 SINGLE-PHASE THERMOSTAT 100-190°C

D-shaped pin  $\varnothing$  6x4.6 mm  
covered capillary length 1750 mm - 16A 250V  
bulb  $\varnothing$  6x133 mm - with adapter nipple bland M9x1  
for Fryer (GIGA) - Series 700 - Series 900



DESCO 60775

EGO 5519035800

GIGA X49400

GIGA X56800

GIGA Y16000

WHIRLPOOL 483286009345

## 3744096 SINGLE-PHASE THERMOSTAT 100-300°C

D-shaped pin  $\varnothing$  6x4.6 mm  
covered capillary length 900 mm - 16A 250V  
bulb  $\varnothing$  6x74 mm  
for Bratt pan (EMMEPI) - Series 750 - Series 900  
for Fry top (EMMEPI) - Series 650 - Series 700  
Series 750 - Series 900



EGO 5519052802

EMMEPI C00563



# Thermostats



Suitable for:

Suitable for:

**3444568 SINGLE-PHASE THERMOSTAT 105-185°C**  
 D-shaped pin  $\varnothing$  6x4.6 mm  
 covered capillary length 900 mm - 16A 230V  
 bulb  $\varnothing$  6x130 mm - with adapter nipple bland M10x1  
 for Fryer (MBM) - Series MAGIS MAGISTRA

**3744004 SINGLE-PHASE THERMOSTAT 150-200°C**  
 D-shaped pin  $\varnothing$  6x4.6 mm  
 capillary length 2000 mm  
 bulb  $\varnothing$  6x135 mm  
 for Fryer (CHARVET) V00733 1/2 850GFR15



EGO 5102918250  
 FIMAR CO1111  
 MBM 161791

EGO 5519032831  
 LOTUS 537014300  
 MBM 166488

EGO 5519039815  
 MBM RTCU700609

CHARVET 01996A

EGO 5519039201

**3444000 SINGLE-PHASE THERMOSTAT 90-185°C**  
 D-shaped pin  $\varnothing$  6x4.6 mm  
 covered capillary 900 mm - 16A 250V  
 button bulb  $\varnothing$  14x10 mm  
 complete with screw and joint  
 for Fryer gas (GIGA) - Series SKF

**3444074 SINGLE-PHASE THERMOSTAT 45-265°C**  
 D-shaped pin  $\varnothing$  6x4.6 mm  
 covered capillary length 2000 mm - 16A 250V  
 bulb  $\varnothing$  3x220 mm  
 for Oven under cooktop (FOEMM)



EBERHARDT 214418  
 EGO 5519032825  
 SILKO 0109054

EGO 5519032810  
 GIGA 0000X43300  
 SILKO 101385

EGO 5519032814  
 SILKO 0101385  
 WHIRLPOOL 481227118049

EGO 5103998400

FOEMM 305150068450

**3444376 SINGLE-PHASE THERMOSTAT 95-190°C**  
 D-shaped pin  $\varnothing$  6x4.6 mm  
 covered capillary length 1010 mm - 16A 250V  
 bulb  $\varnothing$  6x100 mm - with adapter nipple band M10x1  
 for Fryer (EMMEPI) - Series 650 - Series 700  
 Series 750 - Series 900  
 for Fryer electric (GIORIK) - Series FT - FTR3  
 FTR5 - FTR6  
 for Fryer electric (MBM) EF45 - EF90  
 for Fryer electric (ZANUSSI) QFE300 - QFE600

**3444913 SINGLE-PHASE THERMOSTAT 30-85°C**  
 D-shaped pin  $\varnothing$  6x4.6 mm  
 capillary length 900 mm  
 bulb  $\varnothing$  6x100 mm - with stuffing gland fitting M9x1  
 for Oven under cooktop (THIRODE) - Series 700  
 Series 900



ALPENINOX 058163  
 BARON BN4185326010005  
 EGO 5513039300  
 EMMEPI 808935  
 GIORIK 6010011  
 ROSINOX RX94805371  
 ZANUSSI 058163

BARON 4185326010005  
 EBERHARDT 214259  
 EGO 5102918253  
 EMMEPI 806041  
 MBM RTBF800163  
 SILKO 0108014

BARON 85326010005  
 EGO 5102918320  
 ELECTROLUX 058163  
 GIORIK 6010005  
 OFFCAR 862115  
 WHIRLPOOL 158163

EGO 5513012060

THIRODE 301048



# Thermostats



Suitable for:

**3444669 SINGLE-PHASE THERMOSTAT 30-90°C**  
D-shaped pin  $\varnothing$  6x4.6 mm  
covered capillary length 2450 mm - 16A 250V  
bulb  $\varnothing$  6x100 mm - with stuffing gland fitting M9x1



EGO 5513219440  
ROLLER GRILL A06021

EGO 9755132397  
WHIRLPOOL 480181700004

MKN 203173

Suitable for:

**3444422 SINGLE-PHASE THERMOSTAT 30-110°C**  
D-shaped pin  $\varnothing$  6x4.6 mm  
capillary length 830 mm - 16A 250V  
bulb  $\varnothing$  6x113 mm



EGO 5513222010

UNIVERSAL

**3444698 SINGLE-PHASE THERMOSTAT 30-110°C**  
D-shaped pin  $\varnothing$  6x4.6 mm  
capillary length 870 mm  
bulb  $\varnothing$  6x113 mm - with adapter nipple bland M9x1  
for Oven under cooktop (AMBASSADE) 1051  
for Pasta cooker (JEMI) - Series 700 - Series 900



AMBASSADE 6528195  
FRANKE 10296913  
SOLYMAC P76UL

EGO 5513022010  
JEMI 998156  
WHIRLPOOL 481227118031

EGO 5513022370  
MKN 203490

**3444746 SINGLE-PHASE THERMOSTAT 30-110°C**  
D-shaped pin  $\varnothing$  6x4.6 mm  
covered capillary length 3000 mm - 16A 230V  
bulb  $\varnothing$  3.1x197 mm



EGO 5513224060  
WHIRLPOOL 195032

EGO 5513229030  
WHIRLPOOL 771985005517

KÜPPERSBUSCH 174690

**3444421 SINGLE-PHASE THERMOSTAT 30-115°C**  
D-shaped pin  $\varnothing$  6x4.6 mm  
capillary length 1750 mm - 16A 250V  
bulb  $\varnothing$  4x120 mm



EGO 5513025040

HUPFER


**3444980 SINGLE-PHASE THERMOSTAT 30-120°C**  
D-shaped pin  $\varnothing$  6x4.6 mm  
capillary length 870 mm  
bulb  $\varnothing$  6x100 mm - with adapter nipple bland M9x1  
with complete tank joint M12x1  
for Boiling pan (CAPIC)



CAPIC E401077

EGO 5513022310

**3444743 SINGLE-PHASE THERMOSTAT 30-125°C**  
D-shaped pin  $\varnothing$  6x4.6 mm  
covered capillary length 2200 mm - 16A 230V  
bulb  $\varnothing$  3.1x160 mm



EGO 5513229050

KÜPPERSBUSCH

**3444569 SINGLE-PHASE THERMOSTAT 50-120°C**  
D-shaped pin  $\varnothing$  6x4.6 mm  
covered capillary length 3000 mm  
bulb  $\varnothing$  6x85 mm



EGO 5513026050

MOBILE CONTAINING 957050



# Thermostats



Suitable for:

## 3444659 SINGLE-PHASE THERMOSTAT 50-175°C

D-shaped pin  $\varnothing$  6x4.6 mm  
covered capillary length 680 mm  
bulb  $\varnothing$  4x155 mm  
for Fryer electric (FRI FRI) D4




EGO 5513039070

FRI FRI 400374

Suitable for:

## 3444663 SINGLE-PHASE THERMOSTAT 50-195°C

D-shaped pin  $\varnothing$  6x4.6 mm  
covered capillary length 2300 mm  
bulb  $\varnothing$  4x160 mm  
for Fryer electric (FRANKE) FFS95  
for Fryer electric (FRI FRI) FFS95



EGO 5513039110

FRANKE 400541

FRI FRI 400541

## 3444699 SINGLE-PHASE THERMOSTAT 50-195°C

D-shaped pin  $\varnothing$  6x4.6 mm  
capillary length 870 mm  
bulb  $\varnothing$  6x75 mm - with stuffing gland M9x1  
for Fryer (JEMI) - Series 1000 - Series 1300  
Series 600 - Series 700 - Series 750 - Series 900



EGO 5513032430

EGO 5513032550

JEMI 2006001

JEMI 2006005

## 3444633 SINGLE-PHASE THERMOSTAT 50-205°C

D-shaped pin  $\varnothing$  6x4.6 mm  
capillary length 870 mm  
bulb  $\varnothing$  6x77 mm  
for fryer 7-8-10 L  
for Fryer (REPAGAS)



DOSILET 400007015

MOVILFRIT 907110

EGO 5513042310

REPAGAS 57103017

EGO 5513042001

## 3444258 SINGLE-PHASE THERMOSTAT 50-215°C

D-shaped pin  $\varnothing$  6x4.6 mm  
covered capillary length 850 mm - 16A 250V  
bulb  $\varnothing$  3x200 mm - with adapter nipple band M9x1  
for Fryer (FAGOR) - Series 700 - Series 900




EGO 5513042290

FAGOR X163010000

## 3444647 SINGLE-PHASE THERMOSTAT 50-215°C

D-shaped pin  $\varnothing$  6x4.6 mm  
covered capillary length 2300 mm  
bulb  $\varnothing$  6x78 mm  
for Fryer electric (FAGOR) FE-18 - FE-25 - FE-4  
FE-6



EGO 5513039120

FAGOR X033000000

## 3444973 SINGLE-PHASE THERMOSTAT 50-250°C

D-shaped pin  $\varnothing$  6x4.6 mm  
covered capillary length 1100 mm  
bulb  $\varnothing$  3.1x205 mm



EGO 5513043060

MORICE TH0111

## 3444747 SINGLE-PHASE THERMOSTAT 50-250°C

D-shaped pin  $\varnothing$  6x4.6 mm  
capillary length 1150 mm - 16A 230V  
bulb  $\varnothing$  3.1x197 mm



CAPIC E401078

KÜPPERSBUSCH 174664

CAPIC E401088

SOLYMAC P79UL

EGO 5513043010

WHIRLPOOL 481227118033



# Thermostats



Suitable for:

**3444414 SINGLE-PHASE THERMOSTAT 50-250°C**  
D-shaped pin  $\varnothing$  6x4.6 mm  
covered capillary length 1430 mm - 16A 230V  
bulb  $\varnothing$  3x160 mm - with adapter nipple band M9x1



BARTLETT 3925-233

EGO 5513244010

JUNO-RÖDER-SENKING 232908

Suitable for:

**3444361 SINGLE-PHASE THERMOSTAT 50-320°C**  
D-shaped pin  $\varnothing$  6x4.6 mm  
capillary 950 mm - 16A 250V  
bulb  $\varnothing$  3x160 mm  
for Crêpe pan (KRAMPOUZ) RK400  
for Crêpe pan electric (KRAMPOUZ) CEBIA4A0  
for Hot plate electric (REPAGAS) E60 - E64 - E80  
E84



COMETTO 50014

EGO 5513069500

JEMI 2006061

LOTUS 537006100

REPAGAS 32403007

ROLLER GRILL A06044

WHIRLPOOL 481927128391

CORSAIR 01-056

EURAST 2221

KRAMPOUZ SF0041

MKN 203500

ROLLER GRILL A06020

ROLLER GRILL A06006

EGO 5513062040

INNOVA

KRAMPOUZ AE0001

REPAGAS 4100014

ROLLER GRILL A06022

VISCOUNT 926171-01


**3444697 SINGLE-PHASE THERMOSTAT 50-320°C**  
D-shaped pin  $\varnothing$  6x4.6 mm  
capillary length 2300 mm  
bulb  $\varnothing$  3x160 mm  
for Oven under cooktop (JEMI) - Series 550  
Series 600 - Series 700 - Series 750 - Series 900



EGO 5513069020

JEMI 998164

**3444675 SINGLE-PHASE THERMOSTAT 50-320°C**  
D-shaped pin  $\varnothing$  6x4.6 mm  
capillary length 3150 mm - 16A 250V  
bulb  $\varnothing$  3.1x160 mm



EGO 5513069450

MKN 203500

EGO 5513069540

WHIRLPOOL 480181700003

EGO 9755130784

**3744104 SINGLE-PHASE THERMOSTAT 97-190°C**  
D-shaped pin  $\varnothing$  6x4.6 mm  
covered capillary length 1500 mm - 16A 250V  
bulb  $\varnothing$  6x90 mm - with stuff.gland coupling M9x1  
with complete tank sealing coupling M12x1



EGO 5513034120

MKN 203067

MKN 203662



# Thermostats



Suitable for:

## 3444938 SINGLE-PHASE THERMOSTAT 100-175°C

D-shaped pin  $\varnothing$  6x4.6 mm  
covered capillary length 900 mm  
bulb  $\varnothing$  6x100 mm  
for Fryer (AMBASSADE)



AMBASSADE 6528980

EGO 5513032370

Suitable for:

## 3241637 BLACK KNOB $\varnothing$ 50 mm 60°-200°C

D shaft hole 6x4.6 mm  
for EGO thermostat



AMBASSADE 6527735  
REPAGAS 57103027

CAPIC E401265  
SOLYMAC P80A

EGO 524806  
THIRODE 308066

## 3444523 SINGLE-PHASE THERMOSTAT 35-85°C

D-shaped pin  $\varnothing$  6x4.6 mm  
covered capillary length 2000 mm  
bulb  $\varnothing$  6x115 mm  
for Food-service trolley (BLANCO) - Series SGE



BLANCO 105678  
EGO 5518019130

BLANCO 105889  
LOWERATOR 105678

EGO 5514024020

## 3444526 SINGLE-PHASE THERMOSTAT 50-95°C

D-shaped pin  $\varnothing$  6x4.6 mm  
capillary length 1450 mm  
bulb  $\varnothing$  6x110 mm  
for Food-service trolley (BLANCO) - Series TTWF



BLANCO 359583

EGO 5518014020

## 3444524 SINGLE-PHASE THERMOSTAT 50-116°C

D-shaped pin  $\varnothing$  6x4.6 mm  
capillary length 1750 mm  
bulb  $\varnothing$  6x110 mm  
for Food-service trolley (BLANCO) - Series SGE  
Series SWE



BLANCO 105883

EGO 5518025010

## 3444766 SINGLE-PHASE THERMOSTAT 50-190°C

D-shaped pin  $\varnothing$  6x4.6 mm  
capillary length 400 mm - 16A 230V  
bulb  $\varnothing$  6x120 mm



BARTSCHER A010502

EGO 5518031010

## 3444257 SINGLE-PHASE THERMOSTAT 50-324°C

D-shaped pin  $\varnothing$  6x4.6 mm  
covered capillary length 850 mm - 16A 250V  
bulb  $\varnothing$  3x160 mm  
for Bratt pan (FAGOR) - Series 700 - Series 900  
for Fry top electric (FAGOR) FTE-710 - FTE-910  
for Kitchen electric (FAGOR) CE-740 - CE-741  
CE-941  
for Kitchen gas (FAGOR) CGE-741  
for Oven under cooktop electric (FAGOR) CE-940  
for Fry top (FAGOR) FTE705



EGO 5513063160

EGO 5518062170

FAGOR X153000000

## 2111771 SINGLE-PHASE THERMOSTAT 130-190°C

D-shaped pin 6x4.6 mm  
capillary length 870 mm - 16A 250V  
bulb  $\varnothing$  6x117 mm



CORSAIR 42-045  
MOFFAT 2832  
VISCOUNT 924605-01

EGO 5518032020  
MOORWOOD VULCAN 924605-01

LINCAT TH69  
PARRY TMST18032




Suitable for:

# Thermostats



**3444018 SINGLE-PHASE THERMOSTAT 30-90°C**  
 complete with auxiliary selector switch  
 D-shaped pin  $\varnothing$  6x4.6 mm  
 covered capillary length 1000 mm - 16A 250V  
 bulb  $\varnothing$  6x175 mm  
 for Bain-marie electric (ZANUSSI) - Series HD900  
 Series N700 - Series N900 - Series PR700  
 Series R701  
 for Hot cupboard electric (ZANUSSI)



ALPENINOX 051142  
 EGO 5519719800  
 GIGA X5780011  
 WHIRLPOOL 771986009193

BARON 826630230  
 EGO 5519619030  
 WHIRLPOOL 481227118052  
 WHIRLPOOL 151142

BARON BN826630230  
 ELECTROLUX 051142  
 WHIRLPOOL 48326009193  
 ZANUSSI 051142

**3444477 SINGLE-PHASE THERMOSTAT 50-260°C**  
 with auxiliary switch  
 D-shaped pin  $\varnothing$  6x4.6 mm  
 covered capillary length 1270 mm - 16A 250V  
 bulb  $\varnothing$  4x120 mm  
 for Bratt pan (ZANUSSI) - Series HD900  
 Series N700 - Series N900 - Series PR700



ALPENINOX 002109  
 ELECTROLUX 002109  
 ZANUSSI 002109

EGO 5519659010  
 WHIRLPOOL 771985000025

EGO 5510659800  
 WHIRLPOOL 102109

**3444885 SINGLE-PHASE THERMOSTAT 53-180°C**  
 with switch  
 D-shaped pin  $\varnothing$  6x4.6 mm  
 covered capillary length 1100 mm - 16A 400V  
 bulb  $\varnothing$  6x140 mm




EGO 5510633800  
 MARENO 1037317300

EGO 5519639020

MARENO MA1037317300

**3444031 SINGLE-PHASE THERMOSTAT 90-185°C**  
 complete with auxiliary selector switch  
 D-shaped pin  $\varnothing$  6x4.6 mm  
 covered capillary length 2500 mm - 16A 250V  
 bulb  $\varnothing$  4x230 mm  
 for Fryer (ZANUSSI) - Series HD900 - Series N700  
 Series N900 - Series PR700



ALPENINOX 003049  
 ATA K24048  
 ELECTROLUX 003049  
 WHIRLPOOL 152300  
 ZANUSSI 003049

ALPENINOX 052300  
 EGO 5519639800  
 ELECTROLUX 052300  
 WHIRLPOOL 152330  
 ZANUSSI 052300

ALPENINOX 052330  
 EGO 5510639800  
 ELECTROLUX 052330  
 WHIRLPOOL 771985000300  
 ZANUSSI 052330

**3444137 SINGLE-PHASE THERMOSTAT 20-120°C**  
 complete with auxiliary selector switch  
 D-shaped pin  $\varnothing$  6x4.6 mm  
 covered capillary length 900 mm - 16A 250V  
 button bulb  $\varnothing$  14x9 mm  
 for Bain-marie (ANGELO PO) - Series SENIOR  
 Series SUMMIT




ANGELO PO 3223290  
 EGO 5519022030

EGO PO58691705

EGO 5510922800

**3444062 SINGLE-PHASE THERMOSTAT 50-320°C**  
 complete with auxiliary selector switch  
 D-shaped pin  $\varnothing$  6x4.6 mm  
 capillary length 900 mm - 16A 250V  
 bulb  $\varnothing$  3x220 mm  
 for Fry top (MBM)  
 for Oven under cooktop (MBM)



BONNET 7471032  
 MBM

EGO TT52011060

EGO 5519962809





# Thermostats



Suitable for:

Suitable for:

## 3444550 SINGLE-PHASE THERMOSTAT 50-320°C

complete with switch  
D-shaped pin  $\varnothing$  6x4.6 mm  
covered capillary length 900 mm  
bulb  $\varnothing$  3x225 mm



AMBACH 5061602948  
EGO 5534062802

AMBACH 5061618075  
EGO 5519062845

AMBACH 5061633537

## 3444358 SINGLE-PHASE THERMOSTAT 105-185°C

complete with selector switch  
D-shaped pin  $\varnothing$  6x4.6 mm  
covered capillary length 900 mm - 16A 250V  
bulb  $\varnothing$  6x135 mm - with adapter nipple bland M10x1  
for Fryer (ANGELO PO) - Series ALPHA  
Series DELTA - Series GAMMA




ANGELO PO 32V0240  
EGO 5519032831+...

ANGELO PO 6300752  
EGO 5519932802

EGO PO98311705

## 3444313 SINGLE-PHASE THERMOSTAT 30-120°C

with switch  
D-shaped pin  $\varnothing$  6x4.6 mm  
covered capillary length 890 mm - 16A 250V  
bulb  $\varnothing$  6x115 mm  
for Bain-marie (ANGELO PO) - Series ALPHA  
Series BIFRONTÉ - Series DELTA - Series GAMMA  
Series OMEGA



ANGELO PO 32Z9270  
EGO 5513622160

ANGELO PO 32Z9271  
EGO 9755136234

EGO 5141918050

## 3444674 SINGLE-PHASE THERMOSTAT 30-90°C

complete with switch  
D-shaped pin  $\varnothing$  6x4.6 mm  
covered capillary length 2400 mm - 16A 250V  
bulb  $\varnothing$  6x100 mm - with adapter nipple bland M9x1



EGO 5513619210

EGO 9755136155

## 3444473 SINGLE-PHASE THERMOSTAT 30-110°C

with auxiliary selector switch  
D-shaped pin  $\varnothing$  6x4.6 mm  
capillary length 870 mm - 16A 400V  
bulb  $\varnothing$  4x125 mm



EGO 5510621010

EGO 5513622100

## 3444664 SINGLE-PHASE THERMOSTAT 30-110°C

complete with switch  
D-shaped pin  $\varnothing$  6x4.6 mm  
capillary length 1470 mm - 16A 250V  
bulb  $\varnothing$  6x113 mm - with adapter nipple bland M9x1  
with complete tank joint M12x1



BLANCO 105127

EGO 5513624060

LOWERATOR 105127

## 3444672 SINGLE-PHASE THERMOSTAT 30-110°C

complete with switch  
D-shaped pin  $\varnothing$  6x4.6 mm  
covered capillary length 2400 mm - 16A 230V  
bulb  $\varnothing$  6x110 mm - with adapter nipple bland M9x1




BLANCO 105127  
KÜPPERSBUSCH 355693

EGO 5513629050  
WHIRLPOOL 481227118044

EGO 9755136157

## 3444668 SINGLE-PHASE THERMOSTAT 50-320°C

complete with switch  
D-shaped pin  $\varnothing$  6x4.6 mm  
capillary length 3100 mm - 16A 230V  
bulb  $\varnothing$  3.1x160 mm



EGO 5513669010  
JUNO-RÖDER-SENKING

EGO 5513669050  
KÜPPERSBUSCH 174677

EGO 9755136154  
LOHBERGER



Suitable for:

# Thermostats



## 3444492 SINGLE-PHASE THERMOSTAT 90-185°C

complete with switch  
D-shaped pin  $\varnothing$  6x4.6 mm  
capillary length 2410 mm - 16A 230V  
bulb  $\varnothing$  6x130 mm



EGO 5510639010

EGO 5513639010

Suitable for:

## 3444666 SINGLE-PHASE THERMOSTAT 100-185°C

complete with switch  
D-shaped pin  $\varnothing$  6x4.6 mm  
covered capillary length 2400 mm - 16A 230V  
bulb  $\varnothing$  6x90 mm - with adapter nipple bland M9x1  
with complete tank joint M12x1




EGO 5513639030

EGO 9755136156

## 3444494 SINGLE-PHASE THERMOSTAT 130-400°C

complete with switch  
D-shaped pin  $\varnothing$  6x4.6 mm  
covered capillary length 800 mm  
bulb  $\varnothing$  4x165 mm



EGO 5513672020

EGO 6404010010

## 3444665 SINGLE-PHASE THERMOSTAT 140-195°C

complete with switch  
D-shaped pin  $\varnothing$  6x4.6 mm  
covered capillary length 880 mm - 16A 250V  
bulb  $\varnothing$  6x77 mm - with adapter nipple bland M9x1



EGO 5513632030

MKN 203481

## 3444004 THERMOSTAT TR2 0-90°C

D-shaped pin  $\varnothing$  6x4.6 mm  
capillary 1500 mm - 15A 250V  
bulb  $\varnothing$  6.5x95 mm



ANGELO PO 3228840

ARISTARCO 359

ATA 7280

BERTO'S 22062400

BERTO'S 24064000

CAMURRI 050B0230

ATA 1080

BARTSCHER 0929044

BONNET

COCINAS SALA R2821

GIGA X43100

METALCARRELLI 003201820001

CAMPEONA 13/29

CAMURRI 050B0231+...

CAMURRI 050B0231

METALCARRELLI R0090

CF CENEDESE 63.7.0658

CF CENEDESE 63.7.0655

DEXION

ELETTROBAR 929044

ELFRAMO

FORVED VETRETERMOS

KOMEL

MBM 929044

MODULAR 461.003.00

REPAGAS 25304008

SAMMIC 2309068

SICOMEX 03205

THIRODE 901017

## 3444005 THERMOSTAT TR2 0-120°C

D-shaped pin  $\varnothing$  6x4.6 mm  
capillary 1500 mm - 15A 250V  
bulb  $\varnothing$  6.5x95 mm



## 3444347 THERMOSTAT TR2 0-195°C

D-shaped pin  $\varnothing$  6x4.6 mm  
capillary length 1000 mm - 15A 250V  
bulb  $\varnothing$  5x120 mm  
for Fryer electric (SICOMEX) LT3 - LT8



EGO 5510022828

SICOMEX 03064

## 3444006 THERMOSTAT TR2 0-210°C

D-shaped pin  $\varnothing$  6x4.6 mm  
capillary length 1000 mm - 15A 250V  
bulb  $\varnothing$  5x140 mm  
for Fryer electric (ELETTROBAR) ME40



ELETTROBAR

SILANOS TR0441

WHIRLPOOL 483286003376



# Thermostats



Suitable for:

Suitable for:

**3444335 THERMOSTAT TR2 0-250°C**  
 D-shaped pin  $\varnothing$  6x4.6 mm  
 capillary length 940 mm - 15A 250V  
 bulb  $\varnothing$  3x190 mm  
 for Hot plate electric (ELETTOBAR)



ARISTARCO 1628

ELETTOBAR 921014

**3444007 THERMOSTAT TR2 0-300°C**  
 D-shaped pin  $\varnothing$  6x4.6 mm  
 capillary length 1500 mm - 15A 250V  
 bulb  $\varnothing$  3.5x190 mm



ALPENINOX 054323

GAYC 12411020

SICOMEX 03486

WHIRLPOOL 154323

ELECTROLUX 054323

KLAXON

VEMA XRPV3

ZANUSSI 054323

GAYC 12410300

SICOMEX 03226

WHIRLPOOL 771985002937

**3444169 SINGLE-PHASE THERMOSTAT 220°C**  
 with manual reset  
 complete with wiring  
 capillary length 1500 mm - 15A 250V  
 bulb  $\varnothing$  5x125 mm  
 for Fryer gas (ELFRAMO) FG125 - FG157 - FG159  
 FG307 - FG309 - GBD10 - GB10 - GMD2532  
 GMD2542 - GM2532 - GM2542 - GWD12 - GWD12ELT  
 GWD20 - GWD20ELT - GW12 - GW12ELT - GW20  
 GW20ELT



ELFRAMO 22170001

REPAGAS 9400037

KOMEL 22170001

REPAGAS 09500064

**3444348 SINGLE-PHASE THERMOSTAT 235°C**  
 with manual reset  
 capillary length 1000 mm - 15A 250V  
 bulb  $\varnothing$  5x100 mm  
 for Fryer (STAR 10) F4 - F4+4 - F6+6  
 for Fryer electric (STAR 10) LT3 - LT8  
 for Fryer electric (ZANUSSI) HFR/E1680 - HFR/E2480  
 for Fryer gas (ZANUSSI) HFR/G1680 - HFR/G2480



ALPENINOX 053012

SICOMEX 03292

ZANUSSI 053012

ELECTROLUX 053012

WHIRLPOOL 771985002615

SICOMEX 09004

WHIRLPOOL 153012

**3444352 SINGLE-PHASE THERMOSTAT 130°C**  
 with manual reset  
 covered capillary length 870 mm - 16A 250V  
 bulb  $\varnothing$  6x129 mm  
 for Bain-marie (BERTO'S) BM55E - BM70E



ALPENINOX 004912

EGO 5519522020

EMMEPI 808671

TECNOINOX 7803

ZANUSSI 004912

BERTO'S 25070000

EGO 5510522802

REPAGAS 1440003

TECNOINOX RC00007803

EGO 5510522830

ELECTROLUX 004912

TECNOINOX RC00427000

TECNOINOX RC0042700

**3444564 SINGLE-PHASE THERMOSTAT 140°C**  
 with manual reset  
 capillary length 870 mm - 16A 250V  
 bulb  $\varnothing$  3.1x226 mm  
 for Boiling pan (MBM) - Series DOMINA  
 Series MAGIS MAGISTRA - Series MAGISTRA



EGO 5510522808

MBM RTCP800067

EGO 5519522030

EMMEPI 807791



Suitable for:

# Thermostats



**3444772 SINGLE-PHASE THERMOSTAT 140°C**  
 with manual reset  
 covered capillary length 900 mm - 16A 230V  
 bulb ø 6x130 mm



BARON BN826630240  
 EGO 5510522803

BARON 826630240  
 EGO 5519522010

EBERHARDT 213934  
 SILKO 0101394

**3444485 SINGLE-PHASE THERMOSTAT 150°C**  
 with manual reset  
 capillary length 900 mm  
 bulb ø 3x220 mm  
 for Boiling pan (AMBACH) - Series KE - Series KS



AMBACH 5061600808  
 EGO 5519522080

AMBACH 5061633533

EGO 5510522819

**3444649 SINGLE-PHASE THERMOSTAT 200°C**  
 with manual reset  
 covered capillary length 870 mm  
 bulb ø 6x133 mm  
 for Fryer (OLIS) - Series 900



EBERHARDT 202403  
 METOS 9000217  
 OLIS 9000217

EGO 5510542808  
 METOS BN9000217

EGO 5519532010  
 OLIS BN9000217

**3444064 SINGLE-PHASE THERMOSTAT 220°C**  
 with manual reset  
 capillary length 790 mm - 16A 250V  
 bulb ø 3x178 mm  
 for Fryer (OM GAS)



EGO 5510549811

EGO 5519549040

OM GAS 0816520109

**3444107 SINGLE-PHASE THERMOSTAT 220°C**  
 with manual reset  
 capillary length 870 mm - 16A 250V  
 bulb ø 6x142 mm - with adapter nipple bland M9x1  
 for Boiling pan (MARENO)  
 for Boiling pan (MBM)  
 for Boiling pan (OLIS)  
 for Fryer (GIORIK)  
 for Fryer (MARENO)  
 for Fryer (MBM)  
 for Fryer (OLIS)



BARON BN6A049401  
 EGO 5510542814  
 GIORIK 6010020  
 MBM RTBF900094  
 OLIS BN6A049401

BARON 6A049401  
 EGO 5510542830  
 MARENO 6010020  
 METOS BN6A049401  
 OLIS 6A049401

EBERHARDT 202806  
 EGO 5519542010  
 MARENO 732913  
 METOS 6A049401

**3444026 SINGLE-PHASE THERMOSTAT 220°C**  
 with manual reset  
 capillary length 900 mm - 16A 250V  
 bulb ø 6x80 mm  
 for Bratt pan (ZANUSSI)



ALPENINOX 057347  
 EGO 5510542831  
 WHIRLPOOL 157347

BOURGEOIS THER3016  
 ELECTROLUX 057347  
 ZANUSSI 057347

EGO 5519542200  
 SOLYMAC P78



# Thermostats



Suitable for:

Suitable for:

## 3444080 SINGLE-PHASE THERMOSTAT 220°C

with manual reset  
covered capillary length 2020 mm - 16A 250V  
bulb ø 6x133 mm  
for Boiling pan (ZANUSSI)  
for Bratt pan (ZANUSSI)  
for Fryer (ZANUSSI)



ALPENINOX 0A2011  
ELECTROLUX 0A2011  
WHIRLPOOL 202011

EGO 5519549020  
MODULAR 661.021.00  
ZANUSSI 0A2011

EGO 5510549829  
WHIRLPOOL 771985005734

## 3444629 SINGLE-PHASE THERMOSTAT 220°C

with manual reset  
covered capillary length 2000 mm  
bulb ø 6x87 mm  
for Fryer (GICO) - Series 500 - Series 700  
Series 900 - Series 920



EGO 5510549800

EGO 5519549030

GICO 53400112220

## 3444199 SINGLE-PHASE THERMOSTAT 230°C

with manual reset  
complete with wiring  
covered capillary length 850 mm - 16A 230V  
bulb ø 4x120 mm - with adapter nipple bland M9x1  
for Boiling pan (GICO) - Series 700 - Series 900  
Series 920  
for Fryer (GICO) - Series 500 - Series 700  
Series 900 - Series 920  
for Pasta cooker (GICO) - Series 500 - Series 700  
Series 900 - Series 920



EGO 5510542807

EGO 5519542140

GICO 5340011200

## 3444071 SINGLE-PHASE THERMOSTAT 230°C

with manual reset  
capillary length 870 mm - 16A 250V  
bulb ø 6x77 mm  
for Fryer (FOEMM)  
for Fryer (OLIS)



EGO 5510542805  
METOS 9000516

EGO 5519542130  
OLIS 9000516

FOEMM 305750107250

## 3444239 SINGLE-PHASE THERMOSTAT 240°C

with manual reset  
covered capillary length 860 mm - 16A 250V  
bulb ø 6x77 mm - with stuffing gland M10x1  
complete with wiring 330mm for thermocouple  
for Fryer (EMMEPI) - Series 650 - Series 700  
Series 750 - Series 900  
for Fryer (OFFCAR) - Series 700 - Series 900  
for Fryer gas (GIORIK) - Series FRG



ALPENINOX 058164  
EGO 5610542560  
EMMEPI 051E10002  
OFFCAR 862133  
ZANUSSI 058164

BARON 4185322001046  
ELECTROLUX 058164  
GIORIK 2001046  
ROSINOX RX94805702

EBERHARDT 214274  
EMMEPI 808181  
GIORIK 2011140  
SILKO 0108038

## 3444690 SINGLE-PHASE THERMOSTAT 230°C

with manual reset  
complete with wiring  
covered capillary length 1480 mm  
bulb ø 4x125 mm  
for Fryer gas (ELFRAMO) GW20  
for Fryer gas (KOMEL) KGW20  
for Fryer gas (REPAGAS) FG125 - FG157 - FG159  
FG307 - FG309



BARON 41R1221430  
KOMEL 22170003

EGO 5519549050  
REPAGAS 09500064

ELFRAMO 22170003



# Thermostats



Suitable for:

**3444367 SINGLE-PHASE THERMOSTAT 235°C**  
 with manual reset  
 covered capillary length 870 mm - 16A 250V  
 bulb ø 6x133 mm  
 for Fryer electric (LOTUS) FEM-2/6 - FEM-6  
 FQ-4EM - FQ-6EM - FQ-61EM - FQ-62EM  
 F2/25-98ET - F25-94ET



EGO 5510542842      EGO 5519542090      LOTUS 537001300

Suitable for:

**3444624 SINGLE-PHASE THERMOSTAT 235°C**  
 with manual reset  
 covered capillary length 870 mm  
 bulb ø 6x133 mm  
 for Fryer (BARON) - Series 600



BARON BN41826630390      BARON BN9000515      BARON 41826630390  
 BARON 826630390      BARON 9000515      BERTO'S 32070300  
 EGO 5519542080      METOS 9000515      METOS BN9000515  
 OLIS BN9000515      OLIS 9000515

**3744065 SINGLE-PHASE THERMOSTAT 240°C**  
 with manual reset  
 double bulb  
 covered capillary length 2000 mm  
 bulb ø 6x135 mm  
 for Fryer (WHIRLPOOL) - Series 900  
 for Fryer (ZANUSSI) - Series HD900



ALPENINOX 059559      EGO 5519549010      EGO 5510549801  
 ELECTROLUX 059559      WHIRLPOOL 159559      ZANUSSI 059559

**3444124 PROTECTION CAP**  
 for security thermostat



ALPENINOX 0A2187      EGO 525020      EGO 0000525020  
 ELECTROLUX 0A2187      ELETTROBAR 410006      UNOX  
 ZANUSSI 0A2187

**3444372 SINGLE-PHASE THERMOSTAT 245°C**  
 with manual reset  
 covered capillary length 1170 mm - 16A 250V  
 bulb ø 6x133 mm  
 for Fryer (GIGA) - Series 600 - Series 700  
 Series 800  
 for Fryer electric (GIGA) SKF2E  
 for Fryer electric (WHIRLPOOL) AGB433 - AGB435  
 AGB437 - AGB439 - AGB441 - AGB443 - AGB447  
 AGB514 - AGB515 - AGB516 - AGB521 - AGB522  
 AGB523 - AGB524 - AGB525  
 for Fryer gas (WHIRLPOOL) AGB513  
 for Fryer gas (LOTUS) FQ62GF



BERTO'S 22069400      EBERHARDT 214420      EGO 5510543802  
 EGO 5510545800      EGO 5519543010      GIGA X49500  
 GIGA Y16300      LOTUS 537010000      MODULAR 661.021.00  
 ROSINOX RX94804986      SILKO 0109056      WHIRLPOOL 483286009348  
 WHIRLPOOL 483286000173

**3444687 SINGLE-PHASE THERMOSTAT 300°C**  
 with manual reset  
 covered capillary length 900 mm  
 bulb ø 6x74 mm  
 for Fry top (EMMEPI) - Series 650 - Series 700  
 Series 750 - Series 900  
 for Oven under cooktop (EMMEPI) - Series 650  
 Series 700 - Series 750 - Series 900



EGO 5510552806      EGO 5519552020      EMMEPI C00546



# Thermostats



Suitable for:

Suitable for:

**3444120 SINGLE-PHASE THERMOSTAT 320°C**  
with manual reset  
capillary length 900 mm - 16A 250V  
bulb ø 6x80 mm

**3444686 SINGLE-PHASE THERMOSTAT 350°C**  
with manual reset  
covered capillary length 900 mm  
bulb ø 6x80 mm  
for Fry top (EMMEPI) - Series 650 - Series 700  
Series 750 - Series 900



BARON BN6A049500  
EGO 5519562020  
METOS BN6A049500  
OLIS 6A049500

BARON 6A049500  
ERRE 2 6340004032001  
METOS 6A049500  
SILKO 0101387

EGO 5510562830  
GICO 6340004032001  
OLIS BN6A049500

EGO 5519562090

EMMEPI C00564

**3444209 SINGLE-PHASE THERMOSTAT 355°C**  
with manual reset  
covered capillary length 880 mm - 16A 250V  
bulb ø 4x124 mm  
for Boiling pan (GIGA) - Series 900  
for Bratt pan (GIGA) - Series 900  
for Fry top (GIGA) - Series 900

**3444278 SINGLE-PHASE THERMOSTAT 360°C**  
with manual reset  
covered capillary length 890 mm - 16A 230V  
bulb ø 3x200 mm  
for Bratt pan (MBM) - Series DOMINA  
Series MAGISTRA - Series OMNIA



EGO 5510572800  
WHIRLPOOL 483286009238

EGO 5519572010

GIGA Y16500

EGO 5510572803  
MBM RTBF800076

EGO 5519572020

EMMEPI 813961

**3444312 SINGLE-PHASE THERMOSTAT 360°C**  
with manual reset  
covered capillary 1500 mm - 3 contacts 16A 250V  
bulb ø 4x110 mm  
for Fry top gas (ANGELO PO) - Series ALPHA  
Series BIFRONTI - Series DELTA - Series GAMMA  
Series JUNIOR - Series OMEGA - Series SENIOR  
Series SUMMIT  
for Oven under cooktop (SILKO)

**3444138 SINGLE-PHASE THERMOSTAT 230°C**  
with manual reset  
covered capillary length 850 mm - 16A 250V  
button bulb ø 14x10 mm  
for Fryer (ANGELO PO) - Series JUNIOR  
Series SENIOR



ALPENINOX 003594  
ANGELO PO 32Z1400  
EGO 5532574800  
EGO 5134955030  
ELECTROLUX 003594  
ROSINOX RX94812622  
WHIRLPOOL 103594  
WHIRLPOOL 771985002807  
ZANUSSI 003594

ALPENINOX 053980  
ATA K24041  
EGO 5532574801  
EGO 5532562835  
ELECTROLUX 053980  
ROSINOX RX94800158  
WHIRLPOOL 153980  
ZANUSSI 053980

ALPENINOX 057442  
EBERHARDT 245787  
EGO 5534955030  
EGO 5532572801  
ELECTROLUX 057442  
SILKO 0101372  
WHIRLPOOL 771985000360  
ZANUSSI 057442

ANGELO PO 31Z7990  
ANGELO PO 32Z7990  
EGO 5510542828  
GICO 5340101230

ANGELO PO 32Z2990  
ANGELO PO 32Z8000  
EGO 5519542050  
SILKO 0101386

ANGELO PO 32Z3340  
EGO 5510542815  
EGO 5519542190



Suitable for:

# Thermostats



**3444238 SINGLE-PHASE THERMOSTAT 230°C**  
 with manual reset  
 covered capillary length 850 mm - 15A 250V  
 button bulb ø 14x26 mm  
 for Fryer (GIGA) - Series 600 - Series 700  
 Series 900



EDESA K001B31270  
 FAGOR K001B31270  
 GIGA 0000X43400

EGO 5510542850  
 GIGA X43400  
 WHIRLPOOL 483286000478

EGO 5519542030  
 GIGA X49400

**3444637 SINGLE-PHASE THERMOSTAT 234°C**  
 with manual reset  
 capillary length 870 mm  
 bulb ø 11x18 mm - bulb connection M14x1  
 for Fryer (MODULAR) - Series 700 - Series 900



EGO 5519542170

MODULAR 661.034.00

**3444266 SINGLE-PHASE THERMOSTAT 338°C**  
 with manual reset  
 covered capillary length 830 mm - 16A 250V  
 button bulb ø 14x10 mm  
 for Rotisserie (CB)



ALPENINOX 002730  
 EGO 5510562903  
 ELECTROLUX 002730

ANGELO PO 3226790  
 EGO 5532562816  
 WHIRLPOOL 102730

CB 09010019  
 EGO 5510562816  
 ZANUSSI 002730

**3444545 SINGLE-PHASE THERMOSTAT 140°C**  
 with automatic reset  
 covered capillary length 900 mm - 16A 230V  
 bulb ø 4x158 mm  
 for Boiling pan (AMBACH) - Series KSK



AMBACH 5061609772  
 METOS CR0682740

AMBACH 5061633534  
 OLIS CR0682740

EGO 5519322801

**3444319 SINGLE-PHASE THERMOSTAT 150°C**  
 covered capillary length 900 mm - 16A 250V  
 bulb ø 6x70 mm  
 for Bain-marie electric (ANGELO PO) - Series ALPHA  
 Series BIFRONTÉ - Series DELTA - Series OMEGA



ANGELO PO 3229380

EGO 5519122803

**3444350 SINGLE-PHASE THERMOSTAT 150°C**  
 with automatic reset  
 covered capillary length 1000 mm - 0.5A 12V  
 bulb ø 6x86 mm  
 for Boiling pan (AMBACH) - Series 900



AMBACH 5061603920

EGO 5519129010

EGO 5510129827

**3444558 SINGLE-PHASE THERMOSTAT 238°C**  
 with automatic reset  
 covered capillary length 1250 mm  
 bulb ø 6x74 mm  
 for Boiling pan (ZANUSSI) - Series HD900



ALPENINOX 006709  
 ELECTROLUX 006709

EGO 5519143010  
 ZANUSSI 006709

EGO 5510143800

**3444389 SINGLE-PHASE THERMOSTAT 230°C**  
 with manual reset  
 capillary 600 mm - 16A 250V  
 bulb ø 6x83 mm  
 for Fryer electric (ELFRAMO) EB12 - EB12+12 - EB18  
 EB6 - EB6+6



EGO 5514549804  
 ELFRAMO 32213001  
 KOMEL 00032270

ELFRAMO 00032270  
 KOMEL 22130001  
 REPAGAS 8500016

ELFRAMO 22130001  
 KOMEL 32213001  
 SICOMEX 9004





# Thermostats



Suitable for:

Suitable for:

**3444377 SINGLE-PHASE THERMOSTAT 240°C**  
 with manual reset  
 covered capillary length 1300 mm - 16A 250V  
 bulb  $\varnothing$  6x80 mm - with adapter nipple bland M10x1  
 for Fryer electric (GIORIK) - Series FT - FTR3  
 FTR5 - FTR6



**3444736 SINGLE-PHASE THERMOSTAT 130°C**  
 with manual reset  
 capillary length 850 mm - 16A 230V  
 bulb  $\varnothing$  6x130 mm



ALPENINOX 003121  
 EMMEPI 813430  
 WHIRLPOOL 103121

EGO 5514549826  
 GIORIK 6010018  
 ZANUSSI 003121

ELECTROLUX 003121  
 GIORIK 6010006

EGO 5513522090

MKN 203480

**3444782 SINGLE-PHASE THERMOSTAT 132°C**  
 with manual reset  
 capillary length 850 mm - 16A 230V  
 bulb  $\varnothing$  3.1x250 mm - with adapter nipple bland M9x1



**3444899 SINGLE-PHASE THERMOSTAT 135°C**  
 manual reset  
 capillary length 1500 mm  
 bulb  $\varnothing$  6x80 mm  
 for Bain-marie (BONNET)  
 for Boiling pan (BONNET)



ANIMO 03093

EGO 5513522020

EGO 5513522400

BONNET 303641

BONNET 904843

EGO 5513524070

**3444763 SINGLE-PHASE THERMOSTAT 140°C**  
 manual reset  
 covered capillary 1550 mm - 16A 230V  
 bulb  $\varnothing$  6x77 mm - 16A 230V



**3444670 SINGLE-PHASE THERMOSTAT 190°C**  
 with manual reset  
 capillary length 350 mm - 16A 250V  
 bulb  $\varnothing$  3.1x178 mm - with adapter nipple bland M9x1



EGO 5513529170

JEMI 2006062

ALPENINOX 0H6142

JUNO-RÖDER-SENKING 213151

EGO 5513531010

WHIRLPOOL 256142

ELECTROLUX 0H6142

ZANUSSI 0H6142

**3444908 SINGLE-PHASE THERMOSTAT 210°C**  
 with manual reset  
 capillary length 900 mm  
 bulb  $\varnothing$  6x80 mm - with adapter nipple bland M9x1  
 for Fryer (THIRODE)



**3444903 SINGLE-PHASE THERMOSTAT 220°C**  
 with manual reset  
 capillary length 900 mm  
 bulb  $\varnothing$  6x80 mm - with stuffing gland fitting M9x1  
 for Fryer (MORICE)  
 for Fryer (BONNET)



EGO 5513532020

THIRODE 301027

BONNET 2020060

EGO 5513542200

MORICE TH1120



Suitable for:

# Thermostats



## 3444922 SINGLE-PHASE THERMOSTAT 225°C

with manual reset  
capillary length 900 mm  
bulb  $\varnothing$  6x90 mm  
for Fryer (CAPIC)



CAPIC E401007

EGO 5513542140

Suitable for:

## 3444696 SINGLE-PHASE THERMOSTAT 230°C

with manual reset  
with knob and nut  
capillary length 850 mm  
bulb  $\varnothing$  6x80 mm - with adapter nipple bland M9x1  
for Fryer (JEMI) - Series 600 - Series 700  
Series 900




EGO 5513542270

JEMI 2006008

## 3444789 SINGLE-PHASE THERMOSTAT 230°C

with manual reset  
capillary length 1050 mm  
bulb  $\varnothing$  6x96 mm - with adapter nipple bland M9x1  
with complete tank joint M12x1



EGO 5513549030

## 3444259 SINGLE-PHASE THERMOSTAT 245°C

with manual reset  
covered capillary length 850 mm - 16A 250V  
bulb  $\varnothing$  3x200 mm - with stiffing gland fitting M9x1  
for Fryer (FAGOR) - Series 900  
for Fryer gas (FAGOR) FG-710 - FG-720  
for Fryer electric (FAGOR) FE9-05



EGO 5513542250

EGO 5513542280

FAGOR X163001000

## 3444646 SINGLE-PHASE THERMOSTAT 245°C

with manual reset  
capillary length 870 mm  
button bulb  $\varnothing$  14x10 mm  
for Fryer electric (FAGOR) FE-710 - FE-920  
for Fryer gas (FAGOR) FG-710 - FG-940



EGO 5513542110

FAGOR X012130000

FAGOR X012120000

## 3444732 SINGLE-PHASE THERMOSTAT 246°C

with manual reset  
capillary length 900 mm - 16A 230V  
bulb  $\varnothing$  6x80 mm - with adapter nipple bland M9x1  
for Fryer (MKN)



EGO 5513542100

MKN 203492

## 3444656 SINGLE-PHASE THERMOSTAT 285°C

with manual reset  
covered capillary length 730 mm  
bulb  $\varnothing$  4x112 mm  
for Fryer electric (FRI FRI) FRITA+6 - FRITA+8



EGO 5513559010

FRI FRI 400676

## 3444673 SINGLE-PHASE THERMOSTAT 330°C

with manual reset  
capillary length 900 mm - 16A 250V  
bulb  $\varnothing$  3.1x140 mm



EGO 5513562060

JUNO-RÖDER-SENKING 215673



# Thermostats



Suitable for:

Suitable for:

**3444689 SINGLE-PHASE THERMOSTAT 340°C**  
 with manual reset  
 covered capillary length 870 mm  
 bulb  $\varnothing$  3x160 mm  
 for Fry top gas (REPAGAS) FT71 - FT72 - FT92

**3444831 SINGLE-PHASE THERMOSTAT 360°C**  
 with manual reset  
 capillary length 900 mm  
 bulb  $\varnothing$  3x145 mm



EGO 5513562170

REPAGAS 60600044

REPAGAS 20400023

EGO 5513562900

LINCOLN 357067

**3444256 SINGLE-PHASE THERMOSTAT 420°C**  
 with manual reset  
 covered capillary length 1100 mm - 16A 250V  
 bulb  $\varnothing$  4x230 mm  
 for Bratt pan (FAGOR) - Series 700 - Series 900  
 for Bratt pan (JEMI) - Series 900  
 for Fry top (FAGOR) - Series 900  
 for Fry top electric (FAGOR) FTE-705 - FTE-710  
 FTE-905 - FTE-910

**3444539 SINGLE-PHASE THERMOSTAT 80°C**  
 covered capillary length 1500 mm  
 bulb  $\varnothing$  6x90 mm  
 for Food-service trolley (RIEBER) - Series STW  
 Series ZUB



EGO 5513583010

FAGOR R612103000

JEMI 578163

EGO 5513114020

RIEBER 33061505

**3744061 SINGLE-PHASE THERMOSTAT 125°C**  
 with manual reset  
 capillary length 900 mm - 16A 250V  
 bulb  $\varnothing$  3x150 mm

**3444929 SINGLE-PHASE THERMOSTAT 140°C**  
 with manual reset  
 capillary length 900 mm  
 bulb  $\varnothing$  6x90 mm  
 for Bain-marie (THIRODE)  
 for Boiling pan (THIRODE)  
 for Fryer electric (THIRODE) FR18 - FR25



ALPENINOX 0K0673

EGO 5513322020

ELECTROLUX 0K0673

BONNET 301054

EGO 5513122110


THIRODE 301054

JUNO-RÖDER-SENKING 215691

ZANUSSI 0K0673

**3444357 THREE-PHASE THERMOSTAT 30-150°C**  
 complete with selector switch  
 D-shaped pin  $\varnothing$  6x4.6 mm  
 covered capillary length 1100 mm - 10A 400V  
 bulb  $\varnothing$  6x120 mm  
 for Bain-marie electric (ANGELO PO) - Series ALPHA  
 Series DELTA

**3444359 SINGLE-PHASE THERMOSTAT 60-320°C**  
 complete with selector switch  
 D-shaped pin  $\varnothing$  6x4.6 mm  
 covered capillary 1400 mm - 4 contacts 16A 250V  
 bulb  $\varnothing$  4x123 mm  
 for Bratt pan (ANGELO PO) - Series ALPHA  
 Series DELTA



ANGELO PO 32V0060

EGO 5534923801

ANGELO PO 32V0660

ANGELO PO 32V0661

EGO 5534064805+COMM.

EGO 5534964800



Suitable for:

# Thermostats



**3444311 THREE-PHASE THERMOSTAT 100-260°C**  
 complete with selector switch  
 D-shaped pin  $\varnothing$  6x4.6 mm  
 covered capillary length 1100 mm - 10A 400V  
 bulb  $\varnothing$  6x70 mm  
 for Fry top (ANGELO PO) - Series ALPHA  
 Series DELTA - Series GAMMA - Series JUNIOR  
 Series OMEGA - Series SENIOR - Series SUMMIT



ANGELO PO 32Z7400

EGO 5534959801

**3444146 THREE-PHASE THERMOSTAT 100-300°C**  
 complete with selector switch  
 D-shaped pin  $\varnothing$  6x4.6 mm  
 covered capillary length 1250 mm - 10A 400V  
 bulb  $\varnothing$  6x78 mm  
 for Fry top (ANGELO PO) - Series JUNIOR



ANGELO PO 32Z3790  
EGO 5534059806+

EGO PO38064130  
EGO 5534959800

EGO 4941015300+


**3444148 THREE-PHASE THERMOSTAT 50-300°C**  
 complete with selector switch  
 D-shaped pin  $\varnothing$  6x4.6 mm  
 capillary length 850 mm - 10A 400V  
 bulb  $\varnothing$  6x78 mm  
 for Oven under cooktop (ANGELO PO)



ANGELO PO 32W0030

EGO 5534052010

**3444147 THREE-PHASE THERMOSTAT 50-320°C**  
 complete with selector switch  
 D-shaped pin  $\varnothing$  6x4.6 mm  
 covered capillary length 1400 mm - 10A 400V  
 bulb  $\varnothing$  3x220 mm  
 for Oven under cooktop (ANGELO PO) - Series GAMMA  
 Series JUNIOR



ANGELO PO 32Z3550  
EGO 5534063816

ANGELO PO 32Z3551  
EGO 5534963817

EGO 4923815792

**3444749 THREE-PHASE THERMOSTAT 50-300°C**  
 complete with switch  
 D-shaped pin  $\varnothing$  6x4.6 mm  
 covered capillary length 1500 mm - 16A 230V  
 bulb  $\varnothing$  6x80 mm



BAUMEISTER

EGO 5540654010

**3444748 THREE-PHASE THERMOSTAT 60-180°C**  
 complete with switch  
 D-shaped pin  $\varnothing$  6x4.6 mm  
 covered capillary length 1800 mm - 16A 230V  
 bulb  $\varnothing$  6x133 mm - with adapter nipple bland M9x1



BAUMEISTER

EGO 5534635010

**3444702 THREE-PHASE THERMOSTAT 100-180°C**  
 complete with switch  
 D-shaped pin  $\varnothing$  6x4.6 mm  
 covered capillary length 720 mm - 16A 230V  
 bulb  $\varnothing$  3.1x305 mm



EGO 5534639010

PALUX 26611

PALUX 026611

**3444468 THREE-PHASE THERMOSTAT 30-85°C**  
 D-shaped pin  $\varnothing$  6x4.6 mm  
 capillary length 1500 mm  
 bulb  $\varnothing$  6x138 mm - with adapter nipple band M9x1



EGO 5534014150



# Thermostats



Suitable for:

Suitable for:

## 3444812 THREE-PHASE THERMOSTAT 30-90°C

D-shaped pin  $\varnothing$  6x4.6 mm  
covered capillary length 870 mm - 16A 380V  
bulb  $\varnothing$  6x129 mm  
for Bain-marie (DESCO) BME72  
for Bain-marie (MBM) - Series DOMINA  
Series MAGIS MAGISTRA



BARON BN6A046250  
MBM 160561

BARON 6A046250

EGO 5534012800

## 3744064 THREE-PHASE THERMOSTAT 30°-90°C

D-shaped pin  $\varnothing$  6x4.6 mm  
capillary length 900 mm  
bulb  $\varnothing$  6x130 mm



CAPIC E401011

EGO 5534012160

EGO 5534012030

WHIRLPOOL 481227118056

## 3444364 THREE-PHASE THERMOSTAT 30-90°C

D-shaped pin  $\varnothing$  6x4.6 mm  
covered capillary length 900 mm - 10A 400V  
bulb  $\varnothing$  6x135 mm - with adapter nipple band M10x1  
for Bain-marie (DESCO)  
for Bain-marie electric (LOTUS) BM-10EMX - BM-4EMX  
BM-6EMX - BM-62ET - BM-8EMX - BS-4EMX  
for Bain-marie electric (MARENO) B7-4E - B7-8E  
B9-4E - B9-8E



DESCO 60781

EBERHARDT 217725

EGO 5534012806

EGO 5534012859

EGO 5534212030

LOTUS 537000800

MARENO MA1037035015

MARENO 1037035015

## 3444067 THREE-PHASE THERMOSTAT 30-90°C

D-shaped pin  $\varnothing$  6x4.6 mm  
capillary length 1000 mm - 10A 400V  
bulb  $\varnothing$  6x130 mm  
for Hot cupboard (ANGELO PO)  
for Hot cupboard (MARENO)  
for Hot cupboard (ZANUSSI)



ALPENINOX 052000

ALPENINOX 057237

ANGELO PO 3220130

DESCO 864169

EGO 6301018190

EGO 5534012801

EGO 5534019805

ELECTROLUX 052000

ELECTROLUX 057237

FOEMM 305000036450

FOEMM 305000087250

FOEMM 05000087250

MARENO MA1230200

MARENO 1230200

SILKO 0101406

WHIRLPOOL 157237

WHIRLPOOL 152000

ZANUSSI 057237

ZANUSSI 052000

## 3444088 THREE-PHASE THERMOSTAT 30-110°C

D-shaped pin  $\varnothing$  6x4.6 mm  
covered capillary length 900 mm - 10A 400V  
bulb  $\varnothing$  6x130 mm  
with adapter nipple band M9x1  
for Bain-marie (ZANUSSI)



ALPENINOX 004911

BONNET 7492058

BONNET 301003

CAPIC E401015

CHARVET 1995A

COMETTO 50011

DELRUE NTT11C

EGO 5534022802

ELECTROLUX 004911

GICO 00400

GICO 53403003090

GICO 53403003110

MORICE TH1084

ROSINOX

SOLYMAC P76

TECNOINOX RC00274000

THIRODE 901007

WHIRLPOOL 481227118058

ZANUSSI 004911

## 3444076 THREE-PHASE THERMOSTAT 30-110°C

D-shaped pin  $\varnothing$  6x4.6 mm  
covered capillary length 1200 mm - 10A 400V  
bulb  $\varnothing$  6x130 mm



ALPENINOX 0A2237

ALPENINOX 0H6220

ALPENINOX 0H6228

ALPENINOX 025468

ALPENINOX 032858

EGO 6341010010

EGO 5534022010

EGO 5534023815

EGO 5534024801

EGO 6301010010

EGO 6301058080

EMMEPI 808058

JUNO-RÖDER-SENKING 214839

JUNO-RÖDER-SENKING 214908

JUNO-RÖDER-SENKING 214948

LOTUS 537012300

MODULAR 661.005.00

PALUX 290319

REPAGAS 22405003

TECNOINOX RC00274000

WHIRLPOOL 125468

ZANUSSI 0A2237

ZANUSSI 0H6220

ZANUSSI 0H6228

ZANUSSI 025468



Suitable for:

# Thermostats



**3444711 THREE-PHASE THERMOSTAT 30-110°C**  
 D-shaped pin  $\varnothing$  6x4.6 mm  
 capillary length 1500 mm - 10A 400V  
 bulb  $\varnothing$  6x130 mm  
 for Bain-marie



EGO 5534024805

Suitable for:

**3444190 THREE-PHASE THERMOSTAT 30-110°C**  
 D-shaped pin  $\varnothing$  6x4.6 mm  
 covered capillary length 3000 mm - 10A 400V  
 bulb  $\varnothing$  6x135 mm - with adapter nipple band M9x1  
 with complete tank joint M12x1  
 for Bain-marie (MARENO)  
 for Bain-marie (SILKO)



EGO 5534226040  
MARENO 264000

EGO 6301058080  
MKN 203486

JUNO-RÖDER-SENKING 214846  
SILKO 108112

**3444713 THREE-PHASE THERMOSTAT 40-320°C**  
 D-shaped pin  $\varnothing$  6x4.6 mm  
 capillary length 900 mm - 16A 380V  
 bulb  $\varnothing$  3x219 mm



BARON 6A038400  
METOS 6A038400

EGO 5534062801  
OLIS 6A038400

EGO 6303010010  
SIABS 2314204

**3444620 THREE-PHASE THERMOSTAT 45-120°C**  
 D-shaped pin  $\varnothing$  6x4.6 mm  
 covered capillary length 870 mm - 16A 380V  
 bulb  $\varnothing$  6x140 mm  
 for Pasta cooker electric (GIORIK) - Series 700  
 Series 900



BARON 85326010016  
GIORIK 6010016

EBERHARDT 214316  
ROSINOX RX94805421

EGO 5534222807  
SILKO 0108112

**3444630 THREE-PHASE THERMOSTAT 50-270°C**  
 D-shaped pin  $\varnothing$  6x4.6 mm  
 covered capillary length 900 mm - 16A 250V  
 bulb  $\varnothing$  3x220 mm  
 for Fry top (GICO) - Series 110 - Series 500  
 Series 700 - Series 900 - Series 920  
 for Oven under cooktop (GICO) - Series 110  
 Series 900 - Series 920



EGO 5534052831

GICO 53403050390

**3444894 THREE-PHASE THERMOSTAT 50-275°C**  
 D-shaped pin  $\varnothing$  6x4.6 mm  
 covered capillary length 900 mm - 16A 380V  
 bulb  $\varnothing$  3x220 mm  
 for Fry top electric (OLIS) - Series 700  
 Series 900  
 for Oven under cooktop electric (OLIS)  
 Series 700 - Series 900



BARON BN6A044601  
METOS 6A044601  
OLIS 6A044601

BARON 6A044601  
METOS BN6A044601

EGO 5534052809  
OLIS BN6A044601



# Thermostats



Suitable for:

**3444790 THREE-PHASE THERMOSTAT 50-320°C**  
 D-shaped pin  $\varnothing$  6x4.6 mm  
 covered capillary length 800 mm - 10A 400V  
 bulb  $\varnothing$  4x120 mm  
 for Fry top (OFFCAR) - Series 700 - Series 900  
 for Oven under cooktop (OFFCAR) - Series 700  
 Series 900



EGO 5534062819

GIORIK 5910028

OFFCAR 843735

Suitable for:

**3444349 THREE-PHASE THERMOSTAT 50-300°C**  
 D-shaped pin  $\varnothing$  6x4.6 mm  
 covered capillary length 860 mm - 10A 400V  
 bulb  $\varnothing$  4x240 mm  
 for Fry top (AMBACH) - Series ECOLINE



AMBACH 5061607675

AMBACH 5061618784

EGO 5534062826

**3444469 THREE-PHASE THERMOSTAT 50-300°C**  
 D-shaped pin  $\varnothing$  6x4.6 mm  
 capillary length 880 mm  
 bulb  $\varnothing$  3x226 mm



EGO 5534052150

**3444504 THREE-PHASE THERMOSTAT 50-300°C**  
 D-shaped pin  $\varnothing$  6x4.6 mm  
 capillary length 880 mm - 10A 400V  
 bulb  $\varnothing$  4x128 mm  
 for Hot plate (PALUX)



EGO 5534052020

PALUX 224081

**3444694 THREE-PHASE THERMOSTAT 50-300°C**  
 D-shaped pin  $\varnothing$  6x4.6 mm  
 capillary length 880 mm  
 bulb  $\varnothing$  6x77 mm  
 for Fry top electric (REPAGAS) E-35 - E-65 - E-95



BONNET 310824  
EGO 5534052010  
ROSINOX

BOURGEOIS THER007  
MORICE TH1086  
SOLYMAC P79

CAPIC E401060  
REPAGAS 32104009

**3444619 THREE-PHASE THERMOSTAT 50-300°C**  
 D-shaped pin  $\varnothing$  6x4.6 mm  
 covered capillary length 900 mm - 10A 400V  
 bulb  $\varnothing$  3x219 mm  
 for Fry top (MBM) - Series DOMINA  
 Series MAGIS MAGISTRA - Series MINIMA



EGO 5534052812

MBM RTCU600067



Suitable for:

# Thermostats



## 3444251 THREE-PHASE THERMOSTAT 50-300°C

D-shaped pin  $\varnothing$  6x4.6 mm  
covered capillary length 1100 mm - 10A 400V  
bulb  $\varnothing$  3x220 mm  
for Fry top (TECNOINOX) - Series 700  
for Fry top (ZANUSSI) - Series HD900 - Series N900  
for Oven under cooktop (MBM) - Series DOMINA  
Series MAGIS MAGISTRA  
for Oven under cooktop (TECNOINOX) - Series 700  
for Oven under cooktop (ZANUSSI) - Series HD900  
Series N700 - Series N900



- |                      |                   |                        |
|----------------------|-------------------|------------------------|
| ALPENINOX 004917     | ALPENINOX 059235  | BARON 826630161        |
| BARON BN826630123    | BARON 826630123   | EGO 5534059801         |
| EGO 5534059802       | EGO 5534052807    | EGO 5534052817         |
| ELECTROLUX 004917    | ELECTROLUX 059235 | MARENO 1037100600      |
| MBM RTBF600067       | MBM 164332        | TECNOINOX RC0028500    |
| TECNOINOX RC00285000 | WHIRLPOOL 159235  | WHIRLPOOL 771985003710 |
| ZANUSSI 004917       | ZANUSSI 059235    |                        |

## 3444435 THREE-PHASE THERMOSTAT 50-300°C

D-shaped pin  $\varnothing$  6x4.6 mm  
covered capillary length 1150 mm - 16A 380V  
bulb  $\varnothing$  2.5x330 mm  
for Fry top (ZANUSSI) - Series H900



- |                  |                |                   |
|------------------|----------------|-------------------|
| ALPENINOX 055996 | EGO 5534059824 | ELECTROLUX 055996 |
| ZANUSSI 055996   |                |                   |

## 3444505 THREE-PHASE THERMOSTAT 50-300°C

D-shaped pin  $\varnothing$  6x4.6 mm  
capillary length 1440 mm - 10A 400V  
bulb  $\varnothing$  4x292 mm  
for Hot plate (THERMA)



- |               |                |        |
|---------------|----------------|--------|
| CAPIC E401066 | EGO 5534054060 | THERMA |
|---------------|----------------|--------|

## 3444561 THREE-PHASE THERMOSTAT 50-300°C

D-shaped pin  $\varnothing$  6x4.6 mm  
covered capillary length 1740 mm - 16A 230V  
bulb  $\varnothing$  6x80 mm



- |                        |                           |                |
|------------------------|---------------------------|----------------|
| ALPENINOX 0H6217       | BONNET 301005             | EGO 5534055020 |
| ELECTROLUX 0H6217      | JUNO-RÖDER-SENKING 214806 | THIRODE 301005 |
| WHIRLPOOL 771985002462 | WHIRLPOOL 152099          | ZANUSSI 0H6217 |

## 3444168 THREE-PHASE THERMOSTAT 50-310°C

D-shaped pin  $\varnothing$  6x4.6 mm  
covered capillary length 900 mm - 10A 400V  
bulb  $\varnothing$  4x220 mm  
for Fry top (MBM) - Series CLASSICA



- |                |               |                |
|----------------|---------------|----------------|
| EGO 5540062030 | EMMEPI 806189 | MBM RTCU900257 |
|----------------|---------------|----------------|

## 3444052 THREE-PHASE THERMOSTAT 50-320°C

D-shaped pin  $\varnothing$  6x4.6 mm  
capillary length 900 mm - 10A 400V  
bulb  $\varnothing$  3x230 mm  
for Grill electric (ZANUSSI) MG/E1 - MG/E2 - RG/E1  
RG/E2



- |                  |                    |                    |
|------------------|--------------------|--------------------|
| ALPENINOX 0A2206 | ALPENINOX 0A2236   | ATA K24015         |
| BARON 6A044900   | EBERHARDT 213925   | EBERHARDT 222042   |
| EGO 5534052819   | EGO 5534062807     | ERRE 2 53403050300 |
| ERRE 2 00402     | ERRE 2 270200341   | FOEMM 05000087350  |
| GICO 53403050300 | GICO 00402         | GICO 270200341     |
| LOTUS 537013600  | MARENO MA1309115   | MARENO 1037035200  |
| MARENO 1309100   | MARENO 1309115     | MARENO 1732000     |
| METOS 6A044900   | MODULAR 661.027.00 | ROSINOX RX94805645 |
| WHIRLPOOL 202206 |                    |                    |





# Thermostats



Suitable for:

## 3444103 THREE-PHASE THERMOSTAT 50-320°C

D-shaped pin  $\varnothing$  6x4.6 mm  
covered capillary length 900 mm - 10A 400V  
bulb  $\varnothing$  3x220 mm  
for Fry top electric (OLIS) 40SEFT - Series 700  
78FTE - 78FTE12R  
for Oven under cooktop electric (OLIS) 741CE  
749CGVFE - 94CGE - 941CEE - 961CEEE



BARON BN6A044600  
LOTUS 537000900  
OLIS BN6A044600

BARON 6A044600  
METOS 6A044600  
OLIS 6A044600

EGO 5534062800  
METOS BN6A044600

Suitable for:

## 3444778 THREE-PHASE THERMOSTAT 55-240°C

D-shaped pin  $\varnothing$  6x4.6 mm  
covered capillary length 900 mm - 16A 230V  
bulb  $\varnothing$  4x95 mm



EGO 5534042805

SILKO 0101424

## 3444033 THREE-PHASE THERMOSTAT 60-165°C

D-shaped pin  $\varnothing$  6x4.6 mm  
covered capillary length 900 mm - 10A 400V  
bulb  $\varnothing$  8x115 mm  
with adapter nipple bland M14x1  
for Fryer (ZANUSSI)



ALPENINOX 026860  
WHIRLPOOL 126860

EGO 5534039811  
ZANUSSI 026860

ELECTROLUX 026860

## 3444559 THREE-PHASE THERMOSTAT 60-185°C

D-shaped pin  $\varnothing$  6x4.6 mm  
covered capillary length 1200 mm - 16A 250V  
bulb  $\varnothing$  4x229 mm  
for Fryer (ZANUSSI) - Series N700



ALPENINOX 005940  
ZANUSSI 005940

EGO 5534033801

ELECTROLUX 005940

## 3444102 THREE-PHASE THERMOSTAT 60-200°C

D-shaped pin  $\varnothing$  6x4.6 mm  
covered capillary length 900 mm - 10A 400V  
bulb  $\varnothing$  6x80 mm  
for Fryer (EGD)



EGO 5534032030

EGO 5534032210

## 3444503 THREE-PHASE THERMOSTAT 60-200°C

D-shaped pin  $\varnothing$  6x4.6 mm  
covered capillary length 900 mm - 10A 400V  
bulb  $\varnothing$  6x80 mm - with adapter nipple bland M9x1  
for Fryer (FRI FRI)



EGO 5534032160

FRI FRI 09580111

## 3444044 THREE-PHASE THERMOSTAT 60-260°C

D-shaped pin  $\varnothing$  6x4.6 mm  
covered capillary length 1300 mm - 10A 400V  
bulb  $\varnothing$  4x130 mm  
for Bratt pan (ZANUSSI)



ALPENINOX 051362  
WHIRLPOOL 771985002382

EGO 5534059805  
WHIRLPOOL 151362

ELECTROLUX 051362  
ZANUSSI 051362

## 3444038 THREE-PHASE THERMOSTAT 60-320°C

D-shaped pin  $\varnothing$  6x4.6 mm  
covered capillary length 1300 mm - 10A 400V  
bulb  $\varnothing$  4x130 mm  
for Oven under cooktop (ZANUSSI) - Series H900  
for Pot stove (ZANUSSI) - Series H900  
Series R701



ALPENINOX 052099  
ZANUSSI 052099

EGO 5534069804

ELECTROLUX 052099



Suitable for:

# Thermostats



## 3444425 THREE-PHASE THERMOSTAT 65-125°C

D-shaped pin  $\varnothing$  6x4.6 mm  
covered capillary length 900 mm - 10A 400V  
bulb  $\varnothing$  6x70 mm  
for Pasta cooker electric (OLIS) - Series 1100  
Series 900



BARON BN6A044650  
METOS 6A044650  
OLIS 6A044650

BARON 6A044650  
METOS BN6A044650

EGO 5534022813  
OLIS BN6A044650

## 3444594 THREE-PHASE THERMOSTAT 65-200°C

D-shaped pin  $\varnothing$  6x4.6 mm  
capillary length 880 mm  
bulb  $\varnothing$  6x77 mm - with adapter nipple bland M9x1  
with complete tank joint M12x1  
for Fryer electric (ROLLER GRILL) RF12DSP - RF12SP  
RF8DSP - RF8SP



BONNET 2020061  
MORICE TH1079  
SOLYMAC P77A

CAPIC E401045  
ROLLER GRILL A06005  
THIRODE 301004

EGO 5534032060  
ROSINOX RX24845588  
WHIRLPOOL 481227118059

## 3444371 THREE-PHASE THERMOSTAT 70-195°C

D-shaped pin  $\varnothing$  6x4.6 mm  
covered capillary length 1500 mm - 10A 400V  
bulb  $\varnothing$  6x135 mm  
for Fryer (GIGA) - Series 600 - Series 700  
Series 800 - Series 900  
for Fryer electric (GIGA) SKF2E  
for Fryer electric (WHIRLPOOL) AGB515 - AGB516  
AGB521 - AGB523 - AGB597 - AGB598



BERTO'S 22062900  
EGO 5534034845  
MKN 203497  
WHIRLPOOL 483286000171

EBERHARDT 214419  
EGO 5534035010  
ROSINOX RX94804978

EGO 5534034050  
GIGA X43800  
SILKO 0109055

## 3444779 THREE-PHASE THERMOSTAT 75-295°C

D-shaped pin  $\varnothing$  6x4.6 mm  
covered capillary length 900 mm - 16A 230V  
bulb  $\varnothing$  4x92 mm



EBERHARDT 252338  
SILKO 0101373

EGO 5534052811

ROSINOX RX94812621

## 3444366 THREE-PHASE THERMOSTAT 90-180°C

D-shaped pin  $\varnothing$  6x4.6 mm  
covered capillary length 900 mm - 10A 400V  
bulb  $\varnothing$  6x135 mm - with adapter nipple bland M10x1



ANGELO PO 3220400  
EGO 5534032863  
EGO 6302918220  
GIORIK 6010004  
MARENO 893000

EGO 5534032814  
EGO 6301918220  
EMMEPI 807603  
LOTUS 537000700  
MARENO MA893000

EGO 5534032858  
EGO 6302018190  
FOEMM 05050033650  
MARENO 1037101400

## 3444420 THREE-PHASE THERMOSTAT 90-185°C

D-shaped pin  $\varnothing$  6x4.6 mm  
capillary length 1600 mm - 16A 250V  
bulb  $\varnothing$  3x240 mm



EGO 5534034210



# Thermostats



Suitable for:

Suitable for:

## 3744007 THREE-PHASE THERMOSTAT 90-195°C

D-shaped pin  $\varnothing$  6x4.6 mm  
capillary length 900 mm - 10A 400v  
bulb  $\varnothing$  6x135 mm



EGO 5534032090  
OLIS BN6A046600

METOS 6A046600  
OLIS 6A046600

METOS BN6A046600

## 3744098 THREE-PHASE THERMOSTAT 95-180°C

D-shaped pin  $\varnothing$  6x4.6 mm  
covered capillary length 1800 mm  
bulb  $\varnothing$  6x130 mm - with adapter nipple bland M10x1



EGO 5534035130

## 3444166 THREE-PHASE THERMOSTAT 95-180°C

D-shaped pin  $\varnothing$  6x4.6 mm  
covered capillary length 1800 mm - 10A 400V  
bulb  $\varnothing$  6x135 mm - with adapter nipple bland M9x1  
with complete tank joint M12x1  
for Fryer (ZANUSSI)



ALPENINOX 0H6233  
EGO 5534032813  
GICO 6010004  
SICOMEX 03112  
ZANUSSI 0H6233

AMBACH 5061608750  
EGO 5534035080  
JUNO-RÖDER-SENKING 215076  
SICOMEX 03383

EGO 5534035800  
ELECTROLUX 0H6233  
MKN 200496  
WHIRLPOOL 481227118061

## 3744055 THREE-PHASE THERMOSTAT 95-185°C

D-shaped pin  $\varnothing$  6x4.6 mm  
covered capillary length 1480 mm - 16A 400V  
bulb  $\varnothing$  6x120 mm  
for Fryer (PALUX)



EGO 5534034010

EGO 5534034805

PALUX 178144

## 3444745 THREE-PHASE THERMOSTAT 95-185°C

D-shaped pin  $\varnothing$  6x4.6 mm  
covered capillary length 2420 mm - 16A 230V  
bulb  $\varnothing$  6x133 mm - with adapter nipple bland M9x1



EGO 5534039020

MKN 203487

## 3444491 THREE-PHASE THERMOSTAT 95-220°C

D-shaped pin  $\varnothing$  6x4.6 mm  
covered capillary length 1480 mm - 16A 400V  
bulb  $\varnothing$  6x120 mm - with adapter nipple bland M9x1  
with complete tank joint M12x1



EGO 5534044020

MKN 203499

## 3444570 THREE-PHASE THERMOSTAT 95-230°C

D-shaped pin  $\varnothing$  6x4.6 mm  
covered capillary length 1250 mm  
bulb  $\varnothing$  4x128 mm  
for frytop N700  
for Fry top (ZANUSSI) - Series N700  
for Grill (ZANUSSI) - Series N900



ALPENINOX 0C7528  
ELECTROLUX 0C7528  
ZANUSSI 0C7528

ALPENINOX 002402  
ELECTROLUX 002402  
ZANUSSI 002402

EGO 5534043800  
MARENO CR0686120

## 3444078 THREE-PHASE THERMOSTAT 100-175°C

D-shaped pin  $\varnothing$  6x4.6 mm  
covered capillary length 2000 mm - 10A 400V  
bulb  $\varnothing$  6x130 mm  
for Fryer (ALPENINOX) - Series 700 - Series 900



ALPENINOX 0A2003  
WHIRLPOOL 202003

EGO 5534039837  
ZANUSSI 0A2003

ELECTROLUX 0A2003



Suitable for:

# Thermostats



## 3444234 THREE-PHASE THERMOSTAT 100-195°C

D-shaped pin  $\varnothing$  6x4.6 mm  
covered capillary length 1500 mm - 10A 400V  
bulb  $\varnothing$  6x134 mm  
for Fryer (MODULAR) - Series 600 - Series 700  
Series 900  
for Fryer electric (KÜPPERSBUSCH) LEF124 - LEF224  
NEF144 - NEF176 - NEF224 - NEF244 - SEF124  
SEF144 - SEF224



EGO 5534034801      KÜPPERSBUSCH 355637      MODULAR 661.041.00

## 3444198 THREE-PHASE THERMOSTAT 100-180°C

D-shaped pin  $\varnothing$  6x4.6 mm  
covered capillary length 2000 mm - 10A 400V  
bulb  $\varnothing$  6x130 mm  
for Fryer (BARON)  
for Fryer (BERTO'S)  
for Fryer (OLIS) - Series 700 - Series 900  
for Fryer electric (FRI FRI) D6 - D8  
for Fryer electric (THIRODE) FR10



BARON BN8219601      BARON 8219601      BARTSCHER 023964  
BERTO'S 22062900      BERTO'S 33066000      BERTO'S 33066200  
BONNET 301062      EGO 5534035201      EGO 5534039800  
EGO 5534039804      EGO 5534035010      FRI FRI 400370  
GICO 53401031820      GIGA X43800      HOBART 301062  
METOS 8219601      METOS BN8219601      MKN 203497  
OLIS BN8219601      OLIS 8219601      SILKO 0109055  
THIRODE 301062      WHIRLPOOL 483286000171

## 3444040 THREE-PHASE THERMOSTAT 100-300°C

D-shaped pin  $\varnothing$  6x4.6 mm  
covered capillary length 1150 mm - 10A 400V  
bulb  $\varnothing$  6x80 mm  
for Bratt pan electric (GIGA) SKBR40E  
for Fry top (ZANUSSI) - Series H900



ALPENINOX 052916      ANGELO PO 3222560      BERTO'S 30064900  
BERTO'S 22062600      EGO 5534059804      EGO 5534059806  
EGO 5534059814      EGO 5534052804      ELECTROLUX 052916  
GIGA Y16400      GIGA X43200      GIGA X43900  
WHIRLPOOL 483286009368      WHIRLPOOL 771985002609      WHIRLPOOL 152916  
ZANUSSI 052916

## 3444638 THREE-PHASE THERMOSTAT 100-330°C


D-shaped pin  $\varnothing$  6x4.6 mm  
covered capillary length 900 mm - 16A 380V  
bulb  $\varnothing$  6x75 mm  
for Bratt pan (SOGET)  
for Fry top (SOGET)  
for Oven under cooktop (MODULAR) - Series 600  
Series 700 - Series 900  
for Oven under cooktop (SOGET)



EGO 5534062803      MODULAR 661.007.00      SOGET 300003

## 3744062 THREE-PHASE THERMOSTAT 100-350°C

D-shaped pin  $\varnothing$  6x4.6 mm  
capillary length 1470 mm - 16A 400V  
bulb  $\varnothing$  6x75 mm  
for Bain-marie (MORICE)  
for Boiling pan (MORICE)  
for Fry top (MORICE)  
for Grill (BONNET) - Series 400 - Series 600  
for Oven under cooktop (MORICE)



ALPENINOX 0M0725      BONNET 7471044      EGO 5534064010  
ELECTROLUX 0M0725      MORICE TH1088      WHIRLPOOL 481281719387

## 3444562 THREE-PHASE THERMOSTAT 100-350°C

D-shaped pin  $\varnothing$  6x4.6 mm  
covered capillary length 1800 mm - 16A 230V  
bulb  $\varnothing$  6x80 mm  
for Bratt pan (CHARVET) 800ESBC/L33



CHARVET 01999A      EGO 5534069010      EGO 5534069030  
MKN 203406      THIRODE 301006




# Thermostats



Suitable for:

Suitable for:

**3744110 THREE-PHASE THERMOSTAT 100-350°C**  
 D-shaped pin  $\varnothing$  6x4.6 mm  
 covered capillary length 1800 mm - 10A 400V  
 bulb  $\varnothing$  6x80 mm



EGO 5534065010      SOLYMAC P80      WHIRLPOOL 481227118065

**3444490 THREE-PHASE THERMOSTAT 100-470°C**  
 D-shaped pin  $\varnothing$  6x4.6 mm  
 covered capillary length 1000 mm  
 bulb  $\varnothing$  4x165 mm



EGO 5540083010      MKN 203407

**3444028 THREE-PHASE THERMOSTAT 105-185°C**  
 D-shaped pin  $\varnothing$  6x4.6 mm  
 covered capillary length 2800 mm - 10A 400V  
 bulb  $\varnothing$  4x235 mm  
 for Bratt pan (ZANUSSI) - Series R700  
 Series R701  
 for Fryer (ZANUSSI) - Series R700 - Series R701  
 for Fryer electric (FRI FRI) D6



ALPENINOX 004925      ALPENINOX 051361      ALPENINOX 054931  
 EGO 5534039807      EGO 5534039080      ELECTROLUX 004925  
 ELECTROLUX 051361      ELECTROLUX 054931      FRI FRI 400369  
 TECNOINOX RC00064000      TECNOINOX RC0028100      TECNOINOX RC00281000  
 TECNOINOX 00281      WHIRLPOOL 771985002321      WHIRLPOOL 151361  
 WHIRLPOOL 154931      WHIRLPOOL 480181700005      ZANUSSI 004925  
 ZANUSSI 051361      ZANUSSI 054931

**3444086 THREE-PHASE THERMOSTAT 108-192°C**  
 D-shaped pin  $\varnothing$  6x4.6 mm  
 capillary length 900 mm - 10A 400V  
 bulb  $\varnothing$  6x200 mm  
 for Fryer electric (ELFRAMO) EB12 - EB18 - EB6  
 EB8



EGO 5534032800      ELFRAMO 00033240      ELFRAMO 22160001  
 KOMEL 22160001      KOMEL 00033240      REPAGAS 8700022

**3444443 THREE-PHASE THERMOSTAT 115-300°C**  
 D-shaped pin  $\varnothing$  6x4.6 mm  
 covered capillary length 1150 mm - 10A 400V  
 bulb  $\varnothing$  3x144 mm  
 for Fry top (ZANUSSI) - Series N700 - Series PR700



ALPENINOX 004363      EGO 5534059812      ELECTROLUX 004363  
 ZANUSSI 004363

**2101663 THERMOSTAT THREE PAHASE 118-190°C**  
 D-shaft  $\varnothing$  6x4.6 mm  
 covered capillary length 880 mm  
 bulb  $\varnothing$  6x135 mm  
 for Fryer electric (VALENTINE) BB550 - CANTINE  
 PENSION1 - PENSION2 - ZENITH83 - ZENITH94



EGO 5534232030      VALENTINE 320101      VALENTINE 320102

**3444546 THREE-PHASE THERMOSTAT 30-120°C**  
 D-shaped pin  $\varnothing$  6x4.6 mm  
 covered capillary length 900 mm  
 button bulb  $\varnothing$  11x28 mm M14  
 for Boiling pan (AMBACH)



AMBACH 5061603938      EGO 5534022829

**3444734 THREE-PHASE THERMOSTAT 135°C**  
 with manual reset  
 covered capillary length 1470 mm - 16A 230V  
 bulb  $\varnothing$  6x175 mm - with adapter nipple band M9x1



EGO 5531524030      MKN 203493



# Thermostats



Suitable for:

**3444024 THREE-PHASE THERMOSTAT 160°C**  
 with manual reset  
 capillary length 900 mm - 10A 400V  
 bulb ø 6x175 mm  
 for Boiling pan (ZANUSSI) - Series H900  
 for Pasta cooker (ZANUSSI) - Series H900



ALPENINOX 051637  
 WHIRLPOOL 771985002409

EGO 5531532050  
 WHIRLPOOL 151637

ELECTROLUX 051637  
 ZANUSSI 051637

Suitable for:

**3444323 THREE-PHASE THERMOSTAT 225°C**  
 with manual reset  
 covered capillary length 950 mm - 20A 380V  
 bulb ø 6x155 mm  
 for Pasta cooker (ZANUSSI) - Series HD900



ALPENINOX 059552  
 ZANUSSI 059552

EGO 5531549050

ELECTROLUX 059552

**3444090 THREE-PHASE THERMOSTAT 230°C**  
 with manual reset  
 capillary length 900 mm - 10A 400V  
 bulb ø 6x240 mm - with adapter nipple band M9x1  
 with complete tank joint M12x1  
 for Boiling pan (MARENO)  
 for Boiling pan (SILKO)  
 for Fryer (MARENO)  
 for Fryer (SILKO)



CHARVET 05996A  
 MARENO 1878000

EGO 5531542050  
 MARENO 733100

GICO  
 SILKO 00422

**3444390 THREE-PHASE THERMOSTAT 230°C**  
 with manual reset  
 capillary 900 mm - 10A 400V  
 bulb ø 6x230 mm  
 for Fryer electric (ELFRAMO) EB12 - EB18 - EB8



BARON BN6A046900  
 ELFRAMO 00032280  
 KOMEL 00032280  
 METOS 6A046900  
 OLIS 6A046900  
 WHIRLPOOL 481281719384

BARON 6A046900  
 ELFRAMO 22150001  
 KOMEL 22150001  
 METOS BN6A046900  
 REPAGAS 8700021

EGO 5531542140  
 ELFRAMO 22150002  
 KOMEL 22150002  
 OLIS BN6A046900  
 SICOMEX 03299

**3444472 THREE-PHASE THERMOSTAT 230°C**  
 with manual reset  
 capillary length 1700 mm - 20A 380V  
 bulb ø 6x220 mm  
 for Fryer (KÜPPERSBUSCH) - Series NEF - Series SEF



EGO 5531545020

KÜPPERSBUSCH 176174

**3444221 THREE-PHASE THERMOSTAT 140°C**  
 with manual reset  
 covered capillary length 1000 mm - 10A 400V  
 bulb ø 6x175 mm  
 for Fryer (MBM) - Series CLASSICA



ALPENINOX 051644  
 WHIRLPOOL 151644

EGO 5531532060  
 ZANUSSI 051644

ELECTROLUX 051644



# Thermostats



Suitable for:

**3444737 THREE-PHASE THERMOSTAT 240°C**  
with manual reset  
covered capillary length 1430 mm - 16A 230V  
bulb  $\varnothing$  6x177 mm - with adapter nipple band M9x1



EGO 5531544050

MKN 203482

Suitable for:

**3444035 THREE-PHASE THERMOSTAT 240°C**  
with manual reset  
covered capillary length 2600 mm - 10A 400V  
bulb  $\varnothing$  6x240 mm  
for Fryer (ZANUSSI) - Series R700 - Series R701



ALPENINOX 051369  
ZANUSSI 051369

EGO 5531546020

ELECTROLUX 051369

**3444738 THREE-PHASE THERMOSTAT 240°C**  
with manual reset  
covered capillary length 2600 mm - 16A 230V  
bulb  $\varnothing$  6x177 mm - with adapter nipple band M9x1



EGO 5531549010

MKN 203483

**3444036 THREE-PHASE THERMOSTAT 245°C**  
with manual reset  
capillary length 1200 mm - 10A 400V  
bulb  $\varnothing$  6x160 mm  
for Bratt pan (ZANUSSI) - Series H900  
for Fryer (ZANUSSI) AFR/G410 - Series HD700  
Series H900 - Series R701



ALPENINOX 052331  
JUNO-RÖDER-SENKING 293586  
ZANUSSI 052331

EGO 5531549020  
WHIRLPOOL 771985002529

ELECTROLUX 052331  
WHIRLPOOL 152331

**3444575 THREE-PHASE THERMOSTAT 285°C**  
with manual reset  
covered capillary 940 mm - 20A 380V  
bulb  $\varnothing$  6x157 mm  
for Boiling pan (WHIRLPOOL) - Series H900  
for Boiling pan (ZANUSSI) - Series HD900  
Series H900



ALPENINOX 053183  
WHIRLPOOL 771985002640

EGO 5531559020  
WHIRLPOOL 153183

ELECTROLUX 053183  
ZANUSSI 053183

**3444707 THREE-PHASE THERMOSTAT 320°C**  
with manual reset  
covered capillary length 1450 mm - 10A 400V  
bulb  $\varnothing$  6x176 mm - with adapter nipple band M9x1



EGO 5531554020  
JUNO-RÖDER-SENKING 212899

JUNO-RÖDER-SENKING 213139

JUNO-RÖDER-SENKING 213149



Suitable for:

# Thermostats



**3444025 THREE-PHASE THERMOSTAT 350°C**  
 with manual reset  
 capillary length 1200 mm - 10A 400V  
 bulb ø 6x160 mm  
 for Boiling pan (ZANUSSI) - Series HD900  
 Series H900  
 for Bratt pan (ZANUSSI) - Series HD900 - H900  
 for Fry top (ZANUSSI) - Series HD700



ALPENINOX 051454  
 EGO 5531569010  
 MARENO 1475513  
 ZANUSSI 051454

ALPENINOX 051643  
 ELECTROLUX 051454  
 WHIRLPOOL 151454  
 ZANUSSI 051643

EGO 5531566010  
 ELECTROLUX 051643  
 WHIRLPOOL 151643

**3444479 THREE-PHASE THERMOSTAT 120°C**  
 with manual reset  
 covered capillary length 900 mm - 10A 400V  
 bulb ø 6x100 mm  
 for Pasta cooker electric (DESCO) CPE1 - CPE2  
 CPE2-7 - CPE7



DESCO 210044  
 ROSINOX RX94800505

EGO 5532522802

EGO 5532522861

**3443072 THREE-PHASE THERMOSTAT 130°C**  
 with manual reset  
 capillary length 1000 mm  
 bulb ø 6x80 mm - with adapter nipple band M13x1  
 for Boiling pan (CAPIC) W085121



CAPIC E401008

CAPIC E401012

**3444618 THREE-PHASE THERMOSTAT 135°C**  
 with manual reset  
 covered capillary length 890 mm - 20A 380V  
 bulb ø 3x225 mm  
 for Bain-marie electric (MBM) EC66 - EC922V  
 EC922VT  
 for Boiling pan electric (MBM) E100I - E100IT9  
 E100I9 - E150IA - E150IT9 - E150I9 - E50I7  
 for Pasta cooker electric (MBM) EC45 - EC49  
 EC49T - EC902V



EGO 5532522814

MBM RTCP900074

**3444644 THREE-PHASE THERMOSTAT 135°C**  
 with manual reset  
 covered capillary length 900 mm  
 bulb ø 6x89 mm  
 for Pasta cooker (OFFCAR) - Series 700  
 Series 900



EGO 5532522825

OFFCAR 898979

**3444567 THREE-PHASE THERMOSTAT 145°C**  
 with manual reset  
 capillary length 1750 mm - 16A 230V  
 bulb ø 3.1x180 mm - with adapter nipple band M9x1



ALPENINOX 0H6219  
 JUNO-RÖDER-SENKING 214838

EGO 5532525060  
 WHIRLPOOL 256219

ELECTROLUX 0H6219  
 ZANUSSI 0H6219





# Thermostats



Suitable for:

**3444471 THREE-PHASE THERMOSTAT 150°C**  
with manual reset  
covered capillary length 900 mm - 10A 400V  
bulb ø 3x230 mm  
for Pasta cooker electric (AMBACH) - Series CPE70



AMBACH 5061603828

EGO 5532522827

Suitable for:

**3444770 THREE-PHASE THERMOSTAT 157°C**  
with manual reset  
covered capillary length 900 mm - 16A 230V  
bulb ø 6x80 mm  
for Pasta cooker (EMMEPI) - Series 650  
Series 700 - Series 750 - Series 900



BARON 41826630350

EBERHARDT 214317

GIORIK 6010002

BARON 826630350

EGO 5532522811

ROSINOX RX94805413

BARON 85326010002

EMMEPI 808057

SILKO 0108113

**3444775 THREE-PHASE THERMOSTAT 159°C**  
with manual reset  
capillary length 1100 mm - 16A 230V  
bulb ø 3.1x185 mm  
for Boiling pan (EMMEPI) - Series 700 - Series 750  
Series 900



BERTO'S 31290200

EGO 5532529810

SILKO 0102493

COLUSSI R54005990

EMMEPI 808203

EBERHARDT 214196

ROSINOX RX94812646

**3444142 THREE-PHASE THERMOSTAT 150°C**  
with manual reset  
capillary 1500 mm - 10A 400V  
bulb ø 6x90 mm - stuffing gland fitting M9x  
for Boiling pan (ANGELO PO) - Series ALPHA  
Series DELTA - Series GAMMA - Series JUNIOR  
Series SENIOR - Series SUMMIT  
for Pasta cooker (ANGELO PO) - Series ALPHA  
Series DELTA - Series GAMMA - Series JUNIOR  
Series SENIOR - Series SUMMIT



ANGELO PO 32Z2710

EGO 5532524030

**3744046 THREE-PHASE THERMOSTAT 156°C**  
with manual reset  
covered capillary length 1500 mm  
bulb ø 6x90 mm  
for Pasta cooker (ANGELO PO) - Series ALPHA  
Series DELTA - Series GAMMA - Series OMEGA



ANGELO PO 3014260

ANGELO PO 3014261

EGO 5532524802

**3444424 THREE-PHASE THERMOSTAT 160°C**  
with manual reset  
covered capillary length 900 mm - 20A 380V  
bulb 6x90 mm  
for Boiling pan electric (OLIS) - Series 700  
for Boiling pan gas (OLIS) - Series 700



BARON BN6A049405

METOS 6A049405

OLIS 6A049405

BARON 6A049405

METOS BN6A049405

EGO 5532532805

OLIS BN6A049405



Suitable for:

# Thermostats



**3444442 THREE-PHASE THERMOSTAT 170°C**  
 with manual reset  
 covered capillary 880 mm  
 bulb  $\varnothing$  6x88 mm  
 for Boiling pan (ZANUSSI) - Series HD900  
 Series N900



ALPENINOX 005295  
ZANUSSI 005295

EGO 5532532824

ELECTROLUX 005295

**3444556 THREE-PHASE THERMOSTAT 170°C**  
 with manual reset  
 covered capillary length 900 mm - 20A 400V  
 bulb  $\varnothing$  6x87 mm  
 for Pasta cooker (ZANUSSI) - Series N700  
 Series PR700



ALPENINOX 004742  
ZANUSSI 004742

EGO 5532532820

ELECTROLUX 004742

**3444939 THREE-PHASE THERMOSTAT 220°C**  
 with manual reset  
 covered capillary length 900 mm - 20A 400V  
 bulb  $\varnothing$  6x110 mm  
 for Fryer (AMBASSADE)



AMBASSADE 6537879

EGO 5533542040

**3444959 THREE-PHASE THERMOSTAT 220°C**  
 with manual reset  
 capillary length 1000 mm  
 bulb  $\varnothing$  6x90 mm  
 for Fryer electric (THIRODE) FR10



BONNET 301061  
THIRODE 301061

EGO 5532542010

HOBART 301061

**3444079 THREE-PHASE THERMOSTAT 220°C**  
 with manual reset  
 covered capillary length 1790 mm - 10A 400V  
 bulb  $\varnothing$  6x130 mm  
 for Fryer (ZANUSSI)



ALPENINOX 0A2204  
WHIRLPOOL 481281719382  
ZANUSSI 0A2204

EGO 5532549060  
WHIRLPOOL 771985005768

ELECTROLUX 0A2204  
WHIRLPOOL 202204

**3444375 THREE-PHASE THERMOSTAT 225°C**  
 with manual reset  
 covered capillary length 900 mm - 10A 400V  
 bulb  $\varnothing$  6x90 mm - with adapter nipple band M10x1  
 for Fryer (EMMEPI) - Series 650 - Series 700  
 Series 750 - Series 900  
 for Fryer (GIORIK) - Series FT  
 for Fryer electric (GIORIK) FTR10 - FTR6 - FTR7  
 for Fryer electric (MBM) EF45 - EF46 - EF47  
 EF472 - EF49 - EF66 - EF77 - EF90 - EF99



EBERHARDT 214299  
EMMEPI 807349  
MBM RTBF800164

EGO 5532542835  
EMMEPI 807987  
ROSINOX RX94812594

EMMEPI 8C2105  
GIORIK 6010037  
SILKO 0108066



# Thermostats



Suitable for:

**3444307 THREE-PHASE THERMOSTAT 230°C**  
 with manual reset  
 covered capillary length 900 mm - 10A 400V  
 bulb  $\varnothing$  6x100 mm - with adapter nipple band M10x1  
 for Fryer electric (BARON) - Series 900  
 for Fryer (ROSINOX) ROSI FR15EHP




BARON 85326010036  
 EGO 5532542857  
 MKN 900081  
 ROSINOX RX94046363

EBERHARDT 214298  
 GIORIK 6010036  
 OFFCAR 862123  
 SILKO 0108065

EGO 5513542230  
 MBM RTBF900081  
 ROSINOX RX94016599

Suitable for:

**3444625 THREE-PHASE THERMOSTAT 230°C**  
 with manual reset  
 covered capillary length 900 mm - 20A 400V  
 bulb  $\varnothing$  6x90 mm  
 for Fryer (BARON) - Series 600



BARON BN41826630380  
 EGO 5532542070

BARON 41826630380  
 EGO 5532542850

BARON 826630380

**3444631 THREE-PHASE THERMOSTAT 230°C**  
 with manual reset  
 covered capillary length 1700 mm - 20A 400V  
 bulb  $\varnothing$  6x80 mm  
 for Fryer (BERTO'S) - Series 600 - Series 700  
 Series 900



BERTO'S 33070800  
 EGO 5532549812

EGO 5532544805  
 EMMEPI C10380

EGO 5532549130

**3444368 THREE-PHASE THERMOSTAT 245°C**  
 with manual reset  
 covered capillary length 900 mm - 10A 400V  
 bulb  $\varnothing$  6x80 mm  
 for Fryer (LOTUS) - Series 600 - Series 650  
 Series 700 - Series 900



ALPENINOX 004951  
 ELECTROLUX 004951  
 TECNOINOX 00450

EGO 5532542842  
 LOTUS 537001400  
 ZANUSSI 004951

EGO 5532542823  
 TECNOINOX RC00450000

**3444204 THREE-PHASE THERMOSTAT 235°C**  
 with manual reset  
 covered capillary length 1700 mm - 10A 400V  
 bulb  $\varnothing$  4x120 mm - with adapter nipple band M9x1  
 for Fryer electric (AMBACH) - Series EY  
 Series FE



AMBACH 5061603878  
 EGO 5532545802

AMBACH 5061610988  
 EGO 5532544800

AMBACH 5061611126

**3444506 THREE-PHASE THERMOSTAT 240°C**  
 with manual reset  
 covered capillary length 900 mm - 10A 400V  
 bulb  $\varnothing$  4x150 mm  
 for Boiling pan (THERMA)  
 for Fryer (THERMA)



EGO 5532542230

THERMA



# Thermostats



Suitable for:

**3444143 THREE-PHASE THERMOSTAT 240°C**  
with manual reset  
capillary length 1600 mm - 10A 400V  
bulb ø 6x85 mm  
for Fryer (ANGELO PO) - Series JUNIOR  
Series SENIOR - Series SUMMIT



ALPENINOX 0A5435  
ANGELO PO 32Z3631  
EGO 5532549816  
MODULAR 661.048.00

AMBACH 5061038930  
EGO 5532549827  
ELECTROLUX 0A5435  
TECNOINOX RC0045000

ANGELO PO 32Z3630  
EGO 5532542807  
ELETTROBAR  
ZANUSSI 0A5435

Suitable for:

**3444972 THREE-PHASE THERMOSTAT 240°C**  
with manual reset  
capillary length 2300 mm  
bulb ø 6x88 mm



EGO 5532549050

MORICE TH1087

**3444439 THREE-PHASE THERMOSTAT 245°C**  
with manual reset  
covered capillary length 900 mm  
bulb ø 6x80 mm  
for Bain-marie (ZANUSSI) - Series N900  
for Fryer (WHIRLPOOL) - Series 900  
for Fryer (ZANUSSI) - Series HD900 - Series N900




ALPENINOX 006282  
WHIRLPOOL 771985000624

EGO 5532549814  
ZANUSSI 006282

ELECTROLUX 006282

**3443075 THREE-PHASE THERMOSTAT 245°C**  
covered capillary length 900 mm  
bulb ø 6x80 mm  
with adapter nipple band M9x1  
for Bratt pan electric (CHARVET) - Series DBRE  
for Bratt pan gas (CHARVET) - Series DBRG



CHARVET 07665A

EGO 5532542803

**3444653 THREE-PHASE THERMOSTAT 245°C**  
with manual reset  
covered capillary length 1750 mm - 20A 380V  
bulb ø 4x120 mm  
for fryer 900  
for Fryer (OLIS) - Series 900  
for Fryer electric (OLIS) 921FRE



BARON BN8219602  
EGO 5532545800  
OLIS 8219602

BARON 8219602  
METOS BN8219602  
OLIS BN8219602

BARTSCHER 023965  
METOS 8219602

**3444436 THREE-PHASE THERMOSTAT 245°C**  
with manual reset  
covered capillary length 2700 mm - 20A 400V  
bulb ø 6x90 mm  
for Fryer (WHIRLPOOL)  
for Fryer (ZANUSSI) - Series HD900 - Series N700  
Series N900 - Series PR700  
for Hot plate (WHIRLPOOL)



ALPENINOX 004472  
WHIRLPOOL 771985000460

EGO 5532549811  
WHIRLPOOL 104472

ELECTROLUX 004472  
ZANUSSI 004472



# Thermostats



Suitable for:

**3444444 THREE-PHASE THERMOSTAT 250°C**  
with manual reset  
covered capillary length 900 mm - 20A 400V  
bulb  $\varnothing$  6x90 mm  
for Fryer (ZANUSSI) - Series N700 - Series N900



ALPENINOX 005941  
ZANUSSI 005941

EGO 5532542859

ELECTROLUX 005941

Suitable for:


**3444706 THREE-PHASE THERMOSTAT 255°C**  
with manual reset  
covered capillary length 730 mm - 10A 400V  
bulb  $\varnothing$  3.1x307 mm



EGO 5532559010

PALUX 027332

**3444557 THREE-PHASE THERMOSTAT 270°C**  
with manual reset  
covered capillary length 870 mm - 20A 400V  
bulb  $\varnothing$  6x78 mm  
for Fry top (ZANUSSI) - Series N700 - Series PR700



ALPENINOX 006307  
ZANUSSI 006307

EGO 5532552814

ELECTROLUX 006307

**3444317 THREE-PHASE THERMOSTAT 270°C**  
with manual reset  
covered capillary length 2000 mm - 10A 400V  
bulb  $\varnothing$  6x70 mm  
for Boiling pan (WHIRLPOOL) - Series H900  
for Fryer (ANGELO PO) - Series ALPHA  
Series DELTA



ANGELO PO 32V0970  
EGO 5532559814

ANGELO PO 32V6560

EGO 5532559809

**3444776 THREE-PHASE THERMOSTAT 280°C**  
with manual reset  
covered capillary length 900 mm - 16A 230V  
bulb  $\varnothing$  4x125 mm



EGO 5532552808

SILKO 0101425

**3444703 THREE-PHASE THERMOSTAT 315°C**  
with manual reset  
covered capillary length 1500 mm - 10A 400V  
bulb  $\varnothing$  6x80 mm - with adapter nipple band M9x1



ALPENINOX 0H6215  
JUNO-RÖDER-SENKING 214803

EGO 5532564010  
WHIRLPOOL 256215

ELECTROLUX 0H6215  
ZANUSSI 0H6215



Suitable for:

# Thermostats



## 3444592 THREE-PHASE THERMOSTAT 340°C

with manual reset  
capillary length 1190 mm  
bulb ø 4x128 mm  
for Fryer electric (ROLLER GRILL) RF12DSP - RF12SP  
RF8DSP - RF8SP



BONNET 301053  
ROLLER GRILL A06012

EGO 5532563010  
THIRODE 301053

HOBART 301053

## 3444354 THREE-PHASE THERMOSTAT 350°C

with manual reset  
capillary length 1120 mm - 10A 400V  
bulb ø 3x190 mm  
for Fry top electric (TECNOINOX) FTC35E - FTC70E  
FTL35E - FTL70E - FTR35E - FTR70E



ALPENINOX 0H6134  
BARON 6A046150  
EGO 5532562808  
ERRE 2 53403000350  
JUNO-RÖDER-SENKING 212841  
METOS 6A046150  
OLIS BN6A046150  
TECNOINOX RC0030500  
ZANUSSI 004919

ALPENINOX 004919  
EGO 5532574040  
EGO 5532569813  
GICO 53403000350  
MBM RTCU800152  
OFFCAR 843737  
SMEG 818731004  
WHIRLPOOL 256134

BARON BN6A046150  
EGO 5564945010  
EMMEPI 807790  
GIORIK 5910029  
METOS BN6A046150  
OLIS 6A046150  
TECNOINOX RC00305000  
ZANUSSI 0H6134

## 3444356 THREE-PHASE THERMOSTAT 350°C

with manual reset  
covered capillary length 1300 mm - 10A 400V  
bulb ø 4x120 mm  
for Bratt pan (ANGELO PO) - Series ALPHA  
Series DELTA  
for Fry top (ANGELO PO) - Series ALPHA  
Series DELTA - Series GAMMA - Series OMEGA  
Series SENIOR  
for Oven under cooktop (ANGELO PO) - Series ALPHA  
Series DELTA - Series SENIOR



ANGELO PO 32Z6750  
EGO 5532569814

ANGELO PO 32Z9201  
EGO 5532579800

ANGELO PO 32Z9202

## 3444704 THREE-PHASE THERMOSTAT 350°C

with manual reset  
covered capillary length 1500 mm - 10A 400V  
bulb ø 6x80 mm



EGO 5532564040

JUNO-RÖDER-SENKING 212844

## 3444370 THREE-PHASE THERMOSTAT 350°C

with manual reset  
covered capillary length 3000 mm - 10A 400V  
bulb ø 6x90 mm  
for Bratt pan (EMMEPI) - Series 750 - Series 900  
for Fry top (EMMEPI) - Series 650 - Series 700  
Series 750 - Series 900  
for Fry top (GIGA) - Series SKT - Series 700  
Series 800 - Series 900  
for Oven under cooktop (EMMEPI) - Series 700  
for Oven under cooktop (GIGA) - Series 900



EGO 5532566806  
GIGA X44800

EMMEPI C00098  
WHIRLPOOL 483286009372

GIGA 448001

## 3444632 THREE-PHASE THERMOSTAT 350°C

with manual reset  
covered capillary length 3000 mm - 20A 300V  
bulb ø 6x90 mm  
for Bratt pan (BERTO'S) - Series 900  
for Fry top (BERTO'S) - Series 600 - Series 700  
Series 900  
for Kitchen (BERTO'S) - Series 700 - Series 900



BERTO'S 22069700

EGO 5532566808



# Thermostats



Suitable for:

**3444306 THREE-PHASE THERMOSTAT 360°C**  
 with manual reset  
 covered capillary length 900 mm - 10A 400V  
 bulb  $\varnothing$  4x120 mm  
 for Bratt pan (BARON) - Series 700 - Series 900  
 for Bratt pan (ZANUSSI) - Series N700  
 Series PR700  
 for Fry top (BARON) - Series 600 - Series 700  
 Series 900  
 for Fry top (ZANUSSI) - Series HD900 - Series N900  
 for Kitchen (BARON) - Series 700 - Series 900  
 for Pot stove (ZANUSSI) - Series PR700



ALPENINOX 004269  
 EGO 5532562806  
 ZANUSSI 004269

BARON 826630130  
 ELECTROLUX 004269

BARON BN826630130  
 WHIRLPOOL 104269

Suitable for:

**3444574 THREE-PHASE THERMOSTAT 360°C**  
 with manual reset  
 covered capillary length 1200 mm - 20A 400V  
 bulb  $\varnothing$  6x79 mm  
 for Boiling pan (ZANUSSI) - Series HD900  
 for Fry top (ZANUSSI) - Series N700 - Series PR700  
 for Kitchen (ZANUSSI) - Series N700



ALPENINOX 004600  
 ZANUSSI 004600

EGO 5532573801

ELECTROLUX 004600

**3444484 THREE-PHASE THERMOSTAT 360°C**  
 with manual reset  
 capillary length 1300 mm  
 bulb  $\varnothing$  4x120 mm  
 for Bratt pan (AMBACH) - Series BP - Series KB



AMBACH 5061603684  
 EGO 5532563804

AMBACH 5061616223

EGO 5532563800

**3444493 THREE-PHASE THERMOSTAT 360°C**  
 with automatic reset  
 capillary length 1500 mm - 16A 230V  
 bulb  $\varnothing$  4x120 mm  
 for Fry top (MODULAR) - Series 600 - Series 700



EGO 5532562802  
 MODULAR 661.045.00

EGO 5532574010  
 RIEBER 33063306

LINCOLN 369583

**3444832 THREE-PHASE THERMOSTAT 360°C**  
 with manual reset  
 capillary length 1500 mm  
 bulb  $\varnothing$  4x170 mm



EGO 5532574020

LINCOLN 369368

**3444904 THREE-PHASE THERMOSTAT 370°C**  
 with manual reset  
 covered capillary length 1500 mm  
 bulb  $\varnothing$  6x77 mm  
 for Bratt pan (BONNET) - Series GRANDE CARTE



BONNET 1040069

EGO 5532574050



Suitable for:

# Thermostats



**3444363 THREE-PHASE THERMOSTAT 420°C**  
 with manual reset  
 covered capillary length 900 mm - 10A 400V  
 bulb  $\varnothing$  4x310 mm  
 for Bratt pan (LOTUS) - Series 600 - Series 650  
 Series 700  
 for Bratt pan electric (MBM) EBRA - EBRAVI9T  
 EBRA9T - EBRI7 - EBRVI9T - EBR7 - EBR9T  
 for Fry top (LOTUS) - Series 600 - Series 650  
 Series 700  
 for Oven under cooktop (LOTUS) - Series 700  
 Series 900



BARON BN6A046180  
 EGO 5532582804  
 GICO 53403000420  
 MBM RTBF800192  
 OLIS BN6A046180  
 BARON 6A046180  
 EGO 5532582807  
 LOTUS 537012800  
 METOS BN6A046180  
 OLIS 6A046180  
 EGO 5532582802  
 EMMEPI 807793  
 LOTUS 537012700  
 METOS 6A046180

**3444315 THREE-PHASE THERMOSTAT 135°C**  
 with manual reset  
 covered capillary length 1000 mm - 10A 400V  
 bulb a bottone  $\varnothing$  14x20 mm  
 for Boiling pan (ANGELO PO) - Series ALPHA  
 Series DELTA - Series GAMMA - Series JUNIOR  
 Series SENIOR - Series SUMMIT



ANGELO PO 32Z9620  
 ANGELO PO 32Z9621  
 EGO 5532529812

**3444445 THREE-PHASE THERMOSTAT 350°C**  
 covered capillary length 900 mm - 16A 380V  
 bulb  $\varnothing$  3x190 mm  
 for Bratt pan (ZANUSSI) - Series N900  
 for Oven under cooktop (ZANUSSI) - Series N900



ALPENINOX 0C0270  
 ZANUSSI 0C0270  
 EGO 5534162800  
 ELECTROLUX 0C0270

**3444769 THREE-PHASE THERMOSTAT 132°C**  
 with automatic reset  
 capillary length 900 mm - 16A 230V  
 bulb  $\varnothing$  6x80 mm - with adapter nipple band M9x1  
 for Pasta cooker (MARENO)  
 Series 900 PROTAGONISTA NUOVA



EBERHARDT 221856  
 MARENO 1878900  
 SILKO 0105167  
 EGO 5532522843  
 ROSINOX RX94812642  
 MARENO MA1878900  
 SILKO MA1878900

**3444925 THREE-PHASE THERMOSTAT 140°C**  
 with automatic reset  
 capillary length 900 mm  
 bulb  $\varnothing$  6x80 mm



EGO 5534122070  
 THIRODE 301055

**3444342 THREE-PHASE THERMOSTAT 230°C**  
 with automatic reset  
 covered capillary length 1200 mm - 10A 400V  
 bulb  $\varnothing$  6x75 mm - with adapter nipple band M9x1  
 for Fryer electric (MARENO) FQE-41 - FQE-61



EGO 5532543803  
 MARENO MA1878600  
 MARENO 1878600





# Thermostats



Suitable for:

**3444600 SINGLE-PHASE THERMOSTAT 325°C**  
 capillary length 900 mm  
 bulb  $\varnothing$  3x185 mm  
 for Fry top gas (MARENO) FTG-40B - FTG-40BLC  
 FTG-60B - FTG-60BLC - FTG-60BR - FTG-80B  
 FTG-80BR



EGO 5532562828 MARENO MA1942900

Suitable for:

**3444382 THREE-PHASE THERMOSTAT 360°C**  
 with manual reset  
 capillary length 900 mm - 10A 400V  
 bulb  $\varnothing$  6x80 mm  
 differential temperature  $\dot{y}$ 15°C  
 lead connector 6.35x0.8 mm  
 for Boiling pan (MARENO)  
 Series 900 PROTAGONISTA NUOVA  
 for Bratt pan (MARENO)  
 Series 900 PROTAGONISTA NUOVA  
 for Fry top (MARENO)  
 Series 900 PROTAGONISTA NUOVA  
 for Oven under cooktop (MARENO)  
 Series 900 PROTAGONISTA NUOVA



EGO 5532562822 MARENO MA1878500 MARENO 1878500  
SILKO 1878500


**3444149 ADAPTER FOR SELECTOR SWITCH**



EGO 0004695500

**3444549 ADHESIVE PLATE FOR THERMOSTAT 120-190°C**

size 113x86 mm  
 for Fryer (ANGELO PO) - Series ALPHA  
 Series SENIOR



ANGELO PO 37M5670

**3444012 BLACK KNOB  $\varnothing$  41 mm SILK-SCREEN PRINTED**

D-shaped pin  $\varnothing$  6x4.6 mm  
 for thermostat TR/2



ROSINOX RX94800935

**3444009 BLACK KNOB  $\varnothing$  41 mm 0-120°C**

D-shaped pin  $\varnothing$  6x4.6 mm  
 for thermostat TR/2



CAMURRI 050B0250

MOBILE CONTAINING 957060

SAMMIC 2309065

**3444010 BLACK KNOB  $\varnothing$  41 mm 0-210°C**

D-shaped pin  $\varnothing$  6x4.6 mm  
 for thermostat TR/2



**3444011 BLACK KNOB  $\varnothing$  41 mm 0-300°C**

D-shaped pin  $\varnothing$  6x4.6 mm  
 for thermostat TR/2





# Thermostats



Suitable for:

**3444008 BLACK KNOB  $\varnothing$  41 mm 0-90°C**  
D-shaped pin  $\varnothing$  6x4.6 mm  
for thermostat TR/2



ANGELO PO 36M2830  
CF CENEDESE 63.6.0262  
ELETTROBAR 929042  
GIGA SD903982  
SAMMIC 2309065  
WHIRLPOOL 483286008153

CAMPEONA 13/73  
CF CENEDESE 63.6.0264  
EMMEPI 903982  
NUOVA SIMONELLI 18010388  
SILANOS 903982

CAMURRI 050B0251  
DEXION  
FORVED VETRMANTERM  
REPAGAS 25304010  
VEMA XRPV16

Suitable for:

**3444617 BULB CONNECTION  $\varnothing$  9.5 mm 3/8" HOLE**  
stuffing gland  $\varnothing$  1/4"



EGO 6700700100


**3444616 BULB CONNECTION M12 HOLE  $\varnothing$  6 mm**  
stuffing gland M9x1



EGO 6706100100

JEMI 2037051

**1444011 BULB HOLDING CLIP**  
for heating element thermostat



ANIMO 06336

**3444224 BULB HOLDING CLIP**  
internal  $\varnothing$  6 and 8 mm  
for Fryer (GIGA) - Series 600 - Series 700  
Series 900



GIGA M86500

WHIRLPOOL 483286000177

**3444279 BULB HOLDING CLIP**  
per termostato resistenza



ALPENINOX 066823

ELECTROLUX 066823

ZANUSSI 066823

**3444579 BULB HOLDING CLIP**  
per termostato resistenza



ALPENINOX 052262

ELECTROLUX 052262

ZANUSSI 052262

**3444833 BULB HOLDING CLIP**  
for oven thermostat



LINCOLN 369547

**3744084 BULB HOLDING CLIP**  
for heating element thermostat



ALPENINOX 0H6907  
ZANUSSI 0H6907

ELECTROLUX 0H6907

JUNO-RÖDER-SENKING 279296

**3250220 BULB HOLDING CLIP  $\varnothing$  6 mm**  
for Fryer electric (GIGA) CF4E - CF6E - IF1E4  
IF2E6 - IF4E - IF6E - KFE1 - KFE2 - OPFE1  
OPFE2 - SKF1E - SKF2E - SKF4E - SKF6E - TF4E  
TF6E



GIGA M86800

WHIRLPOOL 483286009649



# Thermostats



Suitable for:

**3444605 BULB HOLDING CLIP  $\varnothing$  6 mm**  
for fryer thermostat  
for Fryer electric (MARENO) FQE-61 - FQE-61L  
FQE-61L2



MARENO MA1033515200

Suitable for:

**3250218 BULB HOLDING CLIP  $\varnothing$  8,5 mm**  
for Fryer electric (GIGA) CF2E4 - SKF2E4 - SK10DSE  
SK10SE - TF2EA - 15DPE - 15PE



GIGA M86900

WHIRLPOOL 483286000554

**3786474 EPDM GASKET**



EGO 0006706103

EGO 6706103

**3444827 GAS THERMOSTAT 200-600°F/93-316°C**  
120Vac 50/60Hz



LINCOLN 369801

**3444215 GLAND FOR THERMOSTAT 12x1**



ALPENINOX 067899  
ZANUSSI 067899

EGO

ELECTROLUX 067899

**3444823 KIT FOR SAFETY THERMOSTAT**



FRYMASTER 8261000

**3444122 MILLED GLAND FOR THERMOSTAT BULB 10x1**



EGO 2702130001

EGO 616085

GIORIK 6030024

**3444121 MILLED GLAND FOR THERMOSTAT 9x1**



ALPENINOX 027061  
ELECTROLUX 027061  
OLIS 6A038801  
ZANUSSI 027061

EGO 615121  
METOS BN6A038801  
OLIS BN6A038801

EGO 0000270611  
METOS 6A038801  
WHIRLPOOL 167899

**3444845 OPERATING THERMOSTAT 210°C**  
D-shaped pin  $\varnothing$  6x4 mm  
capillary length 470 mm  
bulb  $\varnothing$  6x135 mm  
for Display cabinet warm (HENNY PENNY) CW114  
CW216 - HCS2 - HCW5 - HCW8



HENNY PENNY HP64103

**3444124 PROTECTION CAP**  
for security thermostat



ALPENINOX 0A2187  
ELECTROLUX 0A2187  
ZANUSSI 0A2187

EGO 525020  
ELETTROBAR 410006

EGO 0000525020  
UNOX



Suitable for:

# Thermostats



**3241870 RING NUT  $\varnothing$  52 mm**  
chrome plated metal  
for EGO thermostate knob



CAPIC E401313  
EGO 6762105000  
FRIMA  
METOS  
SOLYMAC P79A

DEL RUE NEP1400  
EGO 6762108  
JEMI  
MORICE

EGO 6762105  
EGO 6762000020  
LOWERATOR 105121  
SILKO 0101211

**3444013 RING NUT  $\varnothing$  55 mm**  
chrome-plated metal  
for thermostat TR/2 knob



CAMURRI 050B0240

MODULAR

**2111707 SINGLE PHASE THERMOSTAT 175°C**  
with automatic reset  
capillary length 600 mm - 16A 250V  
bulb  $\varnothing$  7,5x30 mm



EGO 5514139800

**3444521 SINGLE PHASE THERMOSTAT 335°C**  
manual reset  
capillary length 1000 mm  
bulb  $\varnothing$  3x195 mm - 20A 250V  
for Panini grill electric (UNOX) XP010 - XP020



TECNOEKA 01200400  
UNOX TR250

UNOX KTR254  
UNOX TR254

UNOX TR240  
UNOX KTR1134A

**3444700 SINGLE-PHASE THERMOSTAT KIT 50-200°C**  
D-shaped pin  $\varnothing$  6x4.6 mm  
with commutator and bulb sheath knob  
capillary length 870 mm  
bulb  $\varnothing$  6x80 mm - with adapter nipple bland M9x1  
for Fryer (JEMI) - Series 1000 - Series 600  
Series 700 - Series 900



JEMI 998151

**3444636 SINGLE-PHASE THERMOSTAT TR2 30-86°C**  
D-shaped pin  $\varnothing$  6x4.6 mm  
capillary length 850 mm - 16A 400V  
bulb  $\varnothing$  6.5x95 mm



ROLLER GRILL A06003

**3444537 SINGLE-PHASE THERMOSTAT 0-110°C**  
D-shaped pin  $\varnothing$  6x4.6 mm  
covered capillary length 2100 mm  
bulb  $\varnothing$  6x135 mm  
for Food-service trolley (RIEBER) BM311



RIEBER 33061801

**3444538 SINGLE-PHASE THERMOSTAT 0-110°C**  
D-shaped pin  $\varnothing$  6x4.6 mm  
covered capillary length 2200 mm  
bulb  $\varnothing$  6x135 mm  
for Food-service trolley (RIEBER) - Series STW  
Series ZUB



RIEBER 33060401



# Thermostats



Suitable for:

## 3444540 SINGLE-PHASE THERMOSTAT 0-110°C

D-shaped pin  $\varnothing$  6x4.6 mm  
covered capillary length 1400 mm  
bulb  $\varnothing$  6x140 mm  
for Food-service trolley (RIEBER)



RIEBER 33060301

Suitable for:

## 3444728 SINGLE-PHASE THERMOSTAT 0-190°C

D-shaped pin 6x4.6 mm  
capillary length 510 mm - 20A 250V  
bulb  $\varnothing$  6x66 mm  
for Fryer (COCINAS SALA)



COCINAS SALA R2510

## 3744119 SINGLE-PHASE THERMOSTAT 100-325°F

D-shaped pin  $\varnothing$  6x4.6 mm  
capillary length 1050 mm - 30A 277V  
bulb  $\varnothing$  5x280 mm  
for Food-service trolley electric (ALTO-SHAAM) 1767-SK  
for Hot cupboard (ALTO-SHAAM) 1000-TH-I  
1000-TH-II - 500-TH-II - 750-TH-II  
for Hot cupboard electric (ALTO-SHAAM) 767-SK



ALTO-SHAAM TT-3329

## 5038072 SINGLE-PHASE THERMOSTAT 100-350°C

complete with auxiliary switch  
D-Shaft 6x4.6 mm  
covered capillary length 870 mm - 16A 400V  
bulb  $\varnothing$  3x144 mm  
for Bratt pan (MARENO)  
Series 900 PROTAGONISTA NUOVA



EGO 5519662010

MARENO CR0581280

## 3443073 SINGLE-PHASE THERMOSTAT 100-680°C

complete with auxiliary selector switch  
D-shaped pin  $\varnothing$  6x4.6 mm  
covered capillary length 1100 mm - 16A 230V  
bulb  $\varnothing$  4x230 mm  
for Oven under cooktop electric (AMBASSADE) CE841VTR



AMBASSADE 6535284

EGO 5534683070

## 3444260 SINGLE-PHASE THERMOSTAT 105-185°C

complete with auxiliary selector switch  
D-shaped pin  $\varnothing$  6x4.6 mm  
covered capillary length 900 mm - 16A 250V  
threaded bulb  $\varnothing$  1/2"x91 mm  
for Fryer (ANGELO PO) - Series JUNIOR



ANGELO PO 3226630

EGO P098161705

EGO 5519032816

## 3444478 SINGLE-PHASE THERMOSTAT 120-400°C

complete with knob and indexed ring nut  
D-shaped pin  $\varnothing$  6x4.6 mm  
covered capillary length 900 mm - 16A 250V  
bulb  $\varnothing$  4x230 mm  
for Panini grill electric (UNOX) XP010P - XP010PR  
XP010PT - XP020 - XP020P - XP020PR - XP020PT  
XP020R - XP020T



EGO 5519082806

UNOX TR016

UNOX KTR1131A

UNOX TR017

UNOX KTR1131A+KMN1105A

UNOX KTR006

## 3241942 SILVER KNOB $\varnothing$ 55 mm 120-400°C

complete with ring nut  
D-shaped hole 6x4.6 mm  
for Panini grill electric (UNOX) XP010P - XP010PR  
XP010PT - XP020 - XP020P - XP020PR - XP020PT  
XP020R - XP020T



UNOX KMN1105A



Suitable for:

# Thermostats



**3444771 SINGLE-PHASE THERMOSTAT 125°C**  
with manual reset  
covered capillary length 900 mm - 16A 230V  
bulb  $\varnothing$  3.1x120 mm



EBERHARDT 213944  
SILKO 0101404

EGO 5532522831

ROSINOX RX94805231

**2101415 SINGLE-PHASE THERMOSTAT 130-190°C**  
D-shaped pin 6x4.6 mm  
capillary length 1250 mm - 16A 250V  
bulb  $\varnothing$  6x120 mm



EGO 5517039010

LINCAT TH69

LINCAT TH10

**3444979 SINGLE-PHASE THERMOSTAT 150°C**  
with manual reset  
capillary length 1000 mm - 15A 250V  
bulb  $\varnothing$  6x175 mm  
for Bain-marie (BONNET) - Series SYMPHONIE



BONNET 905687

EGO 5131915220

**3444261 SINGLE-PHASE THERMOSTAT 160-190°C**  
complete with wiring  
threaded bulb  $\varnothing$  1/2" -  $\varnothing$  16x93 mm  
with adjusting screw  
for Fryer (ANGELO PO) - Series JUNIOR  
Series SENIOR



ANGELO PO 6300359

**3444476 SINGLE-PHASE THERMOSTAT 170°C**  
2 contacts  
covered capillary length 560 mm - 16A 250V  
bulb  $\varnothing$  3x160 mm  
for Hot cupboard electric (ZANUSSI)  
for Warm table electric (ZANUSSI)



ALPENINOX 031482  
WHIRLPOOL 131482

EGO 5511539801  
ZANUSSI 031482

ELECTROLUX 031482

**3444481 SINGLE-PHASE THERMOSTAT 20-440°C**  
complete with knob  
D-shaped pin  $\varnothing$  6x4.6 mm  
capillary length 1100 mm  
button bulb  $\varnothing$  20x20 mm  
for Oven under cooktop (AMBACH) - Series KE  
Series KS



AMBACH 5061608151

AMBACH 5061608296

**3444316 SINGLE-PHASE THERMOSTAT 200°C**  
with manual reset  
covered capillary length 900 mm - 16A 250V  
bulb  $\varnothing$  6x70 mm  
for Bain-marie gas (ANGELO PO) - Series ALPHA  
Series DELTA



ANGELO PO 32V0460

EGO 5532532817

**5032993 SINGLE-PHASE THERMOSTAT 200-375°F**  
D-shaped pin  $\varnothing$  6x4.6 mm  
capillary length 600 mm  
bulb  $\varnothing$  80x120 mm - w/stuffing gland fitting M8x1  
with tank sealing fitting  $\varnothing$  1/4"  
for Fryer (FRYMASTER) GF14 - GF14ST - GF40  
GF40ST



FRYMASTER 8071692



# Thermostats



Suitable for:

**3444840 SINGLE-PHASE THERMOSTAT 200-400°F**  
 complete with silk-screen printed knob  $\varnothing$  50 mm  
 D-shaped pin  $\varnothing$  6x4.6 mm  
 capillary length 1250 mm - 50VA 120-277Vac  
 bulb  $\varnothing$  6x320 mm - with stuffing gland fitting M8x1  
 with tank sealing fitting  $\varnothing$  1/4"



ROBERTSHAW R-KX-65-48

ROBERTSHAW R-5300-714

Suitable for:

**3444841 SINGLE-PHASE THERMOSTAT 200-400°F**  
 complete w/screen print.knob  $\varnothing$  50 mm and ring nut  
 D-shaped pin  $\varnothing$  6x4.6 mm  
 capillary length 930 mm  
 bulb  $\varnothing$  10x130 mm - w/ stuffing gland fitting M8x1  
 with tank sealing fitting  $\varnothing$  1/4"



ROBERTSHAW R-5300-711

**3444847 SINGLE-PHASE THERMOSTAT 200-400°F**  
 D-shaped pin  $\varnothing$  6x4.6 mm  
 bulb  $\varnothing$  9x130 mm - w/ stuffing gland fitting M13x1  
 for Fryer electric (HENNY PENNY) PFE600  
 for Fryer gas (HENNY PENNY) PFG600



HENNY PENNY HP14293

ROBERTSHAW R-EA5-305-46

ROBERTSHAW R-EA5-305-48

**5039063 SINGLE-PHASE THERMOSTAT 200-400°F**  
 D-shaped pin  $\varnothing$  6x4.6 mm  
 capillary length 920 mm  
 bulb  $\varnothing$  10x100 mm - w/stuffing gland fitting M8x1  
 with tank sealing fitting  $\varnothing$  1/4"



FRYMASTER 8262013

GARLAND 227141

**3744126 SINGLE-PHASE THERMOSTAT 200-450°F**  
 complete w/silkscreen printed knob  $\varnothing$  50 mm  
 D-shaped pin  $\varnothing$  6x4.6 mm  
 capillary length 860 mm  
 bulb  $\varnothing$  5x250 mm



ROBERTSHAW R-5300-114

**3444554 SINGLE-PHASE THERMOSTAT 210°C**  
 covered capillary length 1250 mm  
 bulb  $\varnothing$  6x47 mm  
 for Boiling pan (ZANUSSI) - Series N900



ALPENINOX 0C1000  
ZANUSSI 0C1000

EGO 5534143802

ELECTROLUX 0C1000

**3444821 SINGLE-PHASE THERMOSTAT 218°C**  
 complete with wiring  
 threaded bulb  $\varnothing$  1/2" -  $\varnothing$  13x100 mm  
 with adjusting screw  
 for Fryer gas (FRYMASTER) MJ35



FRYMASTER 8067550

**3444928 SINGLE-PHASE THERMOSTAT 218°C**  
 complete with wiring  
 threaded bulb  $\varnothing$  1/2" (15/21) -  $\varnothing$  13.5x83 mm  
 for Fryer gas (FRYMASTER) GF14 - J1C - MJCF  
 MJCFEC - MJ35 - MJ45E



FRYMASTER 806-0178  
 FRYMASTER 806-0714  
 FRYMASTER 806-5333  
 FRYMASTER 8060179  
 FRYMASTER 8063410  
 FRYMASTER 8261177

FRYMASTER 806-0178SP  
 FRYMASTER 806-0814  
 FRYMASTER 8060178  
 FRYMASTER 8060714  
 FRYMASTER 8065333

FRYMASTER 806-0179  
 FRYMASTER 806-3410  
 FRYMASTER 8060178SP  
 FRYMASTER 8060814  
 FRYMASTER 826-1177



Suitable for:

# Thermostats



**3444657 SINGLE-PHASE THERMOSTAT 220°C**  
 with manual reset  
 complete with bulb and plate fastening clips  
 capillary length 1130 mm - 16A 250V  
 bulb  $\varnothing$  3x158 mm - with stuffing gland fitting M9x1  
 for Fryer (FRI FRI) - Series ECO



EGO 5610549590  
FRI FRI FW600382

FRI FRI 600382

FRI FRI 600709

**3444915 SINGLE-PHASE THERMOSTAT 220°C**  
 with automatic reset  
 capillary length 1500 mm  
 bulb  $\varnothing$  6x80 mm - with stuffing gland fitting M9x1  
 for Fryer gas (CAPIC) AB20 - A20 - CA10 - CT1  
 CTIB - C10 - 2045 - 3085



CAPIC E401006

EGO 5533544020

**3444985 SINGLE-PHASE THERMOSTAT 225°C**  
 with manual reset  
 capillary length 1000 mm  
 bulb  $\varnothing$  5x145 mm  
 for Fryer gas (PITCO FRIALATOR)



PITCO FRIALATOR P5047181

**3444483 SINGLE-PHASE THERMOSTAT 230°C**  
 with manual reset  
 capillary length 900 mm - 0.5A 12V  
 bulb  $\varnothing$  6x87 mm  
 for Fryer (AMBACH) - Series FG - Series GF  
 Series GY



ALPENINOX 0C4279  
ELECTROLUX 0C4279

AMBACH 5061614325  
ZANUSSI 0C4279

EGO 5532542836

**3444497 SINGLE-PHASE THERMOSTAT 230°C**  
 with automatic reset  
 capillary 850 mm - 16A 250V  
 bulb  $\varnothing$  6x78 mm - with adapter nipple bland M9x1  
 for Fryer (MARENO)



EGO 5532542833

MARENO MA1871100

MARENO 1871100

**3444598 SINGLE-PHASE THERMOSTAT 230°C**  
 with manual reset  
 covered capillary length 930 mm - 16A 250V  
 bulb  $\varnothing$  5x70 mm  
 for Fryer (MOVILFRIT)  
 for Fryer electric (REPAGAS) FE10 - FE17 - FE8



GAYC 12411040

MOVILFRIT 901770

REPAGAS 57103016

**3444639 SINGLE-PHASE THERMOSTAT 230°C**  
 with manual reset  
 covered capillary length 900 mm  
 bulb  $\varnothing$  3x160 mm  
 for Fryer (CF CENEDESE)



CF CENEDESE 63.7.0630

**3444651 SINGLE-PHASE THERMOSTAT 230°C**  
 with manual reset  
 capillary length 950 mm - 16A 250V  
 bulb  $\varnothing$  3x190 mm  
 for Fryer electric (BERTO'S) ELT10 - ELT4 - ELT8  
 for Fryer electric (ELETTOBAR) FRI12 - FRI6  
 FRI9



BERTO'S 33070300

ELETTOBAR 236034

ELETTOBAR 236045





# Thermostats



Suitable for:

Suitable for:

**3444970 SINGLE-PHASE THERMOSTAT 230°C**  
 with manual reset  
 capillary length 1800 mm  
 bulb  $\varnothing$  6x75 mm - with adapter nipple bland M9x1  
 with complete tank joint M12x1



EGO 5533545040

MORICE TH0108

**3744002 SINGLE-PHASE THERMOSTAT 230°C**  
 with manual reset  
 capillary length 1500 mm  
 bulb  $\varnothing$  6x77 mm - with adapter nipple bland  
 for Bratt pan (COMETTO)  
 for Fryer (COMETTO)



COMETTO 50069

EGO 5610543500

SOLYMAC P78

**3744097 SINGLE-PHASE THERMOSTAT 230°C**  
 complete with cut-off thermocouple  
 with manual reset  
 capillary length 750 mm  
 bulb  $\varnothing$  6x77 mm  
 for Fryer (EMMEPI) - Series 900



EGO 5610542560

EMMEPI C00377

EMMEPI

EGO 5610549500

EMMEPI C00926

EMMEPI 513130201

EMMEPI C00169

EMMEPI C00926+C00169+...

EMMEPI 513130201+C00169+

**3444848 SINGLE-PHASE THERMOSTAT 232°C**  
 with manual reset  
 capillary length 920 mm  
 bulb  $\varnothing$  5x185 mm - with stuffing gland fitting M8x1  
 with tank sealing fitting  $\varnothing$  3/8"  
 for Fryer electric (HENNY PENNY) OFE290 - OFE291  
 PFE500 - PFE561 - PFE590  
 for Fryer gas (HENNY PENNY) OFG390 - PFG500  
 PFG561 - PFG690 - PFG691



HENNY PENNY HP16738

ROBERTSHAW R-LCH060300000

**3444641 SINGLE-PHASE THERMOSTAT 235°C**  
 with manual reset  
 covered capillary length 1000 mm  
 bulb  $\varnothing$  3x185 mm  
 for Fryer (CF CENEDESE)



CF CENEDESE 63.7.0632

FB FABA PR70008

LOTUS 402511000

**3744001 SINGLE-PHASE THERMOSTAT 235°C**  
 with manual reset  
 capillary length 800 mm  
 bulb  $\varnothing$  6x125 mm - with stuffing gland fitting M13x1  
 for Fryer (PITCO FRIALATOR) 14RSS



PITCO FRIALATOR PP10084

ROBERTSHAW R-LCHM-0503000

PITCO FRIALATOR PP10271

ROBERTSHAW R-LCH4502400000

PITCO FRIALATOR P5047210

**3444990 SINGLE-PHASE THERMOSTAT 235°C LCH**  
 with manual reset  
 capillary length 800 mm  
 bulb  $\varnothing$  8x78 mm  
 for Fryer (PITCO FRIALATOR)



PITCO FRIALATOR P5047216

ROBERTSHAW R-LCH3703000

**3444548 SINGLE-PHASE THERMOSTAT 240°C**  
 with manual reset  
 capillary length 400 mm  
 bulb  $\varnothing$  4x90 mm  
 for Fryer (FIMAR) - Series FT - Series SF



FIMAR CO1110



Suitable for:

# Thermostats



**3444729 SINGLE-PHASE THERMOSTAT 240°C**  
with manual reset  
capillary length 530 mm - 20A 250V  
bulb  $\varnothing$  6x60 mm  
for Fryer (COCINAS SALA)



COCINAS SALA R2511

**3444765 SINGLE-PHASE THERMOSTAT 240°C**  
covered capillary length 550 mm - 16A 230V  
bulb  $\varnothing$  4x90 mm  
for Fryer electric (ROLLER GRILL) RF12 - RF14  
RF25 - RF3 - RF5 - RF8



BARTSCHER 1010501  
ROLLER GRILL A06004

CAPIC E401002

EGO 5511549080

**3444815 SINGLE-PHASE THERMOSTAT 240°C**  
D-shaped pin  $\varnothing$  6x4.6 mm  
capillary length 1400 mm  
bulb  $\varnothing$  6x160 mm



GARLAND 2300500

**3444475 SINGLE-PHASE THERMOSTAT 250°C**  
with manual reset  
capillary length 900 mm  
bulb  $\varnothing$  3.1x174 mm



EGO 5514542040

**3444634 SINGLE-PHASE THERMOSTAT 250°C**  
with manual reset  
capillary length 530 mm  
bulb  $\varnothing$  6x55 mm  
for FRYER 7-8-10 L  
for Fryer (DOSILET)



DOSILET 400007014

EGO 5610549610

**3444684 SINGLE-PHASE THERMOSTAT 250°C**  
with manual reset  
covered capillary length 900 mm  
bulb  $\varnothing$  6x90 mm  
for Fryer (ZANUSSI) - Series N700 - Series N900



ALPENINOX 005931  
ZANUSSI 005931

EGO 5532542858

ELECTROLUX 005931

**3744112 SINGLE-PHASE THERMOSTAT 27-106°C**  
D-shaped pin  $\varnothing$  6x4.6 mm  
capillary length 1750 mm - 16A 250V  
bulb  $\varnothing$  6x113 mm  
for Food-service trolley (BLANCO) BLT1020EB - SAG2  
SAG3



BLANCO 106380

EGO 5518025020

**3444814 SINGLE-PHASE THERMOSTAT 280°C**  
D-shaped pin  $\varnothing$  6x4.6 mm  
capillary length 1350 mm  
bulb  $\varnothing$  6x300 mm  
for Oven under cooktop (GARLAND)



GARLAND G02902-01



# Thermostats



Suitable for:

**3444320 SINGLE-PHASE THERMOSTAT 285°C**  
 with manual reset  
 covered capillary length 1500 mm - 16A 250V  
 bulb  $\varnothing$  4x115 mm  
 for Fryer (ANGELO PO) - Series ALPHA  
 Series BIFRONTE - Series DELTA - Series GAMMA  
 Series JUNIOR - Series OMEGA - Series SENIOR  
 Series SUMMIT



ANGELO PO 3225610

EGO 5532554800

Suitable for:

**3444645 SINGLE-PHASE THERMOSTAT 290°C**  
 with automatic reset  
 capillary length 2025 mm  
 bulb  $\varnothing$  6x57 mm  
 for Boiling pan (FAGOR) - Series MG-BM  
 for Fryer (MOVILFRIT)  
 for Fryer electric (FAGOR) FE-18 - FE-25 - FE-4  
 FE-6 - FE-8




EGO 5511549050

FAGOR X033001000

MOVILFRIT 901771

**3444470 SINGLE-PHASE THERMOSTAT 30-110°C**  
 complete with switch  
 D-shaped pin  $\varnothing$  6x4.6 mm  
 capillary length 870 mm - 16A 400V  
 bulb  $\varnothing$  6x113 mm



EGO 5513622080

**3444685 SINGLE-PHASE THERMOSTAT 30-110°C**  
 D-shaped pin  $\varnothing$  6x4.6 mm  
 capillary length 1000 mm  
 bulb  $\varnothing$  6x100 mm  
 for Bain-marie (EMMEPI) - Series 700 - Series 750  
 Series 900  
 for Hot cupboard (EMMEPI) - Series 700  
 Series 750 - Series 900



EMMEPI C00219

EMMEPI C00220

EMMEPI 807256

**3444742 SINGLE-PHASE THERMOSTAT 30-130°C**  
 D-shaped pin  $\varnothing$  6x4.6 mm  
 capillary length 850 mm - 16A 230V  
 bulb  $\varnothing$  6x80 mm



BLANCO 105797

EGO 5514022120

**3444797 SINGLE-PHASE THERMOSTAT 30-210°C**  
 D-shaped pin  $\varnothing$  6x4.6 mm  
 capillary 500 mm - 20A 250V  
 bulb  $\varnothing$  6x65 mm  
 for Fryer (COCINAS SALA)



COCINAS SALA R2512

**3444560 SINGLE-PHASE THERMOSTAT 30-90°C**  
 D-shaped pin 6x4.6 mm  
 capillary covered length 1450 mm - 23A 400V  
 bulb  $\varnothing$  6x90 mm  
 for Food-service trolley (ZANUSSI)



ALPENINOX 033716

ELECTROLUX 033716

ZANUSSI 033716



Suitable for:

# Thermostats



**3444056 SINGLE-PHASE THERMOSTAT 30-93°C**  
 complete with auxiliary selector switch  
 D shaft  $\varnothing$  6x4.6 mm  
 covered capillary length 900 mm - 16A 250V  
 button bulb  $\varnothing$  31 mm  
 for Bain-marie (ANGELO PO) - Series GAMMA  
 Series JUNIOR  
 for Hot cupboard (ANGELO PO)  
 for Self service counter (ANGELO PO)



ANGELO PO 3220410  
EGO 5513612150

EGO 5141918030

EGO 5141918500

**3186451 THERMOSTAT GASKET  $\varnothing$  40 mm**  
 internal hole  $\varnothing$  18 mm  
 for Bain-marie (ANGELO PO) - Series GAMMA  
 Series JUNIOR  
 for Hot cupboard (ANGELO PO)  
 for Self service counter (ANGELO PO)



ANGELO PO 3150270

**3444813 SINGLE-PHASE THERMOSTAT 310°C**  
 D-shaped pin  $\varnothing$  6x4.6 mm  
 capillary length 1350 mm  
 bulb  $\varnothing$  6x300 mm  
 for Oven under cooktop (GARLAND) E686



GARLAND G0894-01

**3444681 SINGLE-PHASE THERMOSTAT 318°C**  
 capillary length 800 mm  
 bulb  $\varnothing$  4x110 mm - with adapter nipple band M9x1  
 with complete tank joint M12x1



EGO 5511569020  
PALUX 242746

ELOMA 336004

ELOMA E0232

**2101404 SINGLE-PHASE THERMOSTAT 32-110°C**  
 D-shaft  $\varnothing$  6x4.6 mm  
 capillary 870 mm - 16A 240V  
 bulb  $\varnothing$  6x100 mm - adapter nipple bland M9x1



CORSAIR 47-030  
MOFFAT 1103

EGO 5518022010  
VISCOUNT 932292-01

LINCAT TH34

**3444655 SINGLE-PHASE THERMOSTAT 320°C**  
 with manual reset  
 covered capillary length 1800 mm - 16A 250V  
 bulb  $\varnothing$  4x100 mm  
 for Fryer (FRI FRI) - Series FFS



EGO 5610555500

FRI FRI 601275

FRI FRI 600711

**3444731 SINGLE-PHASE THERMOSTAT 34-114°C**  
 D-shaped pin  $\varnothing$  6x4.6 mm  
 capillary length 900 mm - 16A 230V  
 button bulb  $\varnothing$  31 mm



EGO 5513022450

MKN 203167

**3444474 SINGLE-PHASE THERMOSTAT 35-128°C**  
 D-shaped pin  $\varnothing$  6x4.6 mm  
 covered capillary length 880 mm  
 bulb  $\varnothing$  3.1x174 mm



EGO 5514022100



# Thermostats



Suitable for:

## 3444658 SINGLE-PHASE THERMOSTAT 35-188°C

D-shaped pin  $\varnothing$  6x4.6 mm  
covered capillary length 500 mm - 16A 250V  
bulb  $\varnothing$  3x155 mm  
for Fryer (FRI FRI) - Series ECO



EGO 5513039380

FRI FRI 400772

Suitable for:

## 3186790 GASKET FOR THERMOSTAT



FRI FRI 998999

## 3444310 SINGLE-PHASE THERMOSTAT 360°C

with manual reset  
capillary length 900 mm - 16A 250V  
bulb  $\varnothing$  6x75 mm  
for Bratt pan (BARON) - Series 700 - Series 900  
for Fry top (BARON) - Series 700 - Series 900



BARON BN826630010

BARON 826630010

EGO 5532562819

## 3444595 SINGLE-PHASE THERMOSTAT 40-280°C

D-shaped pin  $\varnothing$  6x4.6 mm  
capillary 850 mm - 16A 400V  
bulb  $\varnothing$  3x145 mm  
for Panini grill electric (ROLLER GRILL) SAVOJE  
for Fry top electric (ROLLER GRILL) PSR900E  
PSR900EC



ROLLER GRILL A06032

## 3744134 SINGLE-PHASE THERMOSTAT 435°F

with automatic reset  
capillary length 900 mm  
bulb  $\varnothing$  80x100 mm - w/stuffing gland fitting M8x1  
with tank sealing fitting  $\varnothing$  1/4"



image of  
selected item  
not  
available

FRYMASTER 8073516

## 3444820 SINGLE-PHASE THERMOSTAT 440°F

with automatic reset  
capillary length 600 mm  
bulb  $\varnothing$  5x260 mm  
for Fryer (FRYMASTER) FH14 - FMH14 - FMH214  
FMH314 - FPH317CSD



FRYMASTER 8071070

FRYMASTER 8261001

## 3744122 SINGLE-PHASE THERMOSTAT 450°F

D-shaped pin  $\varnothing$  6x4.6 mm  
capillary length 850 mm - 30A 277V  
bulb  $\varnothing$  5x285 mm  
for Potato heater (ALTO-SHAAM) 100-HSL/BCS-2  
100-HSL/BCS-2S - 100-HSL/TM - 100-HSL/TMS  
for Warm table (ALTO-SHAAM) 200-HFT - 300-HFT  
300-HST - 300-TMC



ALTO-SHAAM TT-3498

## 5060416 SINGLE-PHASE THERMOSTAT 450°F

with manual reset  
capillary length 840 mm  
bulb  $\varnothing$  80x100 mm - w/stuffing gland fitting M8x1  
with tank sealing fitting  $\varnothing$  1/4"



FRYMASTER 8073680



Suitable for:

# Thermostats



## 3444640 SINGLE-PHASE THERMOSTAT 50-190°C

D-shaped pin  $\varnothing$  6x4.6 mm  
covered capillary length 850 mm  
bulb  $\varnothing$  3x140 mm  
for Fryer (CF CENEDESE)



CF CENEDESE 63.7.0640

Suitable for:

## 3444628 SINGLE-PHASE THERMOSTAT 50-250°C

complete with knob and nut  
D-shaped pin  $\varnothing$  6x4.6 mm  
capillary length 800 mm  
bulb  $\varnothing$  3x180 mm  
for Panini grill electric (SAMMIC) GLD - GRD - GRL  
GRS



EGO 5517042060

SAMMIC 6100070

## 3444392 SINGLE-PHASE THERMOSTAT 50-300°C

complete with knob  
capillary length 900 mm - 23A 400V  
bulb  $\varnothing$  4x95 mm  
for Panini grill electric (FIMAR) PD50 - PS24  
PS36



FIMAR CO1708

FIMAR CO1745

## 3444514 SINGLE-PHASE THERMOSTAT 50-300°C

D-shaped pin  $\varnothing$  6x4.6 mm  
capillary length 660 mm - 16A 240V  
bulb  $\varnothing$  4x100 mm



EMMEPI 808872

NUOVA SIMONELLI 15320005

SIRMAN IGS460

## 3444543 SINGLE-PHASE THERMOSTAT 50-300°C

D-shaped pin 6x4.6 mm  
capillary length 840 mm - 16A 250V  
bulb  $\varnothing$  3x185 mm



EGO 5517052100

EMMEPI 809924

FB FAB A PR10009

FIMAR CO1941

## 3444547 SINGLE-PHASE THERMOSTAT 50-300°C

D-shaped pin 6x4.6 mm  
capillary length 470 mm - 16A 250V  
bulb  $\varnothing$  4x115 mm



MILAN TOAST 16481

## 3444177 SINGLE-PHASE THERMOSTAT 50-310°C

complete with auxiliary selector switch  
D-shaped pin  $\varnothing$  6x4.6 mm  
covered capillary length 1500 mm - 16A 250V  
bulb  $\varnothing$  4x120 mm  
for Bratt pan (ANGELO PO)  
for Fry top (ANGELO PO)



ANGELO PO 32V6510

ANGELO PO 32Z2670

EGO 5143958630

## 3444635 SINGLE-PHASE THERMOSTAT 50-320°C

D-shaped pin  $\varnothing$  6x4.6 mm  
covered capillary length 1200 mm  
double bulb  $\varnothing$  3x120 mm  
for Oven under cooktop (LOTUS) - Series 600  
Series 650



BONNET 2050031

EGO 5519069831

LOTUS 537019100



# Thermostats



Suitable for:

Suitable for:

**3444525 SINGLE-PHASE THERMOSTAT 50-95°C**  
 D-shaped pin  $\varnothing$  6x4.6 mm  
 covered capillary length 1470 mm  
 bulb  $\varnothing$  6x113 mm  
 for Food-service trolley (BLANCO) - Series SAG  
 Series SAW - Series STW



BLANCO 105796      EGO 5514014040      EGO 5514014060

**3444754 SINGLE-PHASE THERMOSTAT 50-98°C**  
 D-shaped pin 6x4.6 mm  
 covered capillary length 2400 mm - 16A 230V  
 bulb  $\varnothing$  3x335 mm - with stuffing gland M9x1



ALPENINOX 0H6440      EGO 5519219030      EGO 9755192017  
 EGO 5510219080      ELECTROLUX 0H6440      JUNO-RÖDER-SENKING 232909  
 ZANUSSI 0H6440

**3444467 SINGLE-PHASE THERMOSTAT 55-180°C**  
 complete with switch  
 D-shaped pin  $\varnothing$  6x4.6 mm  
 covered capillary length 870 mm - 16A 250V  
 bulb  $\varnothing$  4x120 mm  
 for Boiling pan (MARENO) - Series 700  
 Series 900 PROTAGONISTA  
 for Fryer (MARENO) - Series 700 - Series 900



EGO 5510632800      EGO 5519632020      ROSINOX RX94812560

**3744118 SINGLE-PHASE THERMOSTAT 60-210°F**  
 D-shaped pin  $\varnothing$  6x4.6 mm  
 capillary length 914 mm  
 bulb  $\varnothing$  5x390 mm  
 for Hot cupboard (ALTO-SHAAM) 500-1DN - 500-2DN  
 500-3D - 500-3DN - 750-S



ALTO-SHAAM TT-33626

**3744120 SINGLE-PHASE THERMOSTAT 60-210°F**  
 D-shaped pin  $\varnothing$  6x4.6 mm  
 capillary length 1000 mm - 15A 250V  
 bulb  $\varnothing$  5x400 mm  
 for Food-service trolley electric (ALTO-SHAAM)  
 1767-SK  
 for Hot cupboard (ALTO-SHAAM) 1000-TH-I  
 1000-TH-II - 500-TH-II - 500-2DN - 750-TH-II  
 for Hot cupboard electric (ALTO-SHAAM) 767-SK



ALTO-SHAAM TT-3057

**5015518 SINGLE-PHASE THERMOSTAT 62-189°C**  
 complete with auxiliary selector switch  
 D-shaped pin  $\varnothing$  6x4.6 mm  
 covered capillary length 700 mm - 16A 250V  
 bulb  $\varnothing$  4x120 mm  
 for Boiling pan (MARENO) - Series 700  
 Series 900 PROTAGONISTA  
 for Fryer (MARENO) - Series 700 - Series 900



EBERHARDT MACM097800      EGO 5519632030      MARENO CM097800  
 MARENO MACM097800      SILKO CM097800




Suitable for:

# Thermostats



Suitable for:

**2101246 SINGLE-PHASE THERMOSTAT 82°-96°C**  
 D-shaft ø 6x4.6 mm  
 capillary 870 mm  
 bulbo ø 6x147 mm - adapter nipple bland M9x1




CORSAIR 01-027  
MOFFAT 3112

EGO 5513212370  
MOORWOOD VULCAN 930422-01

LINCAT TH09  
VISCOUNT 930422-01

**3444984 SINGLE-PHASE THERMOSTAT 95-205°C**  
 D-shaped pin ø 6x4.6 mm  
 capillary length 1000 mm  
 bulb ø 10x130 mm - with adapter nipple band  
 for Fryer electric (PITCO FRIALATOR)  
 for Fryer gas (PITCO FRIALATOR)



PITCO FRIALATOR P5047589

**3241775 BLACK KNOB ø 50 mm 200-400°C**  
 D-shaped pin 6x4.6 mm  
 for Fryer (PITCO FRIALATOR)



PITCO FRIALATOR P6071273

ROBERTSHAW R-Z34620-75

**3744133 THERMOSTAT ARTH090 0-40°C**  
 plastic case  
 2 contacts 15A 250V - spiral capillary  
 max temperature 110°C



**3744132 THERMOSTAT ARTH095 0-40°C**  
 plastic case  
 2 contacts 15A 250V  
 max temperature 110°C



**3744131 THERMOSTAT ARTH096 0-40°C**  
 plastic case  
 2 contacts 15A 250V - capillary length 1500 mm  
 max temperature 110°C



**3444799 THERMOSTAT F2000 +30+120°C**  
 3 contacts 10A 250V  
 capillary 1500 mm  
 bulb ø 6x115 mm



COCINAS SALA R2513






# Thermostats



Suitable for:

## 3444178 THERMOSTAT MODIFICATION KIT 105-185°C

D-shaped pin  $\varnothing$  6x4.6 mm  
complete with auxiliary commutator  
complete with substitution manual  
covered capillary length 900 mm - 16A 250V  
threaded bulb  $\varnothing$  1/2" x 91 mm  
complete with screenprinted plates  
for Fryer (ANGELO PO) - Series JUNIOR  
Series SENIOR



ANGELO PO 6005040

ANGELO PO 6300738

EGO 420290000

Suitable for:

## 2111537 THERMOSTAT SINGLE-PHASE 130°-190°C

D-shaft  $\varnothing$  6x4.6 mm  
capillary 870 mm  
bulb  $\varnothing$  6x117 mm - adapter nipple bland M9x1  
with connection for tank M12x1



BARTLETT 3925-212  
LINCAT TH29

CORSAIR

EGO 5513032260

## 3394327 THERMOSTAT STUFFING GLAND KIT



ELFRAMO 00038680

KOMEL 00038680

## 2102671 THERMOSTAT TRIPHASE 360°C

with manual reset  
capillary length 1780 mm - 16A 400V  
bulb  $\varnothing$  4x128 mm



EGO 5534175010

MKN 203938

## 3444336 THERMOSTAT TR2 0-270°C

complete with auxiliary selector switch  
D-shaped pin  $\varnothing$  6x4.6 mm  
capillary length 940 mm - 15A 250V  
bulb  $\varnothing$  3.5x190 mm  
for Hot plate electric (ELETTOBAR)  
for Hot plate electric (FIMAR)



BERTO'S 30084600  
FIMAR CO4421

CF CENEDESE 63.7.0651

ELETTOBAR 921046

## 7102945 THERMOSTAT TR2 0-90°C

D-shaft  $\varnothing$  6x4.6 mm  
capillary length 1500 mm - 15A 250V  
bulb  $\varnothing$  6.5x95 mm  
for Display cabinet warm (TECNOEKA) ROTOTERM/3



TECNOEKA 01201430

TECNOEKA 10950057000

## 2000134 THERMOSTAT 3-PHASE 50-300°C

D-shaft  $\varnothing$  6x4.6 mm  
covered capillary length 800 mm  
bulb  $\varnothing$  6x77 mm  
for Bratt pan (BONNET)



BONNET 310824

EGO 5534052110

MKN 203494

## 3444846 THERMOSTAT 71-99°C

D-shaped pin  $\varnothing$  6x4.6 mm  
capillary length 470 mm  
bulb  $\varnothing$  6x130 mm  
for Food-service trolley (HENNY PENNY) HHC136  
HHC900 - HHC902 - HHC903 - HHC906



HENNY PENNY HP14209



Suitable for:

# Thermostats



**3444810 THERMOSTAT 75-550°F**  
 complete with wiring  
 threaded bulb  $\varnothing$  1/2" -  $\varnothing$  16x134 mm  
 10A 120Vac / 5A 240Vac  
 with adjusting screw  
 for Fryer gas (FRYMASTER) MJCF - MJ45E  
 for Pasta cooker electric (FRYMASTER) 6BC - 6C  
 6SMS



FRYMASTER 8060183

GARLAND F8060183

GARLAND 806-0183

**3444822 THERMOSTAT 75-550°F**  
 with cables  
 threaded bulb  $\varnothing$  1/2" -  $\varnothing$  16x134 mm  
 with adjusting screw  
 for Fryer gas (FRYMASTER) MJCF - MJ45E  
 for Pasta cooker electric (FRYMASTER) 6BC - 6C  
 6SMS



FRYMASTER 8060183

**2101244 THREE-PHASE THERMOSTAT 130°-190°C**  
 D-shaft  $\varnothing$  6x4.6 mm  
 capillary 880 mm - 10A 400V  
 bulb  $\varnothing$  6x220 mm



EGO 5534032300

LINCAT TH24

MOFFAT 2855

MOORWOOD VULCAN 926561-01

VISCOUNT 9265161-01

**3444626 THREE-PHASE THERMOSTAT 150°C**  
 with manual reset  
 covered capillary length 800 mm - 20A 380V  
 bulb  $\varnothing$  6x90 mm  
 for Boiling pan electric (ANGELO PO) 2A1PI3E  
 291PI3E  
 for Boiling pan electric (BARON) - Series 700  
 Series 900  
 for Pasta cooker electric (ANGELO PO) MCF20E  
 MCF40E



ANGELO PO 32V0320

BARON BN41853310064

BARON 41853310064

BARON 853310064

EGO 5532522837

**3744121 THREE-PHASE THERMOSTAT 154°C**  
 with manual reset  
 covered capillary length 870 mm - 20A 400V  
 bulb  $\varnothing$  6x100 mm  
 for Food-service trolley electric (ALTO-SHAAM)  
 500-TH/III - 750-TH/III - 767-SK/III  
 for Hot cupboard (ALTO-SHAAM) 1000-TH/III  
 1200-TH/III



ALTO-SHAAM TT-33476

EGO 5533522040

**3444343 THREE-PHASE THERMOSTAT 20-500°C**  
 D-shaped pin  $\varnothing$  6x4.6 mm  
 covered capillary length 1030 mm  
 bulb  $\varnothing$  20x20 mm  
 for Kitchen electric (AMBACH) - Series 900



AMBACH 5061614400



# Thermostats



Suitable for:

## 2111694 THREE-PHASE THERMOSTAT 225°C

with manual reset  
capillary 830 mm  
bulbo ø 6x270 mm



EGO 5531542100

LINCAT TH19

Suitable for:

## 2102268 THREE-PHASE THERMOSTAT 230°C

with manual reset  
capillary length 870 mm - 10A 400V  
bulb ø 6x110 mm



EGO 5533542090

LINCAT TS41

LINCAT TH61

VALENTINE 70502

## 2111236 THREE-PHASE THERMOSTAT 230°C

with automatic reset  
covered capillary length 2420 mm - 10A 400V  
bulb ø 6x117 mm - with stuffing gland M9x1  
for Fry top electric (MKN)



EGO 5533544010

EGO 5533549040

MKN 203489

MKN 203660

## 3444466 THREE-PHASE THERMOSTAT 230°C

covered capillary length 900 mm - 10A 400V  
bulb ø 4x115 mm  
for Boiling pan electric (MARENO)  
Series 900 PROTAGONISTA  
for Fryer (MARENO) - Series 700 - Series 900



EGO 5532542848

MARENO CM097700

ROSINOX RX94812559

SILKO MACM097700

SILKO 0105030

## 3744113 THREE-PHASE THERMOSTAT 230°C

with manual reset  
covered capillary length 600 mm - 10A 400V  
bulb ø 4x122 mm  
for Fryer (MARENO) - Series 900 PROTAGONISTA NUOVA



EBERHARDT 282267

EGO 5532542370

MARENO CM097701

MARENO MACM097701

SILKO CM097701

## 3444437 THREE-PHASE THERMOSTAT 250°C

with manual reset  
covered capillary length 2500 mm - 20A 380V  
bulb ø 6x240 mm  
for Bratt pan (WHIRLPOOL) - Series 700  
for Bratt pan (ZANUSSI) - Series H700  
for Fryer (WHIRLPOOL) - Series 700  
for Fryer (ZANUSSI) - Series H700



ALPENINOX 054932

EGO 5531549040

ELECTROLUX 054932

WHIRLPOOL 771985003052

WHIRLPOOL 154932

ZANUSSI 054932

## 3444739 THREE-PHASE THERMOSTAT 250°C

with manual reset  
covered capillary length 1470 mm - 10A 400V  
bulb ø 6x100 mm - adapter nipple bland M9x1



EGO 5533544040

MKN 203183

PALUX 637726

## 3444351 THREE-PHASE THERMOSTAT 295°C

with manual reset  
covered capillary 1800 mm - 10A 400V  
bulb ø 4x125 mm - 10A 400V  
for TECNOINOX OVEN  
for EMMEPI OVEN 900-750-700-650 - FRYTOP 900-750



ALPENINOX 004921

EGO 5532555800

ELECTROLUX 004921

EMMEPI C00686

TECNOINOX 00063

TECNOINOX 81401059

TECNOINOX FC00063000

ZANUSSI 004921



# Thermostats



Suitable for:

Suitable for:

**2000135 THREE-PHASE THERMOSTAT 360°C**  
with manual reset  
covered capillary length 1710 mm - 10A 400v  
bulb  $\varnothing$  4x120 mm

**3444621 WASHER FOR CAPILALRY THERMOSTAT**



EGO 5532579010

MKN 203484



EGO 6706101