



Spare parts for:

Commercial refrigeration



Thermostats



This catalogue is automatically generated.
Therefore, the sequence of the items might
not be always shown at best.
Updates will be issued in case of additions
and/or amendments.

Rel. 2014-04221503





Thermostats



MECHANICAL THERMOSTAT PRODIGY

PRODIGY
Italiana



F2000



2000A



TR711N

LF Code	Model	Range	Capillary length mm
3444993	F2000	-35/+35°C	1500
3444976	F2000	0/+40°C	1500
3444800	F2000	0/+60°C	1500
3444801	F2000	+30/+90°C	1500
3444799	F2000	+30/+120°C	1500
3444996	2000A	-35/+35°C	-
3444977	2000A	0/+40°C	-
3444172	TR711N	-35/+35°C	1500

THERMOSTAT CAREL RTA

CAREL



RTA

LF Code	Model	Range	Power	Probe	Differential
3444722	RTA200A230	-35/-5°C	230V	1-NTC	1/10°C
3444723	RTA200B230	-10/+20°C	230V	1-NTC	1/10°C
3444724	RTA200C230	+5/+35°C	230V	1-NTC	1/10°C



Thermostats



Suitable for:

3744128 AMBIENT THERMOSTAT ARTH094 -35/+35°C
3 contacts



Suitable for:

3444544 ANTI-FREEZE THERMOSTAT KP71 -5/+20°C
with manual insertion
capillary 2000 mm - bulb \varnothing 9.5x115 mm
060L111566



DANFOSS 060L111566

3241999 BLACK RING \varnothing 56 mm



3444999 BULB FASTENER



3744108 DANFOSS THERMOSTAT 077B-3379
insulated contacts EBD 6A 250V
capillary 1500 mm
COLD +0°C - WARM +10°C - DT 4°C
D-shaped pin \varnothing 6x4.6 mm



3444858 END-DEFROSTING THERMOSTAT L10-10C
+6°-3°C



DANFOSS 077B-3379

IARP 0225181

IARP 3301567

3744109 RANCO THERMOSTAT K50 BS3492
insulated contacts EBD 6A 250V
capillary 2500 mm
COLD -26°C - WARM -19°C - DT 3°C
D-shaped pin \varnothing 6x4.6 mm



3444837 RANCO THERMOSTAT K50 H2005
2 contacts 6A 250V
capillary 1500 mm
D-shaped pin \varnothing 6x4.6 mm



IARP 3304724

RANCO K50BS3492

MARENO 2478500

RANCO K50H2005

3744130 ROOM THERMOSTAT -35+35°C
3 contacts 10A 250V
bulb \varnothing 7x92 mm



3744052 SAFETY THERMOSTAT



ALPENINOX 0KK203
EVERLASTING

ELECTROLUX 0KK203
FAGOR BR00C23114

EMMEPI 807812
ZANUSSI 0KK203



Suitable for:

Thermostats



3444824 SAFETY THERMOSTAT LM7-P5121 120°C

2 contacts
capillary length 1500 mm
spiral bulb \varnothing 6,3x60 mm



IARP 3303443

Suitable for:

3444448 SAFETY THERMOSTAT 40°C

cable length 1400 mm



ALPENINOX 0A9671
WHIRLPOOL 209671

ELECTROLUX 0A9671
ZANUSSI 0A9671

WHIRLPOOL 771985006218

3744129 THERMOSTAT -35/+35°C

3 contacts 10A 250V
capillary 1500 mm
bulb \varnothing 6x115 mm



3744127 THERMOSTAT ARTH093 -35/+35°C

3 contacts
capillary 1500 mm



3444997 THERMOSTAT ATEA AS6 A04 1000

3 contacts 6A 250V
capillary length 2000 mm
COLD -32°C - WARM -12°C
for FREEZER with alarm



3444998 THERMOSTAT ATEA AS7 A01 1003

2 contacts 6A 250V
COLD -5°C - WARM +11°C
capillary length 2000 mm
for BOTTLE COOLERS and WATER DISPENSERS



3744095 THERMOSTAT ATEA A01 0608

2 contacts 6A 250V
capillary 1000 mm
for Refrigerated cupboard (AHT) CMVG1000P
CMVG1500S - CMVG600P



AHT 107022

3445318 THERMOSTAT ATEA A13 0504

3 contacts 6A 250V
capillary 1000 mm
D-shaped pin \varnothing 6x4.6 mm
for Refrigerated cupboard (WHIRLPOOL) ARC1660
ARC1680 - ARC1685 - ARC1710 - ARC1714
ARC1736 - ARC1750 - ARC1756 - ART5850 - ART600
ART607 - ART610 - ART617 - KRA3000 - KRA3400
KRA3409 - KR3056 - KR3456



WHIRLPOOL 481927129103



Suitable for:

Thermostats



Suitable for:

3744077 THERMOSTAT ATEA A13 0672
 2 contacts 6A 250V
 capillary 1200 mm
 D-shaped pin \varnothing 6x4.6 mm
 Alternative ATEA A01 0614
 for Refrigerated cupboard (AHT) - Series CMV



AHT 107487

3444850 THERMOSTAT ATEA 01-0791
 3 contacts 6A 250V
 capillary 2500 mm
 D-shaped pin \varnothing 6x4.6 mm
 interchangeable with DANFOSS 077B-1118
 for Refrigerated cupboard (MONDIAL ELITE) KICPV60
 KNX40 - KNX60 - KN40 - KN60
 for Refrigerated cupboard (WHIRLPOOL) AGB775
 AGB776 - AGB777 - AGB778



DANFOSS 077B-1118

MONDIAL ELITE 1101029

WHIRLPOOL 483286008011

3241800 THERMOSTAT BLACK KNOB
 for D-shaped pin \varnothing 6 x 4,6 mm



EMMEPI 8C0325

MONDIAL ELITE 1721415

WHIRLPOOL 483286008012

3444889 THERMOSTAT DANFOSS UT 72 -30°/+30°C
 capillary 1500 mm
 bulb \varnothing 6x140 mm
 dimension 100x60xh42 mm



DANFOSS 060H1103

3444868 THERMOSTAT DANFOSS 077 B3517
 3 contacts 6A 250V
 capillary 900 mm
 for fixed end-defrosting
 Alternative Ranco K50 L7201
 for Refrigerated cupboard (IARP) EIS104 - EIS32
 EIS42 - STAR42 - STAR52



IARP 0225081

IARP 0225185

RANCO K50L7201

3444541 THERMOSTAT DANFOSS 077B-0028
 3 contacts 6A 250V
 capillary 1200 mm
 COLD -4.5°C - WARM +10.5°C
 D-shaped pin \varnothing 6 x 4.6 mm



DANFOSS 077B-0028

INFRIKO 308X10

3744078 THERMOSTAT DANFOSS 077B-0257
 4 contacts 6A 250V
 capillary 1500 mm
 for defrosting
 alternative RANCO K22 L1535
 for Display cabinet refrigerated (AHT)
 Series PARIS - Series SALZBURG



AHT 220123



Suitable for:

Thermostats



3444866 THERMOSTAT DANFOSS 077B-0345
 3 contacts 6A 250V
 capillary 1200 mm
 COLD -10°C - WARM +7°C - DT12°C
 D-shaft ø 6 x 4.6 mm
 for Refrigerated cupboard (IARP) - Series EKO
 Series GOCCIA - Series RUGIADA



DANFOSS 077B-0345

IARP 3304195

Suitable for:

3744043 THERMOSTAT DANFOSS 077B-0850L
 3 contacts 6A 250V
 capillary 900 mm
 D-shaped pin ø 6x4.6 mm
 Alternatively Ranco K50 L3428



MONDIAL ELITE 1001160

3444856 THERMOSTAT DANFOSS 077B-1307
 3 contacts 6A 250V
 capillary 1200 mm
 D shaft ø 6 x 4,6 mm



DANFOSS 077B-1307

FRAMEC 4100400001307

3444857 THERMOSTAT DANFOSS 077B-2028
 4 contacts 6A 250V
 capillary 1200 mm
 D shaft ø 6 x 4,6 mm
 Alternative Atea A04 0401



DANFOSS 077B-2028

FRAMEC 4100400202800

3444873 THERMOSTAT DANFOSS 077B-2397
 3 contacts 6A 250V
 capillary 1500 mm
 COLD -32°C - WARM -10,5°C - DT8°C
 D-shaft ø 6 x 4.6 mm
 Alternative Ranco K22 P1351



IARP 0225095

IARP 3305084

RANCO K22P1351

3444859 THERMOSTAT DANFOSS 077B-3317 EBD
 3 contacts 6A 250V
 capillary 2000 mm
 COLD -30°C - WARM -18°C - DT6°C
 D-shaped pin ø 6x4.6 mm
 Alternative Ranco K22 P1350 - Danfoss 077B-0437
 for Refrigerated cupboard (IARP) EIS45 - EIS55
 STAR45 - STAR55



DANFOSS 077B-0437

IARP 0225093

IARP 0225178

3444871 THERMOSTAT DANFOSS 077B-3374 EBD
 2 contacts 6A 250V
 capillary 1000 mm
 COLD -4.5°C - WARM +7.5°C - DT6°C
 D-shaped pin ø 6x4.6 mm
 alternative Ranco K50 L3319
 for Refrigerated cupboard (IARP) EIS28COCACOLA
 EIS315COCACOLA



IARP 0225088

IARP 3306115

RANCO K50L3319

3444879 THERMOSTAT DANFOSS 077B-7001
 3 contacts 6A 250V
 capillary 1300 mm
 COLD -25°/-13,5°C - WARM +2,5°/-5,5°C
 D-shaped pin ø 6x4.6 mm



DANFOSS



Thermostats



Suitable for:

Suitable for:

3444880 THERMOSTAT DANFOSS 077B-7002
 4 contacts 6A 250V
 capillary 1300 mm
 COLD -21°/-11,5°C - WARM 0°/-7,5°C
 D-shaped pin ø 6x4.6 mm
 with defrosting button



BONNET 1176389

DANFOSS 077B-7002

3444881 THERMOSTAT DANFOSS 077B-7003
 4 contacts 6A 250V
 capillary 1600 mm
 COLD -27,5°/+3,5°C - WARM +3,5°/-11°C
 D-shaped pin ø 6x4.6 mm



DANFOSS 077B-7003

3444882 THERMOSTAT DANFOSS 077B-7004
 4 contacts 6A 250V
 capillary 1600 mm
 COLD -11°/-5°C - WARM +3,5°/-1°C
 D-shaped pin ø 6x4.6 mm



BONNET 1176387

DANFOSS

3444883 THERMOSTAT DANFOSS 077B-7005
 3 contacts 6A 250V
 capillary 2300 mm
 COLD -32,5°/-21°C - WARM -1,5°/-7,5°C
 D-shaped pin ø 6x4.6 mm



BONNET 1176388

DANFOSS 077B-7005

3444951 THERMOSTAT DANFOSS 077B-7006
 3 contacts 6A 250V
 capillary 2000 mm
 COLD -28°C - WARM -10°C
 D-shaped pin ø 6 x 4.6 mm
 for Refrigerated cupboard (ICEMATIC) W70FX



DANFOSS 077B-7006

ICEMATIC 19797011

3444884 THERMOSTAT DANFOSS 077B-7007
 4 contacts 6A 250V
 capillary 2000 mm
 COLD -34°/-24°C - WARM -10°/-17°C
 D-shaped pin ø 6x4.6 mm



DANFOSS

3444971 THERMOSTAT END-DEFROSTING
 37T31-501513
 L25 - 10C - C0015
 for Refrigerated cupboard (WHIRLPOOL) - Series AKN
 Series ALN - Series ILN - PDVN901



ALPENINOX 083113
WHIRLPOOL 183113

ELECTROLUX 083113
ZANUSSI 083113

WHIRLPOOL 771985005009

3444515 THERMOSTAT FOR END OF DEFROSTING
 37T31-501510
 L7-8C J0350



ALPENINOX 083106

ELECTROLUX 083106

ZANUSSI 083106



Thermostats



Suitable for:

3444855 THERMOSTAT FOR END OF DEFROSTING +6/-3°C
cable length 3000 mm



FRAMEC 1105029

MONDIAL ELITE 1105029

Suitable for:

3444518 THERMOSTAT FOR END OF DEFROSTING 20°C
cable length 1400 mm



ALPENINOX 085940
WHIRLPOOL 185940

ELECTROLUX 085940
ZANUSSI 085940

WHIRLPOOL 771985005282

3444898 THERMOSTAT JOHNSON CONTROL -35° +35°C



3241998 THERMOSTAT KNOB ø 42 mm -30 +30°C
hole ø 6x4 mm



3444890 THERMOSTAT KP62 -30°/+15°C
adjustable differential 2°-10°C
automatic reset



DANFOSS 060L1106

3444895 THERMOSTAT KP71 -5°/+20°C
automatic reset
capillary 2000 mm



DANFOSS 060L11366

3444886 THERMOSTAT K50 P1110
2 contacts 6A 250V
capillary 1200 mm
COLD -23°C - WARM +2°C
D-shaped pin ø 6x4.6 mm



RANCO K50P1110

RANCO VC10000000

3744067 THERMOSTAT K59 L1102
3 contacts 6A 250V
capillary 1200 mm
D-shaped pin ø 6x4.6 mm
COLD -25°C - WARM +2,5°C



3744047 THERMOSTAT RANCO K50 H2041
2 contacts 6A 250V
capillary 1200 mm
D-shaft ø 6x4,6 mm



LIEBHERR

RANCO K50H2041

3744041 THERMOSTAT RANCO K50 L3429
2 contacts 6A 250V
capillary 1500 mm
D-shaft ø 6x4,6 mm
interchangeable with DANFOSS 077B-1014L



MONDIAL ELITE 1101016



Thermostats



Suitable for:

5043354 THERMOSTAT RANCO K14 P0163



COSMETAL 3824929

Suitable for:

3444853 THERMOSTAT RANCO K22 L1040

3 contacts 6A 250V
capillary 2500 mm
D-shaft \varnothing 6x4,6 mm
for Refrigerated cupboard (FRAMEC) - Series EXPO
Series SAMBA



FRAMEC 410040002200

RANCO K22L1040

3444869 THERMOSTAT RANCO K22 L1067

3 contacts 6A 250V
capillary 1500 mm
COLD -34°C - WARM -10°C - DT3.5°C
D-shaft \varnothing 6 x 4.6 mm
for Refrigerated cupboard (IARP) STOK140 - STOK70



IARP 0225008

RANCO K22L1067

3744081 THERMOSTAT RANCO K22 L1076

3 contacts 6A 250V
capillary 1200 mm
for Display cabinet refrigerated (AHT) RIOS175



AHT 269197

3444877 THERMOSTAT RANCO K22 L1089

3 contacts 6A 250V
capillary 1200 mm
COLD -35°C - WARM -10°C - DT10°C
D-shaft \varnothing 6 x 4.6 mm
for ALGIDA



IARP 3304124

RANCO K22L1089

3744042 THERMOSTAT RANCO K22 L1090

3 contacts 6A 250V
capillary 1800 mm
D-shaft \varnothing 6x4,6 mm
interchangeable with DANFOSS 077B-0423
and with RANCO K22 L1026



MONDIAL ELITE 1001085

3444863 THERMOSTAT RANCO K22 L2086

3 contacts 6A 250V
capillary 2500 mm
COLD -30°C - WARM -18°C - DT5°C
D-shaped pin \varnothing 6x4.6 mm
same as K50L3452
for Display cabinet refrigerated (IARP)



IARP 0225104

RANCO K22L2086

3444876 THERMOSTAT RANCO K22 L2088

3 contacts 6A 250V
capillary 2500 mm
COLD -20°C - WARM -10°C - DT3.5°C
D-shaft \varnothing 6 x 4.6 mm
for semifreddo



IARP 0225105

RANCO K22L2088



Thermostats



Suitable for:

3444851 THERMOSTAT RANCO K22 L2089

3 contacts 6A 250V
capillary 2000 mm
D-shaft \varnothing 6x4,6 mm
bulb \varnothing 9,5 x 125 mm
to stop defrosting



MONDIAL ELITE 1101040

RANCO K22L2089

WHIRLPOOL 483286008104

Suitable for:

3444940 THERMOSTAT RANCO K22 L2557

3 contacts 6A 250V
capillary length 2250 mm
COLD -5°C. - WARM +13°C.
for Refrigerated cupboard (MARENO) - Series AF/M
Series EF - Series SF
for Refrigerated table (MARENO) - Series TR



FRIULINOX 995352

MARENO MA2475912

RANCO K22L2557

3444874 THERMOSTAT RANCO K22 L8103

3 contacts 6A 250V
capillary 1500 mm
COLD -5°C - WARM +10°C - DT3°C
D-shaft \varnothing 6 x 4.6 mm
for Refrigerated cupboard (IARP) AB400 - AB500
AB600



IARP 3304241

RANCO K22L8103

3444867 THERMOSTAT RANCO K50 BS3528

2 contacts 6A 250V
capillary 800 mm
COLD -1.5°C - WARM +14°C - DT3.5°C
D-shaped pin \varnothing 6 x 4.6 mm
for drinks refrigerator
Alternatively K50 L3284
for Refrigerated cupboard (IARP)



IARP 0225010

IARP 0225186

RANCO K50L3284

3444946 THERMOSTAT RANCO K50 L3019

2 contacts 6A 250V
capillary 1200 mm
COLD -1.0°C - WARM +7.5°C
D shaft \varnothing 6x4.6 mm



MARENO 21351599

RANCO K50L3019000

RANCO K50L3019

3444911 THERMOSTAT RANCO K50 L3078

2 contacts 6A 250V
capillary 2000 mm
COLD -7.0°C - WARM +7.5°C
D shaft \varnothing 6x4.6 mm



ALPENINOX 0A8089

DEXION 013475-00

DEXION 013475-00-R

3241907 THERMOSTAT KNOB \varnothing 35 mm

hole \varnothing 6x4 mm



ELECTROLUX 0A8089

RANCO K50L3078

WHIRLPOOL 208089

ALPENINOX 0A8203

ELECTROLUX 0A8203

WHIRLPOOL 208203

ZANUSSI 0A8089

ZANUSSI 0A8203



Thermostats



Suitable for:

Suitable for:

3444957 THERMOSTAT RANCO K50 L3194

2 contacts 6A 250V
capillary 1800 mm
COLD +1.0°C - WARM +10.0°C
D shaft ø 6x4.6 mm



DEXION 013471-00

DEXION 013471-00-R

RANCO K50L3194000

3444932 THERMOSTAT RANCO K50 L3207

2 contacts 6A 250V
capillary 1500 mm
COLD -10.0°C - WARM +10.0°C
D shaft ø 6x4.6 mm



ANGELO PO 32Z6360

RANCO K50L3207000

SAGI 32Z6360

3444875 THERMOSTAT RANCO K50 L3210

2 contacts 6A 250V
capillary 2500 mm
COLD -30°C - WARM -23°C - DT6°C
D-shaft ø 6 x 4.6 mm
for Refrigerated cupboard (IARP) AB400 - AB500
AB600



IARP 3301323

RANCO K50L3210

3444897 THERMOSTAT RANCO K50 L3295

2 contacts 6A 250V
capillary 1300 mm
Alternative Atea A01 0584



ALPENINOX 0KD779

RANCO K50L3295

ZANUSSI 0KD779

COSMETAL 3824910

WHIRLPOOL 771985006473

ELECTROLUX 0KD779

WHIRLPOOL 310388

3444878 THERMOSTAT RANCO K50 L3313

2 contacts 6A 250V
capillary 1500 mm
D-shaft ø 6 x 4.6 mm
for Coca Cola FRESH PONT
alternative 077B1032
for Display cabinet refrigerated (IARP)



IARP 3300683

RANCO K50L3313

3744082 THERMOSTAT RANCO K50 L3334

2 contacts 6A 250V
capillary 1200 mm
for Display cabinet refrigerated (AHT) RIOS100
RIOS125 - RIOS150 - RIOS68



AHT 225649

3444870 THERMOSTAT RANCO K50 L3337

2 contacts 6A 250V
capillary 1500 mm
COLD 0°C - WARM +10°C - DT4°C
D-shaft ø 6 x 4.6 mm
for Refrigerated cupboard (IARP)
ARMONYHEINEKEN
for Refrigerated cupboard (IARP) AB600P



IARP 0225090

RANCO K50L3337

3444844 THERMOSTAT RANCO K50 L3388

2 contacts 6A 250V
capillary 1600 mm
interchangeable with ATEA A01-0806 A01-0692
A01-0780
with DANFOSS 077B-1117
for Refrigerated cupboard (MONDIAL ELITE) BPR40
KPR40
for Refrigerated cupboard (WHIRLPOOL) AGB773
AGB781



MONDIAL ELITE 1101028

RANCO K50L3388

WHIRLPOOL 483286008062



Suitable for:

Thermostats



3444865 THERMOSTAT RANCO K50 L3425
 2 contacts 6A 250V
 capillary 1000 mm
 COLD -30°C - WARM -10°C - DT3.5°C
 D-shaft \varnothing 6 x 4.6 mm
 for ice cream showcase, conservation unit
 for Display cabinet refrigerated (IARP)



IARP 3303610

RANCO K50L3425

3444852 THERMOSTAT RANCO K50 L3427
 2 contacts 6A 250V
 capillary 900 mm
 D-shaped pin \varnothing 6x4.6 mm
 COLD -31,5°C - WARM -13,8°C



MONDIAL ELITE 1001105

RANCO K50L3427

RANCO K50L3427000

3444803 THERMOSTAT RANCO K50 L3430
 2 contacts 6A 250V
 capillary 1500 mm
 D-shaped pin \varnothing 6x4.6 mm
 interchangeable with ATEA A01-0791
 for Refrigerated cupboard (MONDIAL ELITE) KICPV60
 for Refrigerated cupboard (WHIRLPOOL) AGB774
 AGB779 - AGB780 - AGB840



EMMEPI 8C0565

MONDIAL ELITE 1101031

RANCO K50L3430

WHIRLPOOL 483286008075

3241800 THERMOSTAT BLACK KNOB
 for D-shaped pin \varnothing 6 x 4,6 mm



EMMEPI 8C0325

MONDIAL ELITE 1721415

WHIRLPOOL 483286008012

3444919 THERMOSTAT RANCO K50 P1115
 2 contacts 6A 250V
 capillary 2000 mm
 COLD +1.5°C - WARM +11.0°C
 D shaft \varnothing 6x4.6 mm



ALPENINOX 083520

ELECTROLUX 083520

MARENO 2523400

MARENO MA2523400

RANCO K50P1115012

THIRODE 380101

WHIRLPOOL 183520

ZANUSSI 083520

3441906 SPRING FOR KNOB



ALPENINOX 082792

ELECTROLUX 082792

ZANUSSI 082792

3241905 THERMOSTAT KNOB \varnothing 26 mm
 hole \varnothing 6x4 mm



ALPENINOX 081690

ELECTROLUX 081690

WHIRLPOOL 181690

ZANUSSI 081690



Thermostats



Suitable for:

Suitable for:

3444819 THERMOSTAT RANCO K50 P1118
 2 contacts 6A 250V
 capillary 1200 mm
 COLD -3.0°C - WARM +12.5°C
 D shaft ø 6x4.6 mm



RANCO K50P111800

RANCO K50P1118000

3444862 THERMOSTAT RANCO K50 P1560
 2 contacts 6A 250V
 capillary 2000 mm
 COLD -5°C - WARM +12°C - DT9°C
 D-shaft ø 6 x 4.6 mm
 for Display cabinet refrigerated (IARP)
 Series GEMMA - Series SHELLY



IARP 0225113

RANCO K50P1560

3744028 THERMOSTAT RANCO K50 P6073
 2 contacts 6A 250V
 capillary 2000 mm
 D-shaft ø 6x4,6 mm



LIEBHERR 6151995

RANCO K50/P6073-1

RANCO K50P6073

3444861 THERMOSTAT RANCO K50 S3488
 2 contacts 6A 250V
 capillary 800 mm
 COLD +1°C - WARM +19°C - DT3.5°C
 D-shaft ø 6 x 4.6 mm



IARP 3304611

RANCO K50S3488

3444872 THERMOSTAT RANCO K50B S3532
 2 contacts 6A 250V
 capillary 2000 mm
 COLD -8°C - WARM +9.5°C - DT9°C
 D-shaft ø 6 x 4.6 mm
 for Display cabinet refrigerated (IARP)
 Series JAZZ



IARP 0225189

IARP 3305974

RANCO K50BS3484

3444956 THERMOSTAT RANCO K50P1117
 2 contacts 6A 250V
 capillary length 2000 mm
 COLD -34°C - WARM -12°C
 D shaft ø 6x4.6 mm



DEXION 013477-00

DEXION 013477-00-R

RANCO K50P1117

3444918 THERMOSTAT RANCO K50P1125
 2 contacts 6A 250V
 capillary 1200 mm
 COLD-18°C - WARM 9.5°C
 D-shaped pin ø 6 x 4.6 mm



RANCO K50P1125

3444931 THERMOSTAT RANCO K52 L4512
 2 contacts 6A 250V
 double capillary
 capillaries 2100 mm - 1850 mm
 COLD -6,4°C - WARM +8,5°C
 COLD -6,0°C - WARM +8,8°C
 D shaft ø 6x4.6 mm



ALPENINOX 0A8653

RANCO K52L45126A250V

ZANUSSI 0A8653

ANGELO PO 32Z0920

SAGI 32Z0920

ELECTROLUX 0A8653

WHIRLPOOL 208653



Suitable for:

Thermostats



3444860 THERMOSTAT RANCO K54 L1870
 3 contacts 6A 250V
 capillary 1000 mm
 COLD -29°C - WARM -19°C - DT5.4°C
 D-shaft \varnothing 6 x 4.6 mm
 for shaft freezer with alarm



IARP 0225009

RANCO K54L1870

3744080 THERMOSTAT RANCO K54 L1973
 3 contacts 6A 250V
 capillary 1200 mm
 D-shaft \varnothing 6x4.6 mm
 for Display cabinet refrigerated (AHT)
 Series PARIS - Series SALZBURG



AHT 229496

3444888 THERMOSTAT RANCO K54 P1102
 3 contacts 6A 250V
 capillary 2000 mm
 COLD -32°C - WARM -12°C
 D-shaped pin \varnothing 6x4.6 mm



RANCO K54P1102

3444916 THERMOSTAT RANCO K55 L5026
 2 contacts 6A 250V
 capillary 2000 mm
 COLD -0.5°C - WARM +8.5°C
 D shaft \varnothing 6x4.6 mm



ALPENINOX 082025
 RANCO K55L5026000
 ZANUSSI 082025

ELECTROLUX 082025
 WHIRLPOOL 771985004775

FRIULINOX 995395
 WHIRLPOOL 182025

3241905 THERMOSTAT KNOB \varnothing 26 mm
 hole \varnothing 6x4 mm



ALPENINOX 081690
 ZANUSSI 081690

ELECTROLUX 081690

WHIRLPOOL 181690

3444906 THERMOSTAT RANCO K55 L5027
 2 contacts 6A 250V
 capillary 2000 mm
 COLD -5.0°C - WARM +8.5°C
 D shaft \varnothing 6x4.6 mm
 for Refrigerated cupboard (ZANUSSI)
 Series KOMPACT - Series LUX - Series SLIM



ALPENINOX 081689
 WHIRLPOOL 181689

ELECTROLUX 081689
 ZANUSSI 081689

RANCO K55L50276A250

3241903 THERMOSTAT KNOB
 for Refrigerated cupboard (ZANUSSI)
 Series KOMPACT - Series LUX - Series SLIM



ALPENINOX 082916
 ZANUSSI 082916

ELECTROLUX 082916

WHIRLPOOL 182916



Thermostats



Suitable for:

Suitable for:

3444854 THERMOSTAT RANCO K55 L5031
 2 contacts 6A 250V
 capillary length 2000 mm
 D-shaft \varnothing 6x4,6 mm
 for Display cabinet (FRAMEC) - Series SAMBA
 for Refrigerated table (FRAMEC) - Series CALIPSO



FRAMEC 4100400005500

RANCO K55L5031

3444909 THERMOSTAT RANCO K55 L5070
 2 contacts 6A 250V
 capillary length 2500 mm
 COLD -22°C - WARM -7.5°C
 D shaft \varnothing 6x4.6 mm



ALPENINOX 082985
WHIRLPOOL 182985

ELECTROLUX 082985
ZANUSSI 082985

RANCO K55L5070000

3241905 THERMOSTAT KNOB \varnothing 26 mm
 hole \varnothing 6x4 mm



ALPENINOX 081690
ZANUSSI 081690

ELECTROLUX 081690

WHIRLPOOL 181690

3444905 THERMOSTAT RANCO K55 L5078
 2 contacts 6A 250V
 capillary 2000 mm
 COLD +1.4°C - WARM +10.5°C
 D shaft \varnothing 6x4.6 mm
 for Refrigerated cupboard (ZANUSSI)
 Series KOMPACT - Series LUX - Series SLIM



ALPENINOX 083125
WHIRLPOOL 183125

ELECTROLUX 083125
ZANUSSI 083125

RANCO K55L5078000

3241903 THERMOSTAT KNOB
 for Refrigerated cupboard (ZANUSSI)
 Series KOMPACT - Series LUX - Series SLIM



ALPENINOX 082916
ZANUSSI 082916

ELECTROLUX 082916

WHIRLPOOL 182916

3744066 THERMOSTAT RANCO K55 L5079
 6A 250V
 capillary 2000 mm
 COLD -2°C - WARM +11°C
 for Refrigerated cupboard (ZANUSSI) - Series EDVC
 Series EDVN - Series EDVP - Series EMVC
 Series EMVN - Series EMVP - Series IKF
 Series IKN - Series IKS



ALPENINOX 083135
WHIRLPOOL 771985005017

ELECTROLUX 083135
WHIRLPOOL 183135

RANCO K55L5079
ZANUSSI 083135

3344012 THERMOSTAT RANCO K55 L5080
 2 contacts 6A 250V
 capillary 1600 mm
 COLD -3°C - WARM +10°C
 D shaft \varnothing 6x4.6 mm
 for Refrigerated cupboard (WHIRLPOOL) MLC130
 MLC131 - MLC132 - MLP130 - MLP131 - MLP132
 for Refrigerated table (WHIRLPOOL) SAL250
 Series TRN



ALPENINOX 083147
WHIRLPOOL 771985005019

ELECTROLUX 083147
WHIRLPOOL 183147

RANCO K55L5080
ZANUSSI 083147



Thermostats



Suitable for:

3444941 THERMOSTAT RANCO K55 L5085

2 contacts 6A 250V
capillary 2550 mm
COLD -0.5°C - WARM +8.5°C
D shaft ø 6x4.6 mm



MARENO MA2475612
RANCO K55L50856A250V

MARENO 2475612

RANCO K55L5085000

Suitable for:

3444864 THERMOSTAT RANCO K55 P5458

2 contacts 6A 250V
capillary 2500 mm
COLD -28°C - WARM -12°C - DT3,5°C
D-shaft ø 6x4.6 mm
for ice cream cabinet, display unit
for Display cabinet refrigerated (IARP)



IARP 3301898

RANCO K55P5458

3444447 THERMOSTAT RANCO K55 P5851

2 contacts 6A 250V
capillary 2500 mm
D-shaped pin 6x4,6 mm
for Refrigerated cupboard (WHIRLPOOL)
for Refrigerated cupboard (ZANUSSI) C04PVG4D
730432



ALPENINOX 087516
WHIRLPOOL 771985005314

ELECTROLUX 087516
WHIRLPOOL 187516

RANCO K55P5851000
ZANUSSI 087516

3744049 THERMOSTAT RANCO K57 L2844

3 contacts 6A 250V
capillary 2000 mm
bulb ø 9,5x105 mm



LIEBHERR

RANCO K57L2844

3744048 THERMOSTAT RANCO K57 L5537

3 contacts 6A 250V
capillary 1200 mm
D-shaped pin ø 6x4.6 mm



LIEBHERR

RANCO K57L5537

3444921 THERMOSTAT RANCO K60 L2034

2 contacts 6A 250V
capillary 1500 mm
COLD -17°C - WARM -10°C
for Refrigerated table (ZANUSSI) - Series DCB



ALPENINOX 081378

ELECTROLUX 081378

ZANUSSI 081378

3441906 SPRING FOR KNOB



ALPENINOX 082792

ELECTROLUX 082792

ZANUSSI 082792



Thermostats



Suitable for:

Suitable for:

3241900 THERMOSTAT KNOB \varnothing 50 mm
hole \varnothing 6x4 mm
for Self service counter (ZANUSSI)



ALPENINOX 080837

ELECTROLUX 080837

ZANUSSI 080837

3444516 THERMOSTAT RANCO K60 L2112
2 contacts 6A 250V
capillary 2500 mm
for Self service counter refrigerated (ZANUSSI)



ALPENINOX 083177
ZANUSSI 083177

ELECTROLUX 083177

RANCO K60L2112000

3444517 THERMOSTAT RANCO K60 L2141
2 contacts 6A 250V
capillary 800 mm
for Self service counter refrigerated (WHIRLPOOL)
DLP14/F - DLP21/F - DL14/F - DL21/F
for Self service counter refrigerated (ZANUSSI)
DLP14/F - DLP21/F - DL14/F - DL21/F



ALPENINOX 083178
WHIRLPOOL 771985005033

ELECTROLUX 083178
WHIRLPOOL 183178

RANCO K60L2141000
ZANUSSI 083178

3444887 THERMOSTAT RANCO K60 P1113
2 contacts 6A 250V
capillary 1200 mm
COLD -25°C - WARM -4°C
with defrosting button
D-shaped pin \varnothing 6x4.6 mm



RANCO K60P1113

3444836 THERMOSTAT RANCO 016-6999
icebank control



RANCO 016-6999

WHIRLPOOL 310343

WHIRLPOOL 771985006455

3444989 THERMOSTAT TR2 -35+35°C
3 contacts 15A 250V
capillary 1500 mm
bulb \varnothing 6x135 mm



3444987 THERMOSTAT TSC 093 -35+35°C
3 contacts 15A 250V
capillary length 1400 mm
bulb \varnothing 6x115 mm





Thermostats




Suitable for:

3444988 THERMOSTAT TSC 094 -35+35°C
3 contacts 15A 250V



Suitable for:

3444930 THERMOSTAT T50 -30+30°C
3 contacts 6A 250V
with adjusting screw
capillary length 1450 mm
bulb \varnothing 6x105 mm



ANGELO PO 32Z1090

SAGI 32Z1090

3444986 THERMOSTAT WITH THERMOMETER -35+35°C
3 contacts 15A 250V
capillary length 1000 mm
bulb \varnothing 6x115 mm
thermometer -40+50°C

